

Deltamethrin Collar

Version 9.12 Revision Date: 03.11.2023 SDS Number: 87822-00028 Date of last issue: 30.09.2023
Date of first issue: 01.04.2015

SECTION 1. IDENTIFICATION

Product name : Deltamethrin Collar

Manufacturer or supplier's details

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma
Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4

Skin sensitization : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - : Category 2 (Central nervous system, Immune system)
repeated exposure (Oral)

Specific target organ toxicity - : Category 2 (Central nervous system)
repeated exposure
(Inhalation)

Short-term (acute) aquatic : Category 3
hazard

Long-term (chronic) aquatic : Category 3
hazard

GHS label elements

Hazard pictograms :



Deltamethrin Collar

Version 9.12 Revision Date: 03.11.2023 SDS Number: 87822-00028 Date of last issue: 30.09.2023
 Date of first issue: 01.04.2015

Signal Word : Warning

Hazard Statements : H302 Harmful if swallowed.
 H317 May cause an allergic skin reaction.
 H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
 H373 May cause damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.
 H373 May cause damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.
 H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
 P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
 P264 Wash skin thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P272 Contaminated work clothing should not be allowed out of the workplace.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
 P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
 P302 + P352 IF ON SKIN: Wash with plenty of water.
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
 P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:
 P405 Store locked up.

Disposal:
 P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
---------------	---------	-----------------------

Deltamethrin Collar

Version 9.12 Revision Date: 03.11.2023 SDS Number: 87822-00028 Date of last issue: 30.09.2023
 Date of first issue: 01.04.2015

Polyvinyl chloride	9002-86-2	>= 50 -< 70
Triphenyl phosphate	115-86-6	>= 30 -< 50
Deltamethrin (ISO)	52918-63-5	>= 3 -< 5
Titanium dioxide	13463-67-7	>= 1 -< 5

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
May cause an allergic skin reaction.
Suspected of damaging fertility. Suspected of damaging the unborn child.
May cause damage to organs through prolonged or repeated exposure if swallowed.
May cause damage to organs through prolonged or repeated exposure if inhaled.
This product contains a pyrethroid.
Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)

Deltamethrin Collar

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
9.12	03.11.2023	87822-00028	Date of first issue: 01.04.2015

Bromine compounds
Chlorine compounds
Oxides of phosphorus

- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
-

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe dust, fume, gas, mist, vapors or spray.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Store in accordance with the particular national regulations.
-

Deltamethrin Collar

Version 9.12 Revision Date: 03.11.2023 SDS Number: 87822-00028 Date of last issue: 30.09.2023
 Date of first issue: 01.04.2015

Materials to avoid : Do not store with the following product types:
 Strong oxidizing agents
 Self-reactive substances and mixtures
 Organic peroxides
 Explosives
 Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Polyvinyl chloride	9002-86-2	TWA (Respirable particulate matter)	1 mg/m ³	ACGIH
Triphenyl phosphate	115-86-6	CMP	3 mg/m ³	AR OEL
	Further information: A4 - Not classifiable as a human carcinogen			
		TWA	3 mg/m ³	ACGIH
Deltamethrin (ISO)	52918-63-5	TWA	15 µg/m ³ (OEB 3)	Internal
	Further information: DSEN, Skin			
		Wipe limit	100 µg/100 cm ²	Internal
Titanium dioxide	13463-67-7	CMP	10 mg/m ³	AR OEL
	Further information: A4 - Not classifiable as a human carcinogen			
		TWA (Respirable particulate matter)	2,5 mg/m ³ (Titanium dioxide)	ACGIH

This substance(s) is not bioavailable and therefore does not contribute to a dust inhalation hazard.

Titanium dioxide

Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
 Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Deltamethrin Collar

Version 9.12 Revision Date: 03.11.2023 SDS Number: 87822-00028 Date of last issue: 30.09.2023
Date of first issue: 01.04.2015

- Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection : Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
-

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : solid
- Color : white
- Odor : very faint
- Odor Threshold : No data available
- pH : No data available
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : > 148,8 °C
- Flash point : Not applicable
- Evaporation rate : Not applicable
- Flammability (solid, gas) : Not classified as a flammability hazard
- Flammability (liquids) : No data available
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available

Deltamethrin Collar

Version 9.12 Revision Date: 03.11.2023 SDS Number: 87822-00028 Date of last issue: 30.09.2023
Date of first issue: 01.04.2015

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : Not applicable

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1.668 mg/kg
Method: Calculation method

Deltamethrin Collar

Version 9.12 Revision Date: 03.11.2023 SDS Number: 87822-00028 Date of last issue: 30.09.2023
Date of first issue: 01.04.2015

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Components:**Triphenyl phosphate:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Acute dermal toxicity : LD50 (Rabbit): > 10.000 mg/kg

Deltamethrin (ISO):

Acute oral toxicity : LD50 (Rat): 66,7 mg/kg
LD50 (Rat): 9 - 139 mg/kg
LD50 (Mouse): 19 - 34 mg/kg
Acute inhalation toxicity : LC50 (Rat): 0,8 mg/l
Exposure time: 2 h
Test atmosphere: dust/mist
Acute dermal toxicity : LD50 (Rabbit): 2.000 mg/kg
LD50 (Rat): > 800 mg/kg
Acute toxicity (other routes of administration) : LD50 (Rat): 2,5 mg/kg
Application Route: Intravenous
LD50 (Mouse): 10 mg/kg
Application Route: Intraperitoneal

Titanium dioxide:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 6,82 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:**Triphenyl phosphate:**

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Deltamethrin Collar

Version 9.12 Revision Date: 03.11.2023 SDS Number: 87822-00028 Date of last issue: 30.09.2023
Date of first issue: 01.04.2015

Deltamethrin (ISO):

Species : Rabbit
Result : No skin irritation

Titanium dioxide:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Triphenyl phosphate:**

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Deltamethrin (ISO):

Species : Rabbit
Result : Moderate eye irritation

Titanium dioxide:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitization**Skin sensitization**

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:**Triphenyl phosphate:**

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

Deltamethrin (ISO):

Test Type : Maximization Test
Routes of exposure : Dermal
Species : Guinea pig
Result : negative

Test Type : Human repeat insult patch test (HRIPT)
Routes of exposure : Dermal
Species : Humans

Deltamethrin Collar

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
9.12	03.11.2023	87822-00028	Date of first issue: 01.04.2015

Result : positive

Titanium dioxide:

Test Type : Local lymph node assay (LLNA)
 Routes of exposure : Skin contact
 Species : Mouse
 Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:**Triphenyl phosphate:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
 Method: OECD Test Guideline 473
 Result: negative

Test Type: Bacterial reverse mutation assay (AMES)
 Method: OECD Test Guideline 471
 Result: negative

Test Type: In vitro mammalian cell gene mutation test
 Result: negative

Deltamethrin (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Test Type: DNA Repair
 Test system: Escherichia coli
 Result: negative

Test Type: Chromosomal aberration
 Test system: Chinese hamster ovary cells
 Result: negative

Test Type: In vitro mammalian cell gene mutation test
 Test system: Chinese hamster lung cells
 Concentration: LOAEL: 20 mg/kg
 Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test
 Species: Mouse
 Application Route: Oral
 Result: negative

Test Type: dominant lethal test
 Species: Mouse
 Application Route: Oral
 Result: negative

Test Type: sister chromatid exchange assay

Deltamethrin Collar

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
9.12	03.11.2023	87822-00028	Date of first issue: 01.04.2015

Species: Mouse
 Cell type: Bone marrow
 Application Route: Oral
 Result: negative

Titanium dioxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
 Species: Mouse
 Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Deltamethrin (ISO):**

Species : Mouse, male and female
 Application Route : oral (feed)
 Exposure time : 104 weeks
 NOAEL : 8 mg/kg body weight
 LOAEL : 4 mg/kg body weight
 Result : positive
 Target Organs : Lymph nodes

Species : Rat, male and female
 Application Route : oral (feed)
 Exposure time : 2 Years
 Result : negative

Species : Dog, male and female
 Application Route : oral (feed)
 Exposure time : 2 Years
 NOAEL : 1 mg/kg body weight
 Result : negative

Titanium dioxide:

Species : Rat
 Application Route : inhalation (dust/mist/fume)
 Exposure time : 2 Years
 Method : OECD Test Guideline 453
 Result : positive
 Remarks : The mechanism or mode of action may not be relevant in humans.
 This substance(s) is not bioavailable and therefore does not contribute to a dust inhalation hazard.

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in inhalation studies with animals.

Deltamethrin Collar

Version 9.12 Revision Date: 03.11.2023 SDS Number: 87822-00028 Date of last issue: 30.09.2023
Date of first issue: 01.04.2015

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

Components:**Triphenyl phosphate:**

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative

Deltamethrin (ISO):

Effects on fertility : Test Type: Three-generation reproduction toxicity study
Species: Rat
Application Route: oral (feed)
Early Embryonic Development: NOAEL: 50 mg/kg body weight
Symptoms: No effects on fertility., Embryo-fetal toxicity.
Remarks: Significant toxicity observed in testing

Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Oral
Early Embryonic Development: LOAEL: 84 - 149 mg/kg body weight
Symptoms: No effects on fertility., Embryo-fetal toxicity.

Test Type: Fertility
Species: Rat, male
Application Route: Oral
Fertility: LOAEL: 1 mg/kg body weight
Symptoms: Effects on fertility.
Target Organs: Testes

Effects on fetal development : Test Type: Development
Species: Mouse
Application Route: oral (gavage)
Developmental Toxicity: LOAEL: 1 mg/kg body weight
Result: Skeletal malformations.
Remarks: Maternal toxicity observed.

Test Type: Development
Species: Rat, female
Developmental Toxicity: NOAEL: 10 mg/kg body weight
Symptoms: No effects on fetal development.

Test Type: Development
Species: Rabbit, female
Application Route: oral (gavage)

Deltamethrin Collar

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
9.12	03.11.2023	87822-00028	Date of first issue: 01.04.2015

Developmental Toxicity: NOAEL: 16 mg/kg body weight
Symptoms: No effects on fetal development.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

STOT-single exposure

Not classified based on available information.

Components:**Deltamethrin (ISO):**

Assessment : May cause respiratory irritation.

STOT-repeated exposure

May cause damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.

May cause damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.

Components:**Deltamethrin (ISO):**

Routes of exposure : Ingestion
Target Organs : Central nervous system, Immune system
Assessment : Causes damage to organs through prolonged or repeated exposure.

Routes of exposure : inhalation (dust/mist/fume)
Target Organs : Central nervous system
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Triphenyl phosphate:**

Species : Rat
NOAEL : 105 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Method : OECD Test Guideline 408

Deltamethrin (ISO):

Species : Rat, male and female
NOAEL : 1 mg/kg
LOAEL : 2,5 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Nervous system
Symptoms : hyperexcitability

Deltamethrin Collar

Version 9.12 Revision Date: 03.11.2023 SDS Number: 87822-00028 Date of last issue: 30.09.2023
 Date of first issue: 01.04.2015

Species : Rat
 LOAEL : 3 mg/m³
 Application Route : inhalation (dust/mist/fume)
 Exposure time : 2 wk / 5 d/wk / 6 h/d
 Symptoms : Local irritation, respiratory tract irritation

Species : Dog
 NOAEL : 0,1 mg/kg
 LOAEL : 1 mg/kg
 Application Route : Oral
 Exposure time : 13 Weeks
 Target Organs : Nervous system
 Symptoms : Dilatation of the pupil, Vomiting, Tremors, Diarrhea, Salivation

Species : Rat
 NOAEL : 14 mg/kg
 LOAEL : 54 mg/kg
 Application Route : Oral
 Exposure time : 91 d
 Target Organs : Nervous system

Species : Mouse
 LOAEL : 6 mg/kg
 Application Route : Oral
 Exposure time : 12 Weeks
 Target Organs : Immune system
 Symptoms : immune system effects

Titanium dioxide:

Species : Rat
 NOAEL : 24.000 mg/kg
 Application Route : Ingestion
 Exposure time : 28 Days

Species : Rat
 NOAEL : 10 mg/m³
 Application Route : inhalation (dust/mist/fume)
 Exposure time : 2 y

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Product:**

Skin contact : Remarks: Can be absorbed through skin.
 Based on Animal Evidence
 May irritate skin.
 Ingestion : Remarks: May be harmful if swallowed.

Components:**Deltamethrin (ISO):**

Inhalation : Symptoms: respiratory tract irritation, Dizziness, Sweating,

Deltamethrin Collar

Version 9.12 Revision Date: 03.11.2023 SDS Number: 87822-00028 Date of last issue: 30.09.2023
 Date of first issue: 01.04.2015

Skin contact : Headache, Nausea, Vomiting, anorexia, Fatigue, tingling, Palpitation, Blurred vision, muscle twitching
 : Symptoms: Skin irritation, Erythema, pruritis, Headache, Nausea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions

Ingestion : Symptoms: muscle pain, Small pupils

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 13 mg/l
 Exposure time: 48 h
 Method: OECD Test Guideline 202

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Components:**Triphenyl phosphate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,4 mg/l
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Mysidopsis bahia (opossum shrimp)): > 0,18 - 0,32 mg/l
 Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 3,73 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0,25 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : EC10 (Danio rerio (zebra fish)): 0,0048 mg/l
 Exposure time: 73 d
 Method: OECD Test Guideline 234

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0,254 mg/l
 Exposure time: 21 d
 Method: OECD Test Guideline 211

Deltamethrin Collar

Version 9.12 Revision Date: 03.11.2023 SDS Number: 87822-00028 Date of last issue: 30.09.2023
 Date of first issue: 01.04.2015

- M-Factor (Chronic aquatic toxicity) : 1
- Deltamethrin (ISO):**
- Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 0,00048 mg/l
 Exposure time: 96 h
- LC50 (Oncorhynchus mykiss (rainbow trout)): 0,00039 mg/l
 Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Mysidopsis bahia (opossum shrimp)): 0,0037 µg/l
 Exposure time: 48 h
- EC50 (Daphnia magna (Water flea)): 0,0035 mg/l
 Exposure time: 48 h
- LC50 (Gammarus fasciatus (freshwater shrimp)): 0,0003 µg/l
 Exposure time: 96 h
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 9,1 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201
 Remarks: No toxicity at the limit of solubility.
- M-Factor (Acute aquatic toxicity) : 1.000.000
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0,000022 mg/l
 Exposure time: 36 d
- NOEC (Pimephales promelas (fathead minnow)): 0,000017 mg/l
 Exposure time: 260 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0,0041 µg/l
 Exposure time: 21 d
- M-Factor (Chronic aquatic toxicity) : 1.000.000
- Titanium dioxide:**
- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
 Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): > 10.000 mg/l
 Exposure time: 72 h
- Toxicity to microorganisms : EC50: > 1.000 mg/l
 Exposure time: 3 h
 Method: OECD Test Guideline 209

Deltamethrin Collar

Version 9.12 Revision Date: 03.11.2023 SDS Number: 87822-00028 Date of last issue: 30.09.2023
Date of first issue: 01.04.2015

Persistence and degradability**Components:****Triphenyl phosphate:**

Biodegradability : Result: Readily biodegradable.
Biodegradation: 83 - 94 %
Exposure time: 28 d

Deltamethrin (ISO):

Stability in water : Hydrolysis: 0 %(30 d)

Bioaccumulative potential**Components:****Triphenyl phosphate:**

Bioaccumulation : Species: *Oryzias latipes* (Orange-red killifish)
Bioconcentration factor (BCF): 144

Partition coefficient: n-octanol/water : log Pow: 4,63

Deltamethrin (ISO):

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)
Bioconcentration factor (BCF): 1.800

Partition coefficient: n-octanol/water : log Pow: 4,6

Mobility in soil**Components:****Deltamethrin (ISO):**

Distribution among environmental compartments : log Koc: 7,2

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations**

Deltamethrin Collar

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
9.12	03.11.2023	87822-00028	Date of first issue: 01.04.2015

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Argentina. Carcinogenic Substances and Agents Registry. : Not applicable

Control of precursors and essential chemicals for the preparation of drugs. : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 03.11.2023

Date format : dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

AR OEL : Argentina. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average

AR OEL / CMP : TLV (Threshold Limit Value)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -

Deltamethrin Collar

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
9.12	03.11.2023	87822-00028	Date of first issue: 01.04.2015

Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8