

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Deltamethrin Collar

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.5	28.09.2024	9371615-00009	Date of first issue: 27.08.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Trade name	:	Deltamethrin Collar
1.2	Relevant identified uses of th	ne s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Veterinary product
	Recommended restrictions on use	:	Not applicable
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	MSD Walton Manor, Walton MK7 7AJ Milton Keynes - United Kingdom
	Telephone	:	+1-908-740-4000
	E-mail address of person responsible for the SDS	:	EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Acute toxicity, Category 4H302: Harmful if swallowed.Skin sensitisation, Category 1H317: May cause an allergic skin reaction.Reproductive toxicity, Category 2H361fd: Suspected of damaging fertility. Suspected of damaging the unborn child.Specific target organ toxicity - repeated exposure, Category 2H373: May cause damage to organs through prolonged or repeated exposure.Long-term (chronic) aquatic hazard, Category 3H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Deltamethrin Collar

ersion .5	Revision Date: 28.09.2024	SDS Numb 9371615-00	
Hazaı	rd pictograms		
Signa	l word	: Warning	•
Hazai	rd statements	: H302 H317 H361fd H373	Harmful if swallowed. May cause an allergic skin reaction. Suspected of damaging fertility. Suspected of damaging the unborn child. May cause damage to organs through prolonged
		H412	or repeated exposure. Harmful to aquatic life with long lasting effects.
Preca	utionary statements	: Prevent	on:
		P201 P270 P273	Obtain special instructions before use. Do not eat, drink or smoke when using this prod- uct. Avoid release to the environment.
		P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
		Respon	se:
		P308 + F	P313 IF exposed or concerned: Get medical advice/ attention.
		P333 + F	P313 If skin irritation or rash occurs: Get medical advice/ attention.

ardous components which must be listed on the label:

deltamethrin (ISO)

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Triphenyl phosphate	115-86-6	Aquatic Acute 1;	>= 30 - < 50



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Deltamethrin Collar

sion	Revision Date: 28.09.2024		te of last issue: 06.04.2024 te of first issue: 27.08.2021	
deltar	nethrin (ISO)	204-112-2 52918-63-5 258-256-6 607-319-00-X	H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 Acute Tox. 3; H301 Acute Tox. 3; H301 Acute Tox. 3; H317 Eye Irrit. 2; H319 Skin Sens. 1A; H317 Repr. 2; H361fd STOT SE 3; H335 STOT RE 1; H372 (Central nervous system, Immune system) STOT RE 1; H372 (Central nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1,000,000 M-Factor (Chronic aquatic toxicity):	>= 3 - < 10
Subst	tances with a workpla	ce exposure limit :	1,000,000	
	inyl chloride	9002-86-2		>= 50 - < 70
Titani	um dioxide	13463-67-7 236-675-5 022-006-00-2		>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection,

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Deltamethrin Collar

Version 3.5	Revision Date: 28.09.2024	SDS Number: 9371615-00009	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
			commended personal protective equipment tial for exposure exists (see section 8).
lf inha	aled	: If inhaled, remo Get medical atte	
In cas	se of skin contact	of water. Remove contan Get medical atte Wash clothing b	
In cas	se of eye contact		water as a precaution. ention if irritation develops and persists.
lf swa	llowed	Get medical atte Rinse mouth the	O NOT induce vomiting. ention. oroughly with water. thing by mouth to an unconscious person.
4.2 Most i	mportant symptom	s and effects, both acı	ute and delaved
Risks		: Harmful if swall May cause an a Suspected of da unborn child.	
		Pyrethroid poise	ntains a pyrethroid. oning should not be confused with carbamate phate poisoning.
4.3 Indica	tion of any immedia	te medical attention a	nd special treatment needed
Treat	ment	: Treat symptoma	atically and supportively.

5.1	Extinguishing media		
	Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
	Unsuitable extinguishing media	:	None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire- : Exposure to combustion products may be a hazard to health.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Deltamethrin Collar

Ver 3.5	sion	Revision Date: 28.09.2024		OS Number: 71615-00009	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
	fighting	I			
	Hazard ucts	lous combustion prod-	:	Carbon oxides Nitrogen oxides (I Bromine compour Chlorine compour Oxides of phosph	nds nds
5.3	Advice	for firefighters			
	Specia for firef	l protective equipment ighters	:		e, wear self-contained breathing apparatus. tective equipment.
	Specifie ods	c extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to do

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
6.2 Environmental precautions	
Environmental precautions	 Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Sweep up or vacuum up spillage and collect in suitable con- tainer for disposal. Local or national regulations may apply to releases and dis- posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter- mine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
-------------------------	---	--

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Deltamethrin Collar

Version 3.5	Revision Date: 28.09.2024	SDS Number: Date of last issue 9371615-00009 Date of first issue				
Technical measures Local/Total ventilation Advice on safe handling		 See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. If sufficient ventilation is unavailable, use with local exhaust 				
		 ventilation. Do not get on skin or clothing. Do not breathe dust, fume, gas, mist, vapours or spray. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment. 				
Hyg	giene measures	: If exposure to chemical is likely during flushing systems and safety showed place. When using do not eat, drink work clothing should not be allowed. Wash contaminated clothing before The effective operation of a facility sengineering controls, proper person appropriate degowning and decontar industrial hygiene monitoring, media use of administrative controls.	rs close to the working or smoke. Contaminated l out of the workplace. re-use. should include review of al protective equipment, amination procedures,			
7.2 Con	ditions for safe storage,	ncluding any incompatibilities				
	quirements for storage as and containers	: Keep in properly labelled containers accordance with the particular nation				
Adv	<i>v</i> ice on common storage	: Do not store with the following prod Strong oxidizing agents Self-reactive substances and mixtu Organic peroxides Explosives Gases				
7.3 Spe	cific end use(s)					
-	ecific use(s)	: No data available				

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Polyvinyl chloride	9002-86-2	TWA (inhalable dust)	10 mg/m3	GB EH40
		TWA (Respirable dust)	4 mg/m3	GB EH40



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Deltamethrin Collar

/ersion 3.5	Revision Da 28.09.2024			ate of last issue: 06.04.2024 ate of first issue: 27.08.2021	
Triphe phate	enyl phos-	115-86-6	TWA	3 mg/m3	GB EH40
			STEL	6 mg/m3	GB EH40
deltar	nethrin (ISO)	52918-63-5	TWA	15 μg/m3 (OEB 3)	Internal
		Further inform	nation: DSEN, Skin		
			Wipe limit	100 μg/100 cm ²	Internal
Titani	um dioxide	13463-67-7	TWA (inhalable dust)	10 mg/m3	GB EH40
			TWA (Respirable dust)	4 mg/m3	GB EH40

This substance(s) is not bioavailable and therefore does not contribute to a dust inhalation hazard.

Titanium dioxide

Derived No Effect Level (DNEL)

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Triphenyl phosphate	Workers	Inhalation	Long-term systemic effects	5.2 mg/m3
	Workers	Skin contact	Long-term systemic effects	5.55 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0.9 mg/m3
	Consumers	Skin contact	Long-term systemic effects	1.98 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0.5 mg/kg bw/day

Predicted No Effect Concentration (PNEC)

Substance name	Environmental Compartment	Value
Triphenyl phosphate	Fresh water	0.0037 mg/l
	Marine water	0.00037 mg/l
	Intermittent use/release	0.0025 mg/l
	Sewage treatment plant	5 mg/l
	Fresh water sediment	1.103 mg/kg dry weight (d.w.)
	Marine sediment	0.1103 mg/kg dry weight (d.w.)
	Soil	0.2183 mg/kg dry weight (d.w.)
	Oral (Secondary Poisoning)	16.667 mg/kg food

8.2 Exposure controls

Engineering measures

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Deltamethrin Collar

Version 3.5	Revision Date: 28.09.2024		S Number: 71615-00009	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021				
Minim	nize open handling.							
Perso	Personal protective equipment							
Eye/face protection		:	 Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. 					
Hand	l protection							
Material		:	Chemical-resistant gloves					
	emarks and body protection	 Consider double gloving. Work uniform or laboratory coat. Additional body garments should be used based up being performed (e.g., sleevelets, apron, gauntlets, suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove p 		aboratory coat. arments should be used based upon the task (e.g., sleevelets, apron, gauntlets, disposable bosed skin surfaces. legowning techniques to remove potentially				
	iratory protection ter type	 contaminated clothing. If adequate local exhaust ventilation is not availabl sure assessment demonstrates exposures outside ommended guidelines, use respiratory protection. Equipment should conform to BS EN 143 Particulates type (P) 		exhaust ventilation is not available or expo- demonstrates exposures outside the rec- lines, use respiratory protection. d conform to BS EN 143				

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Colour Odour Odour Threshold	:	solid white very faint No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling	:	> 148.8 °C
range Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Not classified as a flammability hazard
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Deltamethrin Collar

Ver 3.5	sion	Revision Date: 28.09.2024		S Number: 71615-00009	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
Relative vapour density		:	Not applicable		
Relative density		:	No data available	e	
Density		:	No data available	e	
	Solubility(ies) Water solubility Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature Viscosity Viscosity, kinematic Explosive properties		::	No data available Not applicable No data available No data available Not applicable Not explosive	e
	Oxidizing properties		:	The substance o	r mixture is not classified as oxidizing.
9.2	9.2 Other information Flammability (liquids) Molecular weight Particle size		::	No data available Not applicable Not applicable	e

SECTION 10: Stability and reactivity

10.1 Reactivity	tivity
-----------------	--------

Not classified as a reactivity hazard.

10.2 Chemical stability Stable under normal conditions.10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Deltamethrin Collar

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.5	28.09.2024	9371615-00009	Date of first issue: 27.08.2021

SECTION 11: Toxicological information

11.1 Information on toxicological effects				
Information on likely routes of exposure	:	Skin contact Ingestion Eye contact		
Acute toxicity				
Harmful if swallowed.				
Product:				
Acute oral toxicity	:	Acute toxicity estimate: 1,668 mg/kg Method: Calculation method		
Acute inhalation toxicity	:	Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method		
Components:				
Triphenyl phosphate:				
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg		
Acute dermal toxicity	:	LD50 (Rabbit): > 10,000 mg/kg		
deltamethrin (ISO):				
Acute oral toxicity	:	LD50 (Rat): 66.7 mg/kg		
		LD50 (Rat): 9 - 139 mg/kg		
		LD50 (Mouse): 19 - 34 mg/kg		
Acute inhalation toxicity	:	LC50 (Rat): 0.8 mg/l Exposure time: 2 h Test atmosphere: dust/mist		
Acute dermal toxicity	:	LD50 (Rabbit): 2,000 mg/kg		
		LD50 (Rat): > 800 mg/kg		
Acute toxicity (other routes of administration)	:	LD50 (Rat): 2.5 mg/kg Application Route: Intravenous		
		LD50 (Mouse): 10 mg/kg Application Route: Intraperitoneal		
Titanium dioxide:				
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg		

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Deltamethrin Collar

sion	Revision Date: 28.09.2024	SDS Number: 9371615-00009	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021	
Acute inhalation toxicity		Exposure tir Test atmosp	Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhala	
	corrosion/irritation			
	assified based on ava	ilable information.		
	oonents:			
-	enyl phosphate:	. Dabbit		
Speci Metho		: Rabbit · OFCD Test	Guideline 404	
Resul		: No skin irrita		
delta	methrin (ISO):			
Speci		: Rabbit		
Resul	t	: No skin irrita	tion	
	ium dioxide:			
Speci Resul		: Rabbit : No skin irrita	tion	
Not cl	us eye damage/eye i assified based on ava			
	oonents:			
•	enyl phosphate:			
Speci Metho		: Rabbit	Guideline 405	
Resul		: No eye irrita		
delta	methrin (ISO):			
Speci		: Rabbit		
Resul	t	: Moderate ey	e irritation	
	ium dioxide:			
Speci		: Rabbit	tion	
Resul	t	: No eye irrita	tion	
Resp	iratory or skin sensit	tisation		
	sensitisation			
May c	ause an allergic skin	reaction.		
-	iratory sensitisation			
Nint al	a a stift a state a state a state			

Not classified based on available information.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version 3.5	Revision Date: 28.09.2024		S Number: 1615-00009	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
<u>Co</u>	mponents:			
Te: Exj Sp Me	phenyl phosphate: st Type posure routes ecies thod sult		Maximisation Test Skin contact Guinea pig OECD Test Guide negative	
Te: Ex Sp Re Te: Ex Sp	Itamethrin (ISO): st Type posure routes ecies sult st Type posure routes ecies sult		Maximisation Test Dermal Guinea pig negative Human repeat ins Dermal Humans positive	t ult patch test (HRIPT)
Te: Ex Sp Re	anium dioxide: st Type posure routes ecies sult	:	Local lymph node Skin contact Mouse negative	assay (LLNA)
	rm cell mutagenicity t classified based on ava	ailable ir	nformation.	
<u>Co</u>	mponents:			
	phenyl phosphate: notoxicity in vitro		Test Type: Chrom Method: OECD Te Result: negative	osome aberration test in vitro est Guideline 473
			Test Type: Bacter Method: OECD Te Result: negative	ial reverse mutation assay (AMES) est Guideline 471
			Test Type: In vitro Result: negative	mammalian cell gene mutation test
del	ltamethrin (ISO):			
Ge	notoxicity in vitro		Test Type: Bacter Result: negative	ial reverse mutation assay (AMES)
			Test Type: DNA R Test system: Esch Result: negative	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version 3.5	Revision Date: 28.09.2024		DS Number: 71615-00009	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
			Test system: Chir Result: negative	nosomal aberration nese hamster ovary cells
				o mammalian cell gene mutation test nese hamster lung cells DAEL: 20 mg/kg
Ger	notoxicity in vivo	:	Test Type: Micror Species: Mouse Application Route Result: negative	
			Test Type: domin Species: Mouse Application Route Result: negative	
			Test Type: sister Species: Mouse Cell type: Bone m Application Route Result: negative	
Tita	anium dioxide:			
Ger	notoxicity in vitro	:	Test Type: Bacter Result: negative	rial reverse mutation assay (AMES)
Ger	notoxicity in vivo	:	Test Type: In vivo Species: Mouse Result: negative	o micronucleus test
	cinogenicity classified based on avail	able	information.	
<u>Cor</u>	mponents:			
delt	tamethrin (ISO):			
	ecies	:	Mouse, male and	female
	olication Route	:	oral (feed) 104 weeks	
NÖ	AEL	:	8 mg/kg body wei	
Res	AEL Sult		4 mg/kg body wei positive	gn
	get Organs	:	Lymph nodes	
Spe	ecies	:	Rat, male and fer	nale
App	lication Route		oral (feed)	
Exp Res	oosure time sult	:	2 Years negative	
		•		

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version 3.5	Revision Date: 28.09.2024	SDS Number: 9371615-00009	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
	cation Route sure time EL	: Dog, male and : oral (feed) : 2 Years : 1 mg/kg body : negative	
Speci Applic	cation Route sure time od t	mans. This substanc	
Suspe	oductive toxicity ected of damaging ferti conents:	lity. Suspected of da	maging the unborn child.
-	enyl phosphate: s on fertility	Species: Rat	ne-generation reproduction toxicity study oute: Ingestion ve
Effect ment	s on foetal develop-	Species: Rable Application Ro	oute: Ingestion D Test Guideline 414
delta	methrin (ISO):		
	is on fertility	Species: Rat Application Ro Early Embryon weight Symptoms: No Remarks: Sign Test Type: Tw Species: Rat Application Ro Early Embryon weight	ree-generation reproduction toxicity study oute: oral (feed) nic Development: NOAEL: 50 mg/kg body o effects on fertility, Embryo-foetal toxicity nificant toxicity observed in testing vo-generation reproduction toxicity study oute: Oral nic Development: LOAEL: 84 - 149 mg/kg body o effects on fertility, Embryo-foetal toxicity

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version 3.5	Revision Date: 28.09.2024	SDS Number: 9371615-00009	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
			, male coute: Oral EL: 1 mg/kg body weight Effects on fertility
Effec ment	ts on foetal develop-	Developmen Result: Skele	use coute: oral (gavage) tal Toxicity: LOAEL: 1 mg/kg body weight etal malformations aternal toxicity observed.
		Species: Rat Developmen	
		Developmen	
Repro sessr	oductive toxicity - As- nent		ce of adverse effects on sexual function and or on development, based on animal experiments.
	Γ - single exposure lassified based on avai	lable information.	
Com	ponents:		
	methrin (ISO): ssment	: May cause re	espiratory irritation.
	Γ - repeated exposure cause damage to organ		d or repeated exposure.
Com	ponents:		
	methrin (ISO):	. In second sec	
Targe	sure routes et Organs ssment		ous system, Immune system age to organs through prolonged or repeated
Targe	sure routes et Organs ssment	: Central nervo	ust/mist/fume) ous system age to organs through prolonged or repeated

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



ersion 5	Revision Date: 28.09.2024	SDS Number: 9371615-00009	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
Repe	ated dose toxicity		
<u>Comp</u>	oonents:		
Triph	enyl phosphate:		
Speci	es	: Rat	
NOAE	EL	: 105 mg/kg	
	cation Route	: Ingestion	
	sure time	: 90 Days	
Metho	bd	: OECD Test Gu	Ideline 408
deltar	methrin (ISO):		
Speci	es	: Rat, male and f	emale
NOAE		: 1 mg/kg	
LOAE		: 2.5 mg/kg	
	cation Route	: Oral	
	sure time	: 13 Weeks	
	t Organs	: Nervous system	
Symp	toms	: hyperexcitability	/
Speci	es	: Rat	
LOAE		: 3 mg/m3	
	cation Route	: inhalation (dust	
	sure time	: 2 wk / 5 d/wk / 6	
Symp	toms	: Local irritation,	respiratory tract irritation
Speci	es	: Dog	
NOAE		: 0.1 mg/kg	
LOAE		: 1 mg/kg	
	ation Route	: Oral	
	sure time	: 13 Weeks	_
	t Organs	: Nervous system	n pupil, Vomiting, Tremors, Diarrhoea, Saliva
Symp	loms	tion	pupil, vomiting, memors, Diarmoea, Saliva-
Speci	es	: Rat	
NOAE		: 14 mg/kg	
LOAE	E	: 54 mg/kg	
	cation Route	: Oral	
	sure time	: 91 d	
Targe	t Organs	: Nervous system	1
Speci		: Mouse	
LOAE		: 6 mg/kg	
	cation Route	: Oral	
	sure time	: 12 Weeks	
Symp	t Organs toms	: Immune system : immune system	
Titani	ium dioxide:		
Speci		: Rat	
NOAE		: 24,000 mg/kg	
NOAL		. 27,000 mg/kg	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Deltamethrin Collar

ersion 5	Revision Date: 28.09.2024		DS Number: 71615-00009	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
	ation Route ure time	:	Ingestion 28 Days	
		:	Rat 10 mg/m3 inhalation (dust/m 2 yr	iist/fume)
•	tion toxicity ssified based on ava	ilable	information.	
Experience with human expos			ıre	
<u>Produ</u>	<u>ct:</u>			
Skin co	ontact	:	Remarks: Can be Based on Animal May irritate skin.	absorbed through skin. Evidence
Ingesti	on	:	Remarks: May be	e harmful if swallowed.
<u>Compo</u>	onents:			
	ethrin (ISO):			
Inhalat	ion	:	Headache, Nause	atory tract irritation, Dizziness, Sweating, ea, Vomiting, anorexia, Fatigue, tingling, ed vision, muscle twitching
Skin co	ontact	:	Symptoms: Skin i sea, Vomiting, Di	rritation, Erythema, pruritis, Headache, Nau- zziness, tingling, Sweating, muscle twitching tigue, anorexia, Allergic reactions
	on	:		le pain, Small pupils

Product:		
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 13 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Ecotoxicology Assessment Chronic aquatic toxicity	:	Harmful to aquatic life with long lasting effects.
Components:		
Triphenyl phosphate:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.4 mg/l Exposure time: 96 h

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Vers 3.5	ion	Revision Date: 28.09.2024		9S Number: 71615-00009	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
		to daphnia and other invertebrates	:	EC50 (Mysidopsis mg/l Exposure time: 96	s bahia (opossum shrimp)): > 0.18 - 0.32 s h
	Toxicity plants	to algae/aquatic	:	ErC50 (Raphidoce 3.73 mg/l Exposure time: 72 Method: OECD Te	
				NOEC (Raphidoce 0.25 mg/l Exposure time: 72 Method: OECD Te	
	M-Facto icity)	or (Acute aquatic tox-	:	1	
	Toxicity icity)	to fish (Chronic tox-	:	EC10: 0.0048 mg/ Exposure time: 73 Species: Danio re Method: OECD Te	s d rio (zebra fish)
		to daphnia and other invertebrates (Chron- ty)	:	NOEC: 0.254 mg/ Exposure time: 21 Species: Daphnia Method: OECD Te	d magna (Water flea)
	M-Facto toxicity)	or (Chronic aquatic	:	1	
	deltam Toxicity	ethrin (ISO): to fish	:	LC50 (Cyprinodor mg/l Exposure time: 96	n variegatus (sheepshead minnow)): 0.00048 5 h
				LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout)): 0.00039 mg/l 5 h
		to daphnia and other invertebrates	:	EC50 (Mysidopsis Exposure time: 48	s bahia (opossum shrimp)): 0.0037 μg/l h
				EC50 (Daphnia m Exposure time: 48	agna (Water flea)): 0.0035 mg/l h
				LC50 (Gammarus Exposure time: 96	fasciatus (freshwater shrimp)): 0.0003 µg/l h
	Toxicity plants	to algae/aquatic	:	mg/l Exposure time: 72 Method: OECD Te	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Vers 3.5	sion	Revision Date: 28.09.2024	-	OS Number: 71615-00009	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
	M-Fact icity)	or (Acute aquatic tox-	:	1,000,000	
		y to fish (Chronic tox-	:	NOEC: 0.000022 Exposure time: 30 Species: Pimepha	
				NOEC: 0.000017 Exposure time: 20 Species: Pimepha	
		y to daphnia and other invertebrates (Chron- ity)		NOEC: 0.0041 µg Exposure time: 2 Species: Daphnia	
	M-Fact toxicity	or (Chronic aquatic)	:	1,000,000	
		y to fish	:	Exposure time: 9	thus mykiss (rainbow trout)): > 100 mg/l 6 h est Guideline 203
		y to daphnia and other invertebrates	:	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h	
	Toxicity plants	y to algae/aquatic	:	EC50 (Skeletone Exposure time: 72	ma costatum (marine diatom)): > 10,000 mg/l 2 h
	Toxicity	y to microorganisms	:	EC50 : > 1,000 m Exposure time: 3 Method: OECD T	
12.2	2 Persis	tence and degradabil	ity		
	Compo	onents:			
	•	nyl phosphate: radability	:	Result: Readily b Biodegradation: Exposure time: 28	33 - 94 %
		ethrin (ISO): y in water	:	Hydrolysis: 0 %(3	0 d)
12.3	Bioaco	cumulative potential			
	Compo	onents:			
	-	nyl phosphate: umulation	:	Species: Oryzias	latipes (Orange-red killifish)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Deltamethrin Collar

Version 3.5	Revision Date: 28.09.2024		DS Number: 371615-00009	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021			
			Bioconcentration	n factor (BCF): 144			
	tion coefficient: n- nol/water	:	log Pow: 4.63				
delta	amethrin (ISO):						
Bioa	ccumulation	:		is macrochirus (Bluegill sunfish) n factor (BCF): 1,800			
	tion coefficient: n- nol/water	:	log Pow: 4.6				
12.4 Mob	ility in soil						
<u>Com</u>	ponents:						
delta	amethrin (ISO):						
	Distribution among environ- mental compartments		log Koc: 7.2				
12.5 Res	ults of PBT and vPvB a	isse	ssment				
Proc	luct:						
Asse	essment	:	to be either pers	mixture contains no components considered sistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of			
12.6 Othe	er adverse effects						
Proc	luct:						
Endo tial	ocrine disrupting poten-	:	ered to have en	mixture does not contain components consid- docrine disrupting properties for environment REACH Article 57(f).			
SECTIO	N 13: Disposal consi	der	ations				
40 4 14/2 -							
13.1 Was Prod	te treatment methods		Dispose of in as	cordance with local regulations			
FIOD	uci	•	According to the are not product Waste codes sh discussion with	cordance with local regulations. European Waste Catalogue, Waste Codes specific, but application specific. would be assigned by the user, preferably in the waste disposal authorities. of waste into sewer.			
Cont	ominated packaging			re chould be taken to an approved weste her			

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Deltamethrin Collar

Version 3.5	Revision Date: 28.09.2024		DS Number: 371615-00009	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
ADN		:	-	a dangerous good
ADF	-	:	-	a dangerous good
RID		÷	-	a dangerous good
IMD		:	-	a dangerous good
		÷	Not regulated as	a dangerous good
14.2 UN	proper shipping name			
ADN	1	:	Not regulated as	a dangerous good
ADF	R	:	Not regulated as	a dangerous good
RID		:	Not regulated as	a dangerous good
IMD	G	:	Not regulated as	a dangerous good
IAT	4	:	Not regulated as	a dangerous good
14.3 Trai	nsport hazard class(es)			
ADN	1	:	Not regulated as	a dangerous good
ADF	2	:	Not regulated as	a dangerous good
RID		:	Not regulated as	a dangerous good
IMD	G	:	Not regulated as	a dangerous good
ΙΑΤ	4	:	Not regulated as	a dangerous good
14.4 Pac	king group			
ADN	1	:	Not regulated as	a dangerous good
ADF	R	:	Not regulated as	a dangerous good
RID		:	Not regulated as	a dangerous good
IMD	G	:	Not regulated as	a dangerous good
ΙΑΤ	A (Cargo)	:	Not regulated as	a dangerous good
ΙΑΤ	A (Passenger)	:	Not regulated as	a dangerous good
-	ironmental hazards regulated as a dangerou	s go	od	
-	cial precautions for us	er		
14.7 Trai	nsport in bulk accordin	g to	Annex II of Marpo	ol and the IBC Code
Rem	narks	:	Not applicable for	r product as supplied.
SECTIO	N 15: Regulatory info	orm	ation	

15.1 Safety, health and environmental regulations/legislation specific for the substance or mix-ture

Relevant EU provisions transposed through retained EU law

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Deltamethrin Collar

Version 3.5	Revision Date: 28.09.2024	SDS Number: 9371615-00009			f last issue: 06.04.2024 f first issue: 27.08.2021	
UK RE	EACH List of restriction	s (Annex 17)		:	Not applicable	
	EACH Candidate list of rn (SVHC) for Authorisa	substances of very hig	h	:	Not applicable	
The P	ersistent Organic Pollut ation (EU) 2019/1021 a		:	Not applicable		
,	ation (EC) on substanc	es that deplete the ozo	one	:	Not applicable	
		es subject to authorisati	ion	:	Not applicable	
GB Ex Inform	port and import of haza ed Consent (PIC) Regu of Major Accident Ha		: MA			

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information	:	Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.
Full text of H-Statements		
H301	:	Toxic if swallowed.
H317	:	May cause an allergic skin reaction.
H319	:	Causes serious eye irritation.
H331	:	Toxic if inhaled.
H335	:	May cause respiratory irritation.
H361fd	:	Suspected of damaging fertility. Suspected of damaging the unborn child.
H372	:	Causes damage to organs through prolonged or repeated exposure if inhaled.
H372	:	Causes damage to organs through prolonged or repeated

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Deltamethrin Collar

Version 3.5	Revision Date: 28.09.2024		OS Number: 71615-00009	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021	
H400		:	exposure if swall Very toxic to aqu	atic life.	
H410		:	Very toxic to aquatic life with long lasting effects.		
Full text of other abbreviations					
Aquation Eye Irr Repr. Skin So STOT STOT GB EH GB EH	c Acute c Chronic it. ens. RE SE		Eye irritation Reproductive tox Skin sensitisation Specific target or Specific target or UK. EH40 WEL - Long-term expos	ic) aquatic hazard	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Deltamethrin Collar

Version 3.5	Revision Date: 28.09.2024	SDS Number: 9371615-00009	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
Shee	t	cy, http://echa.e	europa.eu/
Class	sification of the mixt	ure:	Classification procedure:
Acute	e Tox. 4	H302	Calculation method
Skin S	Sens. 1	H317	Calculation method
Repr.	2	H361fd	Calculation method
STOT	TRE 2	H373	Calculation method
Aqua	tic Chronic 3	H412	Based on product data or assessment

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN