

**Deltamethrin Collar**

Version 7.2      Revision Date: 2023/11/03      SDS Number: 85711-00028      Date of last issue: 2023/09/30  
Date of first issue: 2015/04/01

---

**1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Deltamethrin Collar

**Manufacturer or supplier's details**

Company : MSD

Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000

Emergency telephone number : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

**2. HAZARDS IDENTIFICATION****GHS Classification**

Acute toxicity (Oral) : Category 4

Skin sensitisation : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Central nervous system, Immune system)

Specific target organ toxicity - repeated exposure (Inhalation) : Category 2 (Central nervous system)

Long-term (chronic) aquatic hazard : Category 3

**GHS label elements**

Hazard pictograms :



Signal word : Warning

## Deltamethrin Collar

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
7.2	2023/11/03	85711-00028	Date of first issue: 2015/04/01

- Hazard statements** :
- H302 Harmful if swallowed.
  - H317 May cause an allergic skin reaction.
  - H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
  - H373 May cause damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.
  - H373 May cause damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.
  - H412 Harmful to aquatic life with long lasting effects.
- Precautionary statements** :
- Prevention:**
- P201 Obtain special instructions before use.
  - P202 Do not handle until all safety precautions have been read and understood.
  - P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
  - P264 Wash skin thoroughly after handling.
  - P270 Do not eat, drink or smoke when using this product.
  - P272 Contaminated work clothing should not be allowed out of the workplace.
  - P273 Avoid release to the environment.
  - P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
- Response:**
- P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
  - P302 + P352 IF ON SKIN: Wash with plenty of water.
  - P308 + P313 IF exposed or concerned: Get medical advice/ attention.
  - P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
  - P362 + P364 Take off contaminated clothing and wash it before reuse.
- Storage:**
- P405 Store locked up.
- Disposal:**
- P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
---------------	---------	-----------------------

## Deltamethrin Collar

Version 7.2      Revision Date: 2023/11/03      SDS Number: 85711-00028      Date of last issue: 2023/09/30  
 Date of first issue: 2015/04/01

Polyvinyl chloride	9002-86-2	>= 30 -< 60
Triphenyl phosphate	115-86-6	>= 30 -< 60
deltamethrin (ISO)	52918-63-5	>= 3 -< 10
Titanium dioxide	13463-67-7	>= 1 -< 10

#### 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
 Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
 Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
 Get medical attention.  
 Rinse mouth thoroughly with water.  
 Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.  
 May cause an allergic skin reaction.  
 Suspected of damaging fertility. Suspected of damaging the unborn child.  
 May cause damage to organs through prolonged or repeated exposure if swallowed.  
 May cause damage to organs through prolonged or repeated exposure if inhaled.  
 This product contains a pyrethroid.  
 Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

#### 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray  
 Alcohol-resistant foam  
 Carbon dioxide (CO<sub>2</sub>)  
 Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire- : Exposure to combustion products may be a hazard to health.

## Deltamethrin Collar

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
7.2	2023/11/03	85711-00028	Date of first issue: 2015/04/01

---

- fighting
- Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Bromine compounds  
Chlorine compounds  
Oxides of phosphorus
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

**6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**7. HANDLING AND STORAGE**

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe dust, fume, gas, mist, vapours or spray.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Do not eat, drink or smoke when using this product.

## Deltamethrin Collar

Version 7.2      Revision Date: 2023/11/03      SDS Number: 85711-00028      Date of last issue: 2023/09/30  
Date of first issue: 2015/04/01

- Conditions for safe storage : Take care to prevent spills, waste and minimize release to the environment.  
: Keep in properly labelled containers.  
: Store locked up.
- Materials to avoid : Store in accordance with the particular national regulations.  
: Do not store with the following product types:  
: Strong oxidizing agents

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Polyvinyl chloride	9002-86-2	TWA (Respirable particulate matter)	1 mg/m <sup>3</sup>	ACGIH
Triphenyl phosphate	115-86-6	NAB	3 mg/m <sup>3</sup>	ID OEL
	Further information: Not classified as carcinogenic to humans. Not enough data to classify these materials as carcinogenic to humans or animals			
		TWA	3 mg/m <sup>3</sup>	ACGIH
deltamethrin (ISO)	52918-63-5	TWA	15 µg/m <sup>3</sup> (OEB 3)	Internal
	Further information: DSEN, Skin			
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal
Titanium dioxide	13463-67-7	NAB	10 mg/m <sup>3</sup>	ID OEL
	Further information: Not classified as carcinogenic to humans. Not enough data to classify these materials as carcinogenic to humans or animals			
		TWA (Respirable particulate matter)	2.5 mg/m <sup>3</sup> (Titanium dioxide)	ACGIH

**This substance(s) is not bioavailable and therefore does not contribute to a dust inhalation hazard.**

Titanium dioxide

- Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

**Personal protective equipment**

- Respiratory protection : If adequate local exhaust ventilation is not available or expo-

## Deltamethrin Collar

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
7.2	2023/11/03	85711-00028	Date of first issue: 2015/04/01

---

Filter type	:	sure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Hand protection	:	Particulates type
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	:	solid
Colour	:	white
Odour	:	very faint
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	> 148.8 °C
Flash point	:	Not applicable
Evaporation rate	:	Not applicable

**Deltamethrin Collar**

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
7.2	2023/11/03	85711-00028	Date of first issue: 2015/04/01

---

Flammability (solid, gas)	:	Not classified as a flammability hazard
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	Not applicable
Particle size	:	Not applicable

---

**10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

**Deltamethrin Collar**

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
7.2	2023/11/03	85711-00028	Date of first issue: 2015/04/01

---

**11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Harmful if swallowed.

**Product:**

Acute oral toxicity : Acute toxicity estimate: 1,668 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

**Components:****Triphenyl phosphate:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 10,000 mg/kg

**deltamethrin (ISO):**

Acute oral toxicity : LD50 (Rat): 66.7 mg/kg  
LD50 (Rat): 9 - 139 mg/kg  
LD50 (Mouse): 19 - 34 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.8 mg/l  
Exposure time: 2 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 2,000 mg/kg  
LD50 (Rat): > 800 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 2.5 mg/kg  
Application Route: Intravenous  
LD50 (Mouse): 10 mg/kg  
Application Route: Intraperitoneal

**Titanium dioxide:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l



**Deltamethrin Collar**

Version 7.2      Revision Date: 2023/11/03      SDS Number: 85711-00028      Date of last issue: 2023/09/30  
Date of first issue: 2015/04/01

---

Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Triphenyl phosphate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**deltamethrin (ISO):**

Species : Rabbit  
Result : No skin irritation

**Titanium dioxide:**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Triphenyl phosphate:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

**deltamethrin (ISO):**

Species : Rabbit  
Result : Moderate eye irritation

**Titanium dioxide:**

Species : Rabbit  
Result : No eye irritation

**Respiratory or skin sensitisation****Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

Not classified based on available information.

## Deltamethrin Collar

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
7.2	2023/11/03	85711-00028	Date of first issue: 2015/04/01

---

**Components:****Triphenyl phosphate:**

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

**deltamethrin (ISO):**

Test Type	:	Maximisation Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Result	:	negative

Test Type	:	Human repeat insult patch test (HRIPT)
Exposure routes	:	Dermal
Species	:	Humans
Result	:	positive

**Titanium dioxide:**

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Result	:	negative

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Triphenyl phosphate:**

Genotoxicity in vitro	:	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
-----------------------	---	---

	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
--	---	---

	:	Test Type: In vitro mammalian cell gene mutation test Result: negative
--	---	---

**deltamethrin (ISO):**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	---	--

	:	Test Type: DNA Repair Test system: Escherichia coli Result: negative
--	---	--

## Deltamethrin Collar

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
7.2	2023/11/03	85711-00028	Date of first issue: 2015/04/01

---

Test Type: Chromosomal aberration  
 Test system: Chinese hamster ovary cells  
 Result: negative

Test Type: In vitro mammalian cell gene mutation test  
 Test system: Chinese hamster lung cells  
 Concentration: LOAEL: 20 mg/kg  
 Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test  
 Species: Mouse  
 Application Route: Oral  
 Result: negative

Test Type: dominant lethal test  
 Species: Mouse  
 Application Route: Oral  
 Result: negative

Test Type: sister chromatid exchange assay  
 Species: Mouse  
 Cell type: Bone marrow  
 Application Route: Oral  
 Result: negative

**Titanium dioxide:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
 Species: Mouse  
 Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****deltamethrin (ISO):**

Species : Mouse, male and female  
 Application Route : oral (feed)  
 Exposure time : 104 weeks  
 NOAEL : 8 mg/kg body weight  
 LOAEL : 4 mg/kg body weight  
 Result : positive  
 Target Organs : Lymph nodes

Species : Rat, male and female  
 Application Route : oral (feed)  
 Exposure time : 2 Years

## Deltamethrin Collar

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
7.2	2023/11/03	85711-00028	Date of first issue: 2015/04/01

---

Result : negative

Species : Dog, male and female

Application Route : oral (feed)

Exposure time : 2 Years

NOAEL : 1 mg/kg body weight

Result : negative

**Titanium dioxide:**

Species : Rat

Application Route : inhalation (dust/mist/fume)

Exposure time : 2 Years

Method : OECD Test Guideline 453

Result : positive

Remarks : The mechanism or mode of action may not be relevant in humans.  
This substance(s) is not bioavailable and therefore does not contribute to a dust inhalation hazard.

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in inhalation studies with animals.

**Reproductive toxicity**

Suspected of damaging fertility. Suspected of damaging the unborn child.

**Components:****Triphenyl phosphate:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

**deltamethrin (ISO):**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: oral (feed)  
Early Embryonic Development: NOAEL: 50 mg/kg body weight  
Symptoms: No effects on fertility, Embryo-foetal toxicity  
Remarks: Significant toxicity observed in testing

Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral

## Deltamethrin Collar

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
7.2	2023/11/03	85711-00028	Date of first issue: 2015/04/01

---

Early Embryonic Development: LOAEL: 84 - 149 mg/kg body weight  
Symptoms: No effects on fertility, Embryo-foetal toxicity

Test Type: Fertility  
Species: Rat, male  
Application Route: Oral  
Fertility: LOAEL: 1 mg/kg body weight  
Symptoms: Effects on fertility  
Target Organs: Testes

Effects on foetal development : Test Type: Development  
Species: Mouse  
Application Route: oral (gavage)  
Developmental Toxicity: LOAEL: 1 mg/kg body weight  
Result: Skeletal malformations  
Remarks: Maternal toxicity observed.

Test Type: Development  
Species: Rat, female  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Symptoms: No effects on foetal development

Test Type: Development  
Species: Rabbit, female  
Application Route: oral (gavage)  
Developmental Toxicity: NOAEL: 16 mg/kg body weight  
Symptoms: No effects on foetal development

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

**STOT - single exposure**

Not classified based on available information.

**Components:****deltamethrin (ISO):**

Assessment : May cause respiratory irritation.

**STOT - repeated exposure**

May cause damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.

May cause damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.

**Components:****deltamethrin (ISO):**

Exposure routes : Ingestion  
Target Organs : Central nervous system, Immune system  
Assessment : Causes damage to organs through prolonged or repeated

## Deltamethrin Collar

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
7.2	2023/11/03	85711-00028	Date of first issue: 2015/04/01

---

exposure.

Exposure routes	:	inhalation (dust/mist/fume)
Target Organs	:	Central nervous system
Assessment	:	Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Triphenyl phosphate:**

Species	:	Rat
NOAEL	:	105 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Method	:	OECD Test Guideline 408

**deltamethrin (ISO):**

Species	:	Rat, male and female
NOAEL	:	1 mg/kg
LOAEL	:	2.5 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Target Organs	:	Nervous system
Symptoms	:	hyperexcitability

Species	:	Rat
LOAEL	:	3 mg/m <sup>3</sup>
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	2 wk / 5 d/wk / 6 h/d
Symptoms	:	Local irritation, respiratory tract irritation

Species	:	Dog
NOAEL	:	0.1 mg/kg
LOAEL	:	1 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Target Organs	:	Nervous system
Symptoms	:	Dilatation of the pupil, Vomiting, Tremors, Diarrhoea, Salivation

Species	:	Rat
NOAEL	:	14 mg/kg
LOAEL	:	54 mg/kg
Application Route	:	Oral
Exposure time	:	91 d
Target Organs	:	Nervous system

Species	:	Mouse
LOAEL	:	6 mg/kg

## Deltamethrin Collar

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
7.2	2023/11/03	85711-00028	Date of first issue: 2015/04/01

---

Application Route : Oral  
 Exposure time : 12 Weeks  
 Target Organs : Immune system  
 Symptoms : immune system effects

**Titanium dioxide:**

Species : Rat  
 NOAEL : 24,000 mg/kg  
 Application Route : Ingestion  
 Exposure time : 28 Days

Species : Rat  
 NOAEL : 10 mg/m<sup>3</sup>  
 Application Route : inhalation (dust/mist/fume)  
 Exposure time : 2 yr

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Product:**

Skin contact : Remarks: Can be absorbed through skin.  
 Based on Animal Evidence  
 May irritate skin.  
 Ingestion : Remarks: May be harmful if swallowed.

**Components:****deltamethrin (ISO):**

Inhalation : Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling, Palpitation, Blurred vision, muscle twitching  
 Skin contact : Symptoms: Skin irritation, Erythema, pruritis, Headache, Nausea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions  
 Ingestion : Symptoms: muscle pain, Small pupils

**12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
 Exposure time: 96 h  
 Method: OECD Test Guideline 203  
 Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 13 mg/l  
 Exposure time: 48 h  
 Method: OECD Test Guideline 202

## Deltamethrin Collar

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
7.2	2023/11/03	85711-00028	Date of first issue: 2015/04/01

---

**Ecotoxicology Assessment**

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

**Components:****Triphenyl phosphate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.4 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Mysidopsis bahia (opossum shrimp)): > 0.18 - 0.32 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 3.73 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.25 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : EC10 (Danio rerio (zebra fish)): 0.0048 mg/l  
Exposure time: 73 d  
Method: OECD Test Guideline 234

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.254 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

**deltamethrin (ISO):**

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 0.00048 mg/l  
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00039 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Mysidopsis bahia (opossum shrimp)): 0.0037 µg/l  
Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): 0.0035 mg/l  
Exposure time: 48 h

LC50 (Gammarus fasciatus (freshwater shrimp)): 0.0003 µg/l  
Exposure time: 96 h



## Deltamethrin Collar

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
7.2	2023/11/03	85711-00028	Date of first issue: 2015/04/01

---

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.1 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201  
 Remarks: No toxicity at the limit of solubility

M-Factor (Acute aquatic toxicity) : 1,000,000  
 Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.000022 mg/l  
 Exposure time: 36 d  
 NOEC (Pimephales promelas (fathead minnow)): 0.000017 mg/l  
 Exposure time: 260 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0041 µg/l  
 Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 1,000,000

**Titanium dioxide:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
 Exposure time: 96 h  
 Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
 Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l  
 Exposure time: 72 h

Toxicity to microorganisms : EC50: > 1,000 mg/l  
 Exposure time: 3 h  
 Method: OECD Test Guideline 209

**Persistence and degradability****Components:****Triphenyl phosphate:**

Biodegradability : Result: Readily biodegradable.  
 Biodegradation: 83 - 94 %  
 Exposure time: 28 d

**deltamethrin (ISO):**

Stability in water : Hydrolysis: 0 %(30 d)

## Deltamethrin Collar

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
7.2	2023/11/03	85711-00028	Date of first issue: 2015/04/01

---

**Bioaccumulative potential****Components:****Triphenyl phosphate:**

Bioaccumulation : Species: *Oryzias latipes* (Orange-red killifish)  
Bioconcentration factor (BCF): 144

Partition coefficient: n-octanol/water : log Pow: 4.63

**deltamethrin (ISO):**

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)  
Bioconcentration factor (BCF): 1,800

Partition coefficient: n-octanol/water : log Pow: 4.6

**Mobility in soil****Components:****deltamethrin (ISO):**

Distribution among environmental compartments : log Koc: 7.2

**Other adverse effects**

No data available

---

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable

**IATA-DGR**

UN/ID No. : Not applicable  
Proper shipping name : Not applicable

---

## Deltamethrin Collar

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
7.2	2023/11/03	85711-00028	Date of first issue: 2015/04/01

---

Class : Not applicable  
 Subsidiary risk : Not applicable  
 Packing group : Not applicable  
 Labels : Not applicable  
 Packing instruction (cargo aircraft) : Not applicable  
 Packing instruction (passenger aircraft) : Not applicable

**IMDG-Code**

UN number : Not applicable  
 Proper shipping name : Not applicable  
 Class : Not applicable  
 Subsidiary risk : Not applicable  
 Packing group : Not applicable  
 Labels : Not applicable  
 EmS Code : Not applicable  
 Marine pollutant : Not applicable

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

Not applicable

**15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.**

**Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health**

Hazardous substances that must be registered : Not applicable

**Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances**

Hazardous substances approved for use : Not applicable

Prohibited substances : Not applicable

Restricted substances : Not applicable

**Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials**

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and : Not applicable

## Deltamethrin Collar

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
7.2	2023/11/03	85711-00028	Date of first issue: 2015/04/01

---

control, Annex II

**The components of this product are reported in the following inventories:**

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

---

**16. OTHER INFORMATION**

Revision Date : 2023/11/03

**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
ID OEL : Indonesia. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average  
ID OEL / NAB : Long term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No

# SAFETY DATA SHEET



## Deltamethrin Collar

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
7.2	2023/11/03	85711-00028	Date of first issue: 2015/04/01

---

1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN