according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 4.1
 28.09.2024
 1596215-00020
 Date of first issue: 25.04.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Deltamethrin Liquid Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Veterinary product

stance/Mixture

Recommended restrictions

on use

Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD

Kilsheelan

Clonmel Tipperary, IE

Telephone : 353-51-601000

E-mail address of person

responsible for the SDS

: EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 H302: Harmful if swallowed.

Serious eye damage, Category 1 H318: Causes serious eye damage. Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Reproductive toxicity, Category 2 H361fd: Suspected of damaging fertility. Suspected

of damaging the unborn child.

Specific target organ toxicity - repeated H373: N

exposure, Category 2

H373: May cause damage to organs through pro-

H410: Very toxic to aquatic life with long lasting

longed or repeated exposure. H400: Very toxic to aquatic life.

Short-term (acute) aquatic hazard, Cate-

aory 1

11400. Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Cat-

effects.

egory 1

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 4.1
 28.09.2024
 1596215-00020
 Date of first issue: 25.04.2017

Hazard pictograms









Signal word : Danger

Hazard statements : H302 Harmful if swallowed.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H361fd Suspected of damaging fertility. Suspected of

damaging the unborn child.

H373 May cause damage to organs through prolonged

or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use. P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously

with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P391 Collect spillage.

Hazardous components which must be listed on the label:

Alpha-(4-(1,1,3,3-Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-ethanediyl) deltamethrin (ISO)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: This substance/mixture contains components considered to have endocrine disrupting properties for environment, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 4.1
 28.09.2024
 1596215-00020
 Date of first issue: 25.04.2017

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Alpha-(4-(1,1,3,3- Tetramethylbutyl)phenyl)-omega- hydroxypoly(oxy-1,2-ethanediyl)	9002-93-1	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Chronic 2; H411	>= 50 - < 70
deltamethrin (ISO)	52918-63-5 258-256-6 607-319-00-X	Acute Tox. 3; H301 Acute Tox. 3; H301 Acute Tox. 3; H331 Eye Irrit. 2; H319 Skin Sens. 1A; H317 Repr. 2; H361fd STOT SE 3; H335 STOT RE 1; H372 (Central nervous system, Immune system) STOT RE 1; H372 (Central nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1,000,000 M-Factor (Chronic aquatic toxicity): 1,000,000	>= 3 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 4.1
 28.09.2024
 1596215-00020
 Date of first issue: 25.04.2017

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention immediately.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Harmful if swallowed.

May cause an allergic skin reaction.

Causes serious eye damage.

Suspected of damaging fertility. Suspected of damaging the

unborn child.

May cause damage to organs through prolonged or repeated

exposure.

This product contains a pyrethroid.

Pyrethroid poisoning should not be confused with carbamate

or organophosphate poisoning.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: None known.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 4.1
 28.09.2024
 1596215-00020
 Date of first issue: 25.04.2017

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx) Bromine compounds

5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 4.1 28.09.2024 1596215-00020 Date of first issue: 25.04.2017

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national

regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

7.3 Specific end use(s)

Specific use(s) : No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 4.1
 28.09.2024
 1596215-00020
 Date of first issue: 25.04.2017

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
deltamethrin (ISO)	52918-63-5	TWA	15 μg/m3 (OEB 3)	Internal
	Further information: DSEN, Skin			
		Wipe limit	100 μg/100 cm ²	Internal

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less guick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Equipment should conform to I.S. EN 143

Filter type : Particulates type (P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 4.1 28.09.2024 1596215-00020 Date of first issue: 25.04.2017

Colour : colourless

Odour : odourless

Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : 3.4 - 4 (20 °C)

Viscosity

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : No data available

Relative density : No data available

Density : No data available

Relative vapour density : No data available

Particle characteristics

Particle size : Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 4.1
 28.09.2024
 1596215-00020
 Date of first issue: 25.04.2017

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

Molecular weight : Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Inhalation

exposure Skin contact

Ingestion Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 956.51 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 4.1 28.09.2024 1596215-00020 Date of first issue: 25.04.2017

Components:

Alpha-(4-(1,1,3,3-Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-ethanediyl):

Acute oral toxicity : LD50 (Rat): 1,900 - 5,000 mg/kg

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 3,000 mg/kg

Remarks: Based on data from similar materials

deltamethrin (ISO):

Acute oral toxicity : LD50 (Rat): 66.7 mg/kg

LD50 (Rat): 9 - 139 mg/kg

LD50 (Mouse): 19 - 34 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.8 mg/l

Exposure time: 2 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 2,000 mg/kg

LD50 (Rat): > 800 mg/kg

Acute toxicity (other routes of :

administration)

LD50 (Rat): 2.5 mg/kg

Application Route: Intravenous

LD50 (Mouse): 10 mg/kg

Application Route: Intraperitoneal

Skin corrosion/irritation

Not classified based on available information.

Components:

Alpha-(4-(1,1,3,3-Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-ethanediyl):

Result : No skin irritation

deltamethrin (ISO):

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Alpha-(4-(1,1,3,3-Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-ethanediyl):

Result : Irreversible effects on the eye

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 4.1 28.09.2024 1596215-00020 Date of first issue: 25.04.2017

deltamethrin (ISO):

Species : Rabbit

Result : Moderate eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

deltamethrin (ISO):

Test Type : Maximisation Test

Exposure routes : Dermal Species : Guinea pig Result : negative

Test Type : Human repeat insult patch test (HRIPT)

Exposure routes : Dermal Species : Humans Result : positive

Germ cell mutagenicity

Not classified based on available information.

Components:

deltamethrin (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: DNA Repair Test system: Escherichia coli

Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster lung cells Concentration: LOAEL: 20 mg/kg

Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Application Route: Oral

Result: negative

Test Type: dominant lethal test

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 4.1 28.09.2024 1596215-00020 Date of first issue: 25.04.2017

Species: Mouse Application Route: Oral Result: negative

Test Type: sister chromatid exchange assay

Species: Mouse

Cell type: Bone marrow Application Route: Oral Result: negative

Carcinogenicity

Not classified based on available information.

Components:

deltamethrin (ISO):

Species : Mouse, male and female

Application Route : oral (feed) Exposure time : 104 weeks

NOAEL : 8 mg/kg body weight LOAEL : 4 mg/kg body weight

Result : positive Target Organs : Lymph nodes

Species : Rat, male and female

Application Route : oral (feed)
Exposure time : 2 Years
Result : negative

Species : Dog, male and female

Application Route : oral (feed)
Exposure time : 2 Years

NOAEL : 1 mg/kg body weight

Result : negative

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

Components:

deltamethrin (ISO):

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: oral (feed)

Early Embryonic Development: NOAEL: 50 mg/kg body

weight

Symptoms: No effects on fertility, Embryo-foetal toxicity

Remarks: Significant toxicity observed in testing

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 4.1
 28.09.2024
 1596215-00020
 Date of first issue: 25.04.2017

Early Embryonic Development: LOAEL: 84 - 149 mg/kg body

weight

Symptoms: No effects on fertility, Embryo-foetal toxicity

Test Type: Fertility Species: Rat, male Application Route: Oral

Fertility: LOAEL: 1 mg/kg body weight

Symptoms: Effects on fertility

Target Organs: Testes

Effects on foetal develop-

ment

Test Type: Development

Species: Mouse

Application Route: oral (gavage)

Developmental Toxicity: LOAEL: 1 mg/kg body weight

Result: Skeletal malformations Remarks: Maternal toxicity observed.

Test Type: Development Species: Rat, female

Developmental Toxicity: NOAEL: 10 mg/kg body weight

Symptoms: No effects on foetal development

Test Type: Development Species: Rabbit, female

Application Route: oral (gavage)

Developmental Toxicity: NOAEL: 16 mg/kg body weight

Symptoms: No effects on foetal development

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and

fertility, and/or on development, based on animal experiments.

STOT - single exposure

Not classified based on available information.

Components:

deltamethrin (ISO):

Assessment : May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

deltamethrin (ISO):

Exposure routes : Ingestion

Target Organs : Central nervous system, Immune system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Exposure routes : inhalation (dust/mist/fume)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 4.1
 28.09.2024
 1596215-00020
 Date of first issue: 25.04.2017

Target Organs : Central nervous system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

deltamethrin (ISO):

Species : Rat, male and female

NOAEL : 1 mg/kg
LOAEL : 2.5 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Nervous system
Symptoms : hyperexcitability

Species : Rat LOAEL : 3 mg/m3

Application Route : inhalation (dust/mist/fume) Exposure time : 2 wk / 5 d/wk / 6 h/d

Symptoms : Local irritation, respiratory tract irritation

Species : Dog
NOAEL : 0.1 mg/kg
LOAEL : 1 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Nervous system

Symptoms : Dilatation of the pupil, Vomiting, Tremors, Diarrhoea, Saliva-

tion

Species : Rat

NOAEL : 14 mg/kg

LOAEL : 54 mg/kg

Application Route : Oral

Exposure time : 91 d

Target Organs : Nervous system

Species : Mouse
LOAEL : 6 mg/kg
Application Route : Oral
Exposure time : 12 Weeks
Target Organs : Immune system
Symptoms : immune system effects

Aspiration toxicity

Not classified based on available information.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 4.1
 28.09.2024
 1596215-00020
 Date of first issue: 25.04.2017

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Experience with human exposure

Components:

deltamethrin (ISO):

Inhalation : Symptoms: respiratory tract irritation, Dizziness, Sweating,

Headache, Nausea, Vomiting, anorexia, Fatigue, tingling,

Palpitation, Blurred vision, muscle twitching

Skin contact : Symptoms: Skin irritation, Erythema, pruritis, Headache, Nau-

sea, Vomiting, Dizziness, tingling, Sweating, muscle twitching,

Blurred vision, Fatigue, anorexia, Allergic reactions

Ingestion : Symptoms: muscle pain, Small pupils

SECTION 12: Ecological information

12.1 Toxicity

Components:

Alpha-(4-(1,1,3,3-Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-ethanediyl):

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 4 - 8.9 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 18 - 26 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to microorganisms : IC50 : 5,000 mg/l

Exposure time: 16 h

deltamethrin (ISO):

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 0.00048

mg/l

Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00039 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Mysidopsis bahia (opossum shrimp)): 0.0037 µg/l

Exposure time: 48 h

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 4.1
 28.09.2024
 1596215-00020
 Date of first issue: 25.04.2017

EC50 (Daphnia magna (Water flea)): 0.0035 mg/l

Exposure time: 48 h

LC50 (Gammarus fasciatus (freshwater shrimp)): 0.0003 µg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.1

mg/

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

M-Factor (Acute aquatic tox- :

icity)

1,000,000

Toxicity to fish (Chronic tox-

icity)

NOEC: 0.000022 mg/l Exposure time: 36 d

Species: Pimephales promelas (fathead minnow)

NOEC: 0.000017 mg/l Exposure time: 260 d

Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.0041 µg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

1,000,000

12.2 Persistence and degradability

Components:

Alpha-(4-(1,1,3,3-Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-ethanediyl):

Biodegradability : Biodegradation: > 60 %

Exposure time: 28 d

Method: OECD Test Guideline 301B

Result: Not readily biodegradable.

Biodegradation: 36 % Exposure time: 28 d Method: Closed Bottle test

deltamethrin (ISO):

Stability in water : Hydrolysis: 0 %(30 d)

12.3 Bioaccumulative potential

Components:

Alpha-(4-(1,1,3,3-Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-ethanediyl):

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 4.1
 28.09.2024
 1596215-00020
 Date of first issue: 25.04.2017

Partition coefficient: n-

octanol/water

: log Pow: 2.7

deltamethrin (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 1,800

Partition coefficient: n-

octanol/water

log Pow: 4.6

12.4 Mobility in soil

Components:

deltamethrin (ISO):

Distribution among environ-

mental compartments

: log Koc: 7.2

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : This substance/mixture contains components considered to

have endocrine disrupting properties for environment, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU)

2017/2100.

Components:

Alpha-(4-(1,1,3,3-Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-ethanediyl):

Assessment : The substance is considered to have endocrine disrupting

properties according to REACH Article 57(f) for the environ-

ment.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 4.1 28.09.2024 1596215-00020 Date of first issue: 25.04.2017

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(deltamethrin (ISO), Alpha-(4-(1,1,3,3-

Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-

ethanediyl))

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(deltamethrin (ISO), Alpha-(4-(1,1,3,3-

Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-

ethanediyl))

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(deltamethrin (ISO), Alpha-(4-(1,1,3,3-

Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-

ethanediyl))

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(deltamethrin (ISO), Alpha-(4-(1,1,3,3-

Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-

ethanediyl))

IATA : Environmentally hazardous substance, liquid, n.o.s.

(deltamethrin (ISO), Alpha-(4-(1,1,3,3-

Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-

ethanediyl))

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 9 **ADR** : 9 **RID** : 9

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 4.1 28.09.2024 1596215-00020 Date of first issue: 25.04.2017

IMDG : 9
IATA : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III Labels : 9

EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen: 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 4.1
 28.09.2024
 1596215-00020
 Date of first issue: 25.04.2017

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) Conditions of restriction for the following entries should be considered: Number on list 3

Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

Alpha-(4-(1,1,3,3-

Tetramethylbutyl)phenyl)-omegahydroxypoly(oxy-1,2-ethanediyl)

Regulation (EC) on substances that deplete the ozone

Not applicable

layer

: Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast)

: Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals

: Alpha-(4-(1,1,3,3-

REACH - List of substances subject to authorisation (Annex XIV)

Tetramethylbutyl)phenyl)-omegahydroxypoly(oxy-1,2-ethanediyl)

20 / 23

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 4.1 28.09.2024 1596215-00020 Date of first issue: 25.04.2017

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Quantity 1 Quantity 2

E1 ENVIRONMENTAL 100 t 200 t

HAZARDS

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

Full text of H-Statements

H301 : Toxic if swallowed. H302 : Harmful if swallowed.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.

H331 : Toxic if inhaled.

H335 : May cause respiratory irritation.

H361fd : Suspected of damaging fertility. Suspected of damaging the

unborn child.

H372 : Causes damage to organs through prolonged or repeated

exposure if inhaled.

H372 : Causes damage to organs through prolonged or repeated

exposure if swallowed.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.H411 : Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 4.1
 28.09.2024
 1596215-00020
 Date of first issue: 25.04.2017

Eye Irrit. : Eye irritation

Repr. : Reproductive toxicity Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Classification procedure:

Sheet cy, http://echa.europa.eu/

Classification of the mixture:

Acute Tox. 4	H302	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
Repr. 2	H361fd	Calculation method
STOT RE 2	H373	Calculation method

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 4.1
 28.09.2024
 1596215-00020
 Date of first issue: 25.04.2017

Aquatic Acute 1 H400 Calculation method
Aquatic Chronic 1 H410 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN