

Version 5.1	Revision Date: 03.11.2023		S Number: 7093-00020		sue: 20.10.2023 sue: 02.05.2016		
Section 1:	Identification						
Produ	ct name	:	Deltamethrin Pou	ur-On Formulati	on		
Manufacturer or supplier's details							
Comp		:	MSD				
Address		:	33 Whakatiki Street - Private Bag 908 Upper Hutt - New Zealand				
Telephone		:	0800 800 543				
Emerç	gency telephone number	r:	0800 764 766 (08 CHEMCALL)	800 POISON)	0800 243 622 (0800		
E-mai	laddress	:	EHSDATASTEW	/ARD@msd.cor	n		
Reco	nmended use of the cl	nem	ical and restriction	ons on use			
Recor	nmended use	:	Veterinary produ	ct			
Restri	ctions on use	:	Not applicable				
Section 2:	Section 2: Hazard identification						
GHS	Classification						
Skin s	ensitisation	:	Category 1				
Repro	ductive toxicity	:	Category 2				

Hazardous to the aquatic : Category 1 environment - acute hazard

:

2

Hazardous to the aquatic : Category 1 environment - chronic hazard

GHS label elements

Hazard pictograms

Warning

Hazard statements

Signal word

H317 May cause an allergic skin reaction.
 H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
 H410 Very toxic to aquatic life with long lasting effects.





Version 5.1	Revision Date: 03.11.2023	SDS Number: 657093-00020		sue: 20.10.2023 sue: 02.05.2016				
Preca	autionary statements	· Prevention:						
		P202 Do not h and understod P261 Avoid bi P272 Contam the workplace P273 Avoid re	 P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P261 Avoid breathing mist or vapours. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection. 					
		P308 + P313 attention.	IF exposed or con If skin irritation or	h with plenty of water. cerned: Get medical advice/ rash occurs: Get medical ad-				
		Storage:	akad up					
		P405 Store lo Disposal:	ckeu up.					
		-		ainer to an approved waste				
Othe	r hazards which do n	ot result in classific	ation					
Cutar		occur, such as burnin	g or stinging on th	e face and mucosae. Howev- e (max. 24 hours).				
Section 3	: Composition/inforn	nation on ingredients	5					
Subs	tance / Mixture	: Mixture						
Com	ponents							
Chen	nical name		CAS-No.	Concentration (% w/w)				
Propy	/lene glycol		57-55-6	>= 10 -< 20				
delta	methrin (ISO)		52918-63-5	>= 0.25 -< 1				
Section 4	: First-aid measures							
Gene	eral advice	al advice : In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.						
16.1	-11	When the stand second	a statute de site					

 If inhaled
 :
 If inhaled, remove to fresh air. Get medical attention.

 In case of skin contact
 :
 In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes.



Version 5.1	Revision Date: 03.11.2023		S Number: 7093-00020	Date of last issue: 20.10.2023 Date of first issue: 02.05.2016				
In case of eye contact If swallowed Most important symptoms and effects, both acute and delayed Protection of first-aiders			 Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse. Flush eyes with water as a precaution. Get medical attention if irritation develops and persists. If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. May cause an allergic skin reaction. Suspected of damaging fertility. Suspected of damaging the unborn child. This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning. First Aid responders should pay attention to self-protection, 					
Notes	s to physician	:	when the potent	ommended personal protective equipment ial for exposure exists (see section 8). tically and supportively.				
	: Fire-fighting measure	s						
	ble extinguishing media	:	Water spray Alcohol-resistan Carbon dioxide Dry chemical					
media Spec fightir	Unsuitable extinguishing media Specific hazards during fire- fighting Hazardous combustion prod- ucts		None known. Exposure to con Carbon oxides	nbustion products may be a hazard to health.				
ods	Specific extinguishing meth- ods		cumstances and Use water spray Remove undama so. Evacuate area.	ng measures that are appropriate to local cir- I the surrounding environment. I to cool unopened containers. aged containers from fire area if it is safe to do				
for fir	ial protective equipment efighters hem Code	:	 In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. 3Z 					
Section 6	: Accidental release mo	eası	ires					
tive e	onal precautions, protec- quipment and emer- y procedures	:	Follow safe hand	otective equipment. dling advice (see section 7) and personal pro- nt recommendations (see section 8).				
Envir	onmental precautions	:	Prevent further I Prevent spreadin barriers).	the environment. eakage or spillage if safe to do so. ng over a wide area (e.g. by containment or of				

Retain and dispose of contaminated wash water.



Versio 5.1			Date of last issue: 20.10.2023 Date of first issue: 02.05.2016				
		Local authori cannot be co	ties should be advised if significant spillages				
		cannot be co	ntained.				
	lethods and materials for ontainment and cleaning up	For large spil ment to keep be pumped, s Clean up rem bent. Local or natio posal of this employed in mine which re Sections 13 a	inert absorbent material. Is, provide dyking or other appropriate contain- material from spreading. If dyked material can store recovered material in appropriate container. maining materials from spill with suitable absor- onal regulations may apply to releases and dis- material, as well as those materials and items the cleanup of releases. You will need to deter- egulations are applicable. and 15 of this SDS provide information regarding or national requirements.				
Sectio	on 7: Handling and storage	•					
Т	echnical measures		ring measures under EXPOSURE PERSONAL PROTECTION section.				
	ocal/Total ventilation dvice on safe handling	: Do not get or Avoid breath Do not swalld Avoid contac					
		practice, bas sessment Take care to environment.	ed on the results of the workplace exposure as- prevent spills, waste and minimize release to the				
	lygiene measures	flushing syste place. When using of Contaminate workplace. Wash contan The effective engineering of appropriate of industrial hyg	o chemical is likely during typical use, provide eye ems and safety showers close to the working do not eat, drink or smoke. d work clothing should not be allowed out of the ninated clothing before re-use. operation of a facility should include review of controls, proper personal protective equipment, legowning and decontamination procedures, jiene monitoring, medical surveillance and the istrative controls.				
С	conditions for safe storage	: Keep in prop	Keep in properly labelled containers. Store in accordance with the particular national regulations.				
N	laterials to avoid		with the following product types:				

Section 8: Exposure controls/personal protection

Components with workplace control parameters



VersionRevision Date:SDS Number:Date of last issue: 20.10.20235.103.11.2023657093-00020Date of first issue: 02.05.2016				
--	--	--	--	--

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Propylene glycol	57-55-6	WES-TWA (particulate)	10 mg/m3	NZ OEL
		WES-TWA (Vapour and particulates)	150 ppm 474 mg/m3	NZ OEL
deltamethrin (ISO)	52918-63-5	TWA	15 µg/m3 (OEB 3)	Internal
	Further information: DSEN, Skin			
		Wipe limit	100 µg/100 cm ²	Internal

Engineering measures	:	Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip- less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con- tainment devices). Minimize open handling.
Personal protective equipme	ent	
Respiratory protection Filter type Hand protection	:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Particulates type
Material	:	Chemical-resistant gloves
Remarks Eye protection Skin and body protection	:	Consider double gloving. Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. Work uniform or laboratory coat.
		Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

Section 9	Physical	and	chemical	properties
-----------	----------	-----	----------	------------

Appearance	:	Aqueous solution, suspension
Colour	:	white

SAFETY DATA SHEET



Vers 5.1	sion	Revision Date: 03.11.2023		S Number: 093-00020	Date of last issue: 20.10.2023 Date of first issue: 02.05.2016
	Odour		:	No data available	
	Odour ⁻	Threshold	:	No data available	
	рН		:	No data available	
	Melting	point/freezing point	:	No data available	
	Initial b range	oiling point and boiling	:	No data available	
	Flash p	oint	:	No data available	
	Evapor	ation rate	:	No data available	
	Flamma	ability (solid, gas)	:	Not applicable	
	Flamma	ability (liquids)	:	No data available	
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Vapour	pressure	:	No data available	
	Relative	e vapour density	:	No data available	
	Relative	e density	:	No data available	
	Density	,	:	No data available	
	Solubili Wat	ty(ies) er solubility	:	completely miscit	ble
	Partition octanol	n coefficient: n- /water	:	No data available	
		nition temperature	:	No data available	
	Decom	position temperature	:	No data available	
	Viscosi Visc	ty osity, kinematic	:	No data available	
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance or	mixture is not classified as oxidizing.
	Molecu	lar weight	:	Not applicable	





Version 5.1	Revision Date: 03.11.2023		0S Number: 7093-00020	Date of last issue: 20.10.2023 Date of first issue: 02.05.2016		
Partic	sle size	:	Not applicable			
Section 1	0: Stability and reactiv	ity				
Possi tions	nical stability bility of hazardous reac-	:	Stable under no Can react with	s a reactivity hazard. ormal conditions. strong oxidizing agents.		
Incom	itions to avoid npatible materials rdous decomposition icts	:	None known. Oxidizing agent No hazardous o	is decomposition products are known.		
Section 1	1: Toxicological inform	atio	on			
Expo	sure routes	:	Inhalation Skin contact Ingestion Eye contact			
Not c	e toxicity lassified based on availa	ble	information.			
Produ Acute	e oral toxicity	:	Acute toxicity es Method: Calcula	timate: > 2,000 mg/kg tion method		
Acute	inhalation toxicity	:	Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method			
Com	ponents:					
• •	ylene glycol: e oral toxicity	:	LD50 (Rat): 22,0	000 mg/kg		
Acute	inhalation toxicity	:	LC50 (Rat): > 44 Exposure time: 4 Test atmosphere	4 h		
Acute	e dermal toxicity	:	LD50 (Rabbit): > Assessment: Th toxicity	> 2,000 mg/kg e substance or mixture has no acute dermal		
delta	methrin (ISO):					
Acute	oral toxicity	:	LD50 (Rat): 66.7			
			LD50 (Rat): 9 - 7	139 mg/kg		





Version 5.1	Revision Date: 03.11.2023		9S Number: 7093-00020	Date of last issue: 20.10.2023 Date of first issue: 02.05.2016		
			LD50 (Mouse): 1	9 - 34 mg/kg		
Acute	Acute inhalation toxicity		: LC50 (Rat): 0.8 mg/l Exposure time: 2 h Test atmosphere: dust/mist			
Acute	e dermal toxicity	:	LD50 (Rabbit): 2	,000 mg/kg		
			LD50 (Rat): > 80	0 mg/kg		
	e toxicity (other routes of nistration)	:	LD50 (Rat): 2.5 r Application Route			
			LD50 (Mouse): 1 Application Route			
Not cl	corrosion/irritation lassified based on availa ponents:	ble	information.			
Propy	ylene glycol:					
Speci Metho Resul	bd	:	Rabbit OECD Test Guid No skin irritation	eline 404		
delta	methrin (ISO):					
Speci Resul		:	Rabbit No skin irritation			
	us eye damage/eye irri lassified based on availa					
	ponents:					
Propy	ylene glycol:					
Speci Resul Metho	lt	:	Rabbit No eye irritation OECD Test Guid	eline 405		
delta	methrin (ISO):					
Speci Resul	es	:	Rabbit Moderate eye irri	tation		

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.





	Revision Date: 03.11.2023	SDS Number: 657093-00020	Date of last issue: 20.10.2023 Date of first issue: 02.05.2016
-	iratory sensitisatior lassified based on av		
Com	ponents:		
Prop	ylene glycol:		
Test Expo Spec Resu	sure routes ies	: Maximisation T : Skin contact : Guinea pig : negative	-est
delta	methrin (ISO):		
Test Expo Spec Resu	sure routes ies	: Maximisation T : Dermal : Guinea pig : negative	-est
Test Expo Spec Resu	sure routes ies	: Human repeat : Dermal : Humans : positive	insult patch test (HRIPT)
Chro	nic toxicity		
	n cell mutagenicity		
Not c	lassified based on av	ailable information.	
	lassified based on av ponents:	ailable information.	
Com		ailable information.	
<u>Com</u> Prop	ponents:		cterial reverse mutation assay (AMES) re
<u>Com</u> Prop	ponents: ylene glycol:	: Test Type: Bac Result: negativ Test Type: Chr	romosome aberration test in vitro D Test Guideline 473
<u>Com</u> Prop Geno	ponents: ylene glycol:	 Test Type: Bac Result: negativ Test Type: Chr Method: OECD Result: negativ Test Type: Man cytogenetic ass Species: Mous 	re romosome aberration test in vitro) Test Guideline 473 re mmalian erythrocyte micronucleus test (in viv say) e ute: Intraperitoneal injection
Com Prop Geno	ponents: ylene glycol: otoxicity in vitro	 Test Type: Bac Result: negativ Test Type: Chr Method: OECE Result: negativ Test Type: Man cytogenetic ass Species: Mous Application Ro 	re romosome aberration test in vitro) Test Guideline 473 re mmalian erythrocyte micronucleus test (in viv say) e ute: Intraperitoneal injection
Com Prop Geno Geno delta	ponents: ylene glycol: otoxicity in vitro	 Test Type: Bac Result: negativ Test Type: Chr Method: OECE Result: negativ Test Type: Mac cytogenetic ass Species: Mous Application Ro Result: negativ 	re romosome aberration test in vitro D Test Guideline 473 re mmalian erythrocyte micronucleus test (in viv say) e ute: Intraperitoneal injection re



1	Revision Date: 03.11.2023	SDS Number: 657093-00020	Date of last issue: 20.10.2023 Date of first issue: 02.05.2016
			romosomal aberration Chinese hamster ovary cells ve
		Test system: (vitro mammalian cell gene mutation test Chinese hamster lung cells : LOAEL: 20 mg/kg e
Geno	toxicity in vivo	: Test Type: Mid Species: Mous Application Ro Result: negation	oute: Oral
		Test Type: do Species: Mous Application Ro Result: negati	oute: Oral
		Test Type: sis Species: Mous Cell type: Bon Application Ro Result: negati	e marrow oute: Oral
	nogenicity assified based on ava	ailable information.	
Not cl	• •	ailable information.	
Not cl <u>Comp</u>	assified based on ava	ailable information.	
Not cl <u>Comp</u> Propy Speci Applic	assified based on ava <u>conents:</u> ylene glycol: es cation Route sure time	ailable information. : Rat : Ingestion : 2 Years : negative	
Not cl <u>Comp</u> Propy Speci Applic Expos Resul	assified based on ava <u>conents:</u> ylene glycol: es cation Route sure time t	: Rat : Ingestion : 2 Years	
Not cl <u>Comp</u> Propy Speci Applic Expos Resul	assified based on ava <u>conents:</u> ylene glycol: es cation Route sure time t methrin (ISO):	: Rat : Ingestion : 2 Years : negative	and female
Not cl Comp Propy Speci Applic Expos Resul deltar Speci Applic	assified based on ava <u>conents:</u> ylene glycol: es cation Route sure time t methrin (ISO): es cation Route	: Rat : Ingestion : 2 Years : negative : Mouse, male a : oral (feed)	and female
Not cl Comp Propy Speci Applic Expos Resul deltar Speci Applic Expos	assified based on ava <u>conents:</u> ylene glycol: es cation Route sure time t methrin (ISO): es cation Route sure time	: Rat : Ingestion : 2 Years : negative : Mouse, male a : oral (feed) : 104 weeks	
Not cl Comp Propy Speci Applic Expos Resul deltar Speci Applic Expos NOAE	assified based on ava <u>conents:</u> ylene glycol: es cation Route sure time t methrin (ISO): es cation Route sure time EL	: Rat : Ingestion : 2 Years : negative : Mouse, male a : oral (feed) : 104 weeks : 8 mg/kg body	weight
Not cl Comp Speci Applic Expos Resul deltar Speci Applic Expos NOAE LOAE	assified based on ava <u>conents:</u> ylene glycol: es cation Route sure time t methrin (ISO): es cation Route sure time EL EL	 Rat Ingestion 2 Years negative Mouse, male a oral (feed) 104 weeks 8 mg/kg body 4 mg/kg body 	weight
Not cl Comp Propy Speci Applic Expos Resul deltar Speci Applic Expos NOAE LOAE Resul	assified based on ava <u>conents:</u> ylene glycol: es cation Route sure time t methrin (ISO): es cation Route sure time EL EL	: Rat : Ingestion : 2 Years : negative : Mouse, male a : oral (feed) : 104 weeks : 8 mg/kg body	weight
Not cl Comp Propy Speci Applic Expos Resul deltau Speci Applic Expos NOAE LOAE Resul Targe	assified based on ava <u>conents:</u> ylene glycol: es cation Route sure time t methrin (ISO): es cation Route sure time EL sure time EL t t or Organs es	 Rat Ingestion 2 Years negative Mouse, male a oral (feed) 104 weeks 8 mg/kg body 4 mg/kg body positive Lymph nodes Rat, male and 	weight weight
Not cl Comp Propy Speci Applic Expos Resul deltar Speci Applic Expos NOAE LOAE Resul Targe Speci Applic	assified based on ava <u>conents:</u> ylene glycol: es cation Route sure time t methrin (ISO): es cation Route sure time EL it t t Organs es cation Route	 Rat Ingestion 2 Years negative Mouse, male a oral (feed) 104 weeks 8 mg/kg body 4 mg/kg body positive Lymph nodes Rat, male and oral (feed) 	weight weight
Not cl Comp Propy Speci Applic Expos Resul deltar Speci Applic Expos NOAE LOAE Resul Targe Speci Applic	assified based on ava <u>conents:</u> ylene glycol: es cation Route sure time t methrin (ISO): es cation Route sure time EL :L t t of Organs es cation Route sure time	 Rat Ingestion 2 Years negative Mouse, male a oral (feed) 104 weeks 8 mg/kg body 4 mg/kg body positive Lymph nodes Rat, male and 	weight weight





Ver 5.1	sion	Revision Date: 03.11.2023	SDS Number: 657093-00020	Date of last issue: 20.10.2023 Date of first issue: 02.05.2016
		ation Route ure time L	: oral (feed) : 2 Years : 1 mg/kg body : negative	veight
	Suspe		ity. Suspected of da	amaging the unborn child.
		onents:		
		lene glycol: on fertility	Species: Mou	oute: Ingestion
	Effects ment	on foetal develop-	Species: Mou	oute: Ingestion
	deltam	nethrin (ISO):		
		on fertility	Species: Rat Application R Early Embryc weight Symptoms: N Remarks: Sig Test Type: To Species: Rat Application R	nree-generation reproduction toxicity study oute: oral (feed) onic Development: NOAEL: 50 mg/kg body lo effects on fertility, Embryo-foetal toxicity gnificant toxicity observed in testing wo-generation reproduction toxicity study oute: Oral onic Development: LOAEL: 84 - 149 mg/kg body
			Symptoms: N Test Type: Fe Species: Rat Application R Fertility: LOA	male oute: Oral EL: 1 mg/kg body weight ffects on fertility
	Effects ment	on foetal develop-	Development Result: Skele	





rsion	Revision Date: 03.11.2023	SDS Number: 657093-00020	Date of last issue: 20.10.2023 Date of first issue: 02.05.2016	
			Development	
		Species: Ra		
Developmental Toxicity: NOAEL: 10 mg/kg body we Symptoms: No effects on foetal development				
Test Type: Development				
			abbit, female	
		Application	Route: oral (gavage)	
			ntal Toxicity: NOAEL: 16 mg/kg body weight No effects on foetal development	
D				
sessn	oductive toxicity - As- nent		ence of adverse effects on sexual function and I/or on development, based on animal experiment	
STOT	- single exposure			
	assified based on ava	ailable information.		
<u>Comp</u>	oonents:			
-lalta.	methrin (ISO):			
deitai				
Asses STOT	ssment	e	respiratory irritation.	
Asses STOT Not cl <u>Comp</u>	ssment - repeated exposur assified based on ava conents:	e	respiratory irritation.	
Asses STOT Not cl <u>Comp</u> deltai	ssment - repeated exposur assified based on ava ponents: methrin (ISO):	e ailable information.	respiratory irritation.	
Asses STOT Not cl <u>Comp</u> deltai Expos	ssment - repeated exposur assified based on ava <u>conents:</u> methrin (ISO): sure routes	e ailable information. : Ingestion		
Asses STOT Not cl Comp deltai Expos Targe	ssment - repeated exposur assified based on ava ponents: methrin (ISO):	e ailable information. : Ingestion : Central ner	respiratory irritation. vous system, Immune system mage to organs through prolonged or repeated	
Asses STOT Not cl Comp deltai Expos Targe	ssment - repeated exposur assified based on ava <u>conents:</u> methrin (ISO): sure routes t Organs	e ailable information. : Ingestion : Central ner	vous system, Immune system	
Asses STOT Not cl Comp deltai Expos Targe Asses	ssment - repeated exposur assified based on ava <u>conents:</u> methrin (ISO): sure routes t Organs ssment sure routes	e ailable information. : Ingestion : Central ner : Causes dar exposure. : inhalation (vous system, Immune system mage to organs through prolonged or repeated dust/mist/fume)	
Asses STOT Not cl Comp deltai Expos Targe Asses Expos Targe	ssment - repeated exposur assified based on ava <u>conents:</u> methrin (ISO): sure routes t Organs ssment sure routes t Organs	e ailable information. : Ingestion : Central ner : Causes dar exposure. : inhalation (: Central ner	vous system, Immune system mage to organs through prolonged or repeated dust/mist/fume) vous system	
Asses STOT Not cl Comp deltai Expos Targe Asses Expos Targe	ssment - repeated exposur assified based on ava <u>conents:</u> methrin (ISO): sure routes t Organs ssment sure routes	e ailable information. : Ingestion : Central ner : Causes dar exposure. : inhalation (: Central ner	vous system, Immune system mage to organs through prolonged or repeated dust/mist/fume)	
Asses STOT Not cl Comp deltai Expos Targe Asses Expos Targe Asses	ssment - repeated exposur assified based on ava <u>conents:</u> methrin (ISO): sure routes t Organs ssment sure routes t Organs	e ailable information. : Ingestion : Central ner : Causes dar exposure. : inhalation (: Central ner : Causes dar	vous system, Immune system mage to organs through prolonged or repeated dust/mist/fume) vous system	
Asses STOT Not cl Comp deltai Expos Targe Asses Expos Targe Asses	ssment - repeated exposur assified based on avaination conents: methrin (ISO): sure routes to Organs ssment sure routes to Organs ssment	e ailable information. : Ingestion : Central ner : Causes dar exposure. : inhalation (: Central ner : Causes dar	vous system, Immune system mage to organs through prolonged or repeated dust/mist/fume) vous system	
Asses STOT Not cl Comp deltai Expos Targe Asses Expos Targe Asses Repe	ssment - repeated exposur assified based on avainable conents: methrin (ISO): sure routes at Organs ssment sure routes to Organs ssment ated dose toxicity	e ailable information. : Ingestion : Central ner : Causes dar exposure. : inhalation (: Central ner : Causes dar	vous system, Immune system mage to organs through prolonged or repeated dust/mist/fume) vous system	
Asses STOT Not cl Comp deltai Expos Targe Asses Expos Targe Asses Repea Comp Speci	ssment - repeated exposur assified based on avaination conents: methrin (ISO): sure routes to Organs ssment sure routes to Organs ssment ated dose toxicity conents: ylene glycol: es	e ailable information. : Ingestion : Central ner : Causes dar exposure. : inhalation (: Central ner : Causes dar exposure. : Rat, male	vous system, Immune system mage to organs through prolonged or repeated dust/mist/fume) vous system mage to organs through prolonged or repeated	
Asses STOT Not cl Comp deltai Expos Targe Asses Expos Targe Asses Repea Comp Speci NOAE	ssment - repeated exposur assified based on avainable conents: methrin (ISO): sure routes to Organs ssment sure routes to Organs ssment ated dose toxicity conents: ylene glycol: es	e ailable information. : Ingestion : Central ner : Causes dar exposure. : inhalation (: Central ner : Causes dar exposure. : Rat, male : >= 1,700 m	vous system, Immune system mage to organs through prolonged or repeated dust/mist/fume) vous system mage to organs through prolonged or repeated	
Asses STOT Not cl Comp deltar Expos Targe Asses Expos Targe Asses Repea Comp Speci NOAE Applic	ssment - repeated exposur assified based on avaination conents: methrin (ISO): sure routes to Organs ssment sure routes to Organs ssment ated dose toxicity conents: ylene glycol: es	e ailable information. : Ingestion : Central ner : Causes dar exposure. : inhalation (: Central ner : Causes dar exposure. : Rat, male	vous system, Immune system mage to organs through prolonged or repeated dust/mist/fume) vous system mage to organs through prolonged or repeated	
Asses STOT Not cl Comp deltai Expos Targe Asses Expos Targe Asses Repea Comp Speci NOAE Applic Expos	ssment - repeated exposur assified based on avainable conents: methrin (ISO): sure routes to Organs ssment sure routes to Organs ssment ated dose toxicity conents: ylene glycol: es EL cation Route	e ailable information. : Ingestion : Central ner : Causes dar exposure. : inhalation (: Central ner : Causes dar exposure. : Rat, male : >= 1,700 m : Ingestion	vous system, Immune system mage to organs through prolonged or repeated dust/mist/fume) vous system mage to organs through prolonged or repeated	
Asses STOT Not cl Comp deltai Expos Targe Asses Expos Targe Asses Repea Comp Speci NOAE Applic Expos	 repeated exposur assified based on avainable conents: methrin (ISO): sure routes ated dose toxicity conents: ylene glycol: es cation Route sure time methrin (ISO): 	e ailable information. : Ingestion : Central ner : Causes dar exposure. : inhalation (: Central ner : Causes dar exposure. : Rat, male : >= 1,700 m : Ingestion	vous system, Immune system mage to organs through prolonged or repeated dust/mist/fume) vous system mage to organs through prolonged or repeated	

Version



Date of last issue: 20.10.2023

Deltamethrin Pour-On Formulation

SDS Number:

Revision Date:

	03.11.2023	657093-00020	Date of first issue: 02.05.2016
LOAE	E	: 2.5 mg/kg	
Applic	cation Route	: Oral	
Expos	sure time	: 13 Weeks	
	et Organs	: Nervous syste	
Symp	toms	: hyperexcitabili	iy
Speci		: Rat	
LOAE		: 3 mg/m3	
	cation Route	: inhalation (dus	
Symp	sure time toms	: 2 wk / 5 d/wk / : Local irritation,	respiratory tract irritation
Speci	es	: Dog	
NOAE		: 0.1 mg/kg	
LOAE		: 1 mg/kg	
Applic	cation Route	: Oral	
Expos	sure time	: 13 Weeks	
	et Organs	: Nervous syste	
Symp	toms		e pupil, Vomiting, Tremors, Diarrhoea, Sali
		tion	
Speci		: Rat	
NOAE		: 14 mg/kg	
LOAE		: 54 mg/kg : Oral	
	cation Route sure time	: 91 d	
	et Organs	: Nervous syste	m
Speci	es	: Mouse	
LÒAE	EL	: 6 mg/kg	
	cation Route	: Oral	
	sure time	: 12 Weeks	
	et Organs	: Immune syster	
Symp	otoms	: immune syster	n effects
Aspir	ation toxicity		
Not cl	assified based on av	ailable information.	
Expe	rience with human e	exposure	
<u>Comp</u>	oonents:		
delta	methrin (ISO):		
Inhala	ation	Headache, Na	spiratory tract irritation, Dizziness, Sweating usea, Vomiting, anorexia, Fatigue, tingling, ırred vision, muscle twitching
Skin d	contact	: Symptoms: Sk sea, Vomiting,	in irritation, Erythema, pruritis, Headache, I Dizziness, tingling, Sweating, muscle twitc Fatigue, anorexia, Allergic reactions
		Diuneu vision,	Fallyue, anolexia, Allergic reactions

Section 12: Ecological information



Deltamethrin Pour-On Formulation

Version 5.1	Revision Date: 03.11.2023	SDS Number: 657093-00020	Date of last issue: 20.10.2023 Date of first issue: 02.05.2016	

Ecotoxicity Components: Propylene glycol: Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h Toxicity to daphnia and other : EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l aquatic invertebrates Exposure time: 48 h ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l Toxicity to algae/aquatic : Exposure time: 72 h plants Method: OECD Test Guideline 201 Toxicity to daphnia and other : NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l aquatic invertebrates (Chron-Exposure time: 7 d ic toxicity) Toxicity to microorganisms : NOEC (Pseudomonas putida): > 20,000 mg/l Exposure time: 18 h deltamethrin (ISO): Toxicity to fish LC50 (Cyprinodon variegatus (sheepshead minnow)): 0.00048 mg/l Exposure time: 96 h LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00039 mg/l Exposure time: 96 h Toxicity to daphnia and other : EC50 (Mysidopsis bahia (opossum shrimp)): 0.0037 µg/l aquatic invertebrates Exposure time: 48 h EC50 (Daphnia magna (Water flea)): 0.0035 mg/l Exposure time: 48 h LC50 (Gammarus fasciatus (freshwater shrimp)): 0.0003 µg/l Exposure time: 96 h Toxicity to algae/aquatic EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.1 plants mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility 1,000,000 M-Factor (Acute aquatic tox- : icity) Toxicity to fish (Chronic tox-NOEC (Pimephales promelas (fathead minnow)): 0.000022 : mg/l icity) Exposure time: 36 d





Version 5.1	Revision Date: 03.11.2023		0S Number: 7093-00020	Date of last issue: 20.10.2023 Date of first issue: 02.05.2016
			NOEC (Pimephal mg/l Exposure time: 20	es promelas (fathead minnow)): 0.000017 60 d
aqua	tic invertebrates (Chron-	:	NOEC (Daphnia Exposure time: 2	magna (Water flea)): 0.0041 μg/l 1 d
ic tox M-Fa toxici	actor (Chronic aquatic	:	1,000,000	
Pers	istence and degradabili	ity		
<u>Com</u>	ponents:			
-	ylene glycol:			
Biode	egradability	:	Result: Readily b Biodegradation: Exposure time: 28 Method: OECD T	98.3 %
delta	methrin (ISO):			
Stabi	ility in water	:	Hydrolysis: 0 %(3	30 d)
Bioa	ccumulative potential			
<u>Com</u>	ponents:			
Prop	ylene glycol:			
	tion coefficient: n- nol/water	:	log Pow: -1.07 Method: Regulati	on (EC) No. 440/2008, Annex, A.8
delta	methrin (ISO):			
Bioad	ccumulation	:		s macrochirus (Bluegill sunfish) factor (BCF): 1,800
	tion coefficient: n- nol/water	:	log Pow: 4.6	
Mobi	ility in soil			
<u>Com</u>	ponents:			
delta	methrin (ISO):			
	ibution among environ- al compartments	:	log Koc: 7.2	
	r adverse effects ata available			



Version	Revision Date:	SDS Number:	Date of last issue: 20.10.2023
5.1	03.11.2023	657093-00020	Date of first issue: 02.05.2016

Section 13: Disposal considerations

Disposal methods		
Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

Section 14: Transport information

International Regulations		
UNRTDG		
UN number Proper shipping name	:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (deltamethrin (ISO))
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes
IATA-DGR		
UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (deltamethrin (ISO))
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passen- ger aircraft)	:	964
Environmentally hazardous	:	yes
IMDG-Code		
UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
		N.O.S.
		(deltamethrin (ISO))
Class	:	9
Packing group	:	
Labels	÷	9
EmS Code	÷	F-A, S-F
Marine pollutant	•	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NZS 5433





5.1	Revision Date: 03.11.2023		DS Number: 57093-00020	Date of last issue: 20.10.2023 Date of first issue: 02.05.2016
UN num Proper s	iber shipping name	:	N.O.S.	ALLY HAZARDOUS SUBSTANCE, LIQUID,
Class Packing Labels Hazche Marine			(deltamethrin (IS 9 III 9 3Z no	SO))

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number

HSR100759 Veterinary Medicines Non dispersive Open System Application Group Standard

HSW Controls

Certified handler certificate not required. Tracking hazardous substance not required. Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

Section 16: Other information

Revision Date	:	03.11.2023		
Further information				
Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/		
Date format	:	dd.mm.yyyy		
Full text of other abbreviations				
NZ OEL	:	New Zealand. Workplace Exposure Standards for Atmospher- ic Contaminants		



Version	Revision Date:	SDS Number:	Date of last issue: 20.10.2023
5.1	03.11.2023	657093-00020	Date of first issue: 02.05.2016

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

AIIC - Australian Inventory of Industrial Chemicals: ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention: PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN