

Dexamethasone (0.085%) Formulation

Version 1.10 Revision Date: 30.09.2023 SDS Number: 2708654-00011 Date of last issue: 04.04.2023
 Date of first issue: 13.04.2018

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Dexamethasone (0.085%) Formulation

Manufacturer or supplier's details

Company : MSD

Address : Rua Coronel Bento Soares, 530
 Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

Not a hazardous substance or mixture.

GHS label elements in accordance with ABNT NBR 14725 Standard

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Benzyl alcohol	100-51-6	Acute toxicity (Oral), Category 4 Acute toxicity (Inhalation), Category 4 Eye irritation, Category 2A	>= 1 -< 5
Dexamethasone	50-02-2	Reproductive toxicity, Category 1B Specific target organ toxicity - repeated exposure (Oral) (Ad-	>= 0,025 -< 0,1

Dexamethasone (0.085%) Formulation

Version 1.10 Revision Date: 30.09.2023 SDS Number: 2708654-00011 Date of last issue: 04.04.2023
 Date of first issue: 13.04.2018

		renal gland, Immune system, thymus gland), Category 2 Long-term (chronic) aquatic hazard, Category 1	
--	--	---	--

SECTION 4. FIRST AID MEASURES

- If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
- In case of skin contact : Wash with water and soap as a precaution.
Get medical attention if symptoms occur.
- In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : None known.
- Protection of first-aiders : No special precautions are necessary for first aid responders.
- Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Metal oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.

Dexamethasone (0.085%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.10	30.09.2023	2708654-00011	Date of first issue: 13.04.2018

Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Conditions for safe storage : Keep in properly labeled containers.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis

Dexamethasone (0.085%) Formulation

Version 1.10 Revision Date: 30.09.2023 SDS Number: 2708654-00011 Date of last issue: 04.04.2023
 Date of first issue: 13.04.2018

Dexamethasone	50-02-2	TWA	10 µg/m ³ (OEB 3)	Internal
Further information: Skin				
		Wipe limit	100 µg/100 cm ²	Internal

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
 Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Organic vapor Type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.
 Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
 Use appropriate degowning techniques to remove potentially contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : suspension

Color : No data available

Odor : No data available

Odor Threshold : No data available

pH : 7,0 - 7,8
 No data available

Melting point/freezing point : Not applicable

Initial boiling point and boiling : No data available

Dexamethasone (0.085%) Formulation

Version 1.10 Revision Date: 30.09.2023 SDS Number: 2708654-00011 Date of last issue: 04.04.2023
Date of first issue: 13.04.2018

range

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 1,01 g/cm³

Solubility(ies)
Water solubility : soluble

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : Not applicable

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Dexamethasone (0.085%) Formulation

Version 1.10 Revision Date: 30.09.2023 SDS Number: 2708654-00011 Date of last issue: 04.04.2023
Date of first issue: 13.04.2018

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Components:**Benzyl alcohol:**

Acute oral toxicity : LD50 (Rat): 1.620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4,178 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Dexamethasone:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
LD50 (Mouse): > 6.500 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 14 mg/kg
Application Route: Subcutaneous

Skin corrosion/irritation

Not classified based on available information.

Components:**Benzyl alcohol:**

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Dexamethasone:

Species : Rabbit
Result : Mild skin irritation

Dexamethasone (0.085%) Formulation

Version 1.10 Revision Date: 30.09.2023 SDS Number: 2708654-00011 Date of last issue: 04.04.2023
Date of first issue: 13.04.2018

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Benzyl alcohol:**

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

Dexamethasone:

Species : Rabbit
Result : Mild eye irritation

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:**Benzyl alcohol:**

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:**Benzyl alcohol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Dexamethasone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: in vitro test
Test system: mouse lymphoma cells

Dexamethasone (0.085%) Formulation

Version 1.10 Revision Date: 30.09.2023 SDS Number: 2708654-00011 Date of last issue: 04.04.2023
Date of first issue: 13.04.2018

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Benzyl alcohol:**

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks
Method : OECD Test Guideline 451
Result : negative

Reproductive toxicity

Not classified based on available information.

Components:**Benzyl alcohol:**

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Ingestion
Result: negative

Dexamethasone:

Effects on fetal development : Test Type: Development
Species: Mouse
Application Route: Subcutaneous
Developmental Toxicity: LOAEL: 6 mg/kg body weight
Result: Specific developmental abnormalities., Cleft palate

Species: Rabbit
Application Route: Intramuscular
Developmental Toxicity: NOAEL: 0,025 mg/kg body weight
Result: Specific developmental abnormalities.

Species: Rabbit
Application Route: Intramuscular
Developmental Toxicity: LOAEL: >= 0,062 mg/kg body weight
Result: Specific developmental abnormalities.

Species: Rat

Dexamethasone (0.085%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.10	30.09.2023	2708654-00011	Date of first issue: 13.04.2018

Application Route: Subcutaneous
 Developmental Toxicity: LOAEL: >= 0,02 mg/kg body weight
 Result: Skeletal and visceral variations ., Retardations.

Reproductive toxicity - Assessment : May damage the unborn child.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Components:

Dexamethasone:

Routes of exposure : Oral
 Target Organs : Adrenal gland, Immune system, thymus gland
 Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Benzyl alcohol:

Species : Rat
 NOAEL : 1,072 mg/l
 Application Route : inhalation (dust/mist/fume)
 Exposure time : 28 Days
 Method : OECD Test Guideline 412

Dexamethasone:

Species : Rat
 NOAEL : 0,0015 mg/kg
 Application Route : Oral
 Exposure time : 7 d
 Target Organs : Liver
 Remarks : Significant toxicity observed in testing

Species : Rat
 LOAEL : 0,003 mg/kg
 Application Route : Oral
 Exposure time : 90 d
 Target Organs : Blood, Adrenal gland, thymus gland
 Remarks : Significant toxicity observed in testing

Species : Rat
 LOAEL : 0,125 mg/kg
 Application Route : Oral
 Exposure time : 6 Weeks
 Target Organs : Adrenal gland
 Remarks : Significant toxicity observed in testing

Species : Rat

Dexamethasone (0.085%) Formulation

Version 1.10 Revision Date: 30.09.2023 SDS Number: 2708654-00011 Date of last issue: 04.04.2023
Date of first issue: 13.04.2018

LOAEL : 0,4 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Immune system
Remarks : Significant toxicity observed in testing

Species : Dog
LOAEL : 8 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Immune system
Remarks : Significant toxicity observed in testing

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Dexamethasone:**

Ingestion : Target Organs: Immune system
Target Organs: Adrenal gland
Target Organs: Bone
Symptoms: muscle weakness

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Benzyl alcohol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Dexamethasone (0.085%) Formulation

Version 1.10 Revision Date: 30.09.2023 SDS Number: 2708654-00011 Date of last issue: 04.04.2023
Date of first issue: 13.04.2018

Dexamethasone:

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 56 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 9,2 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 9,2 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0,033 mg/l
Exposure time: 32 d
Method: OECD Test Guideline 210
- M-Factor (Chronic aquatic toxicity) : 1
- Toxicity to microorganisms : EC50: > 1.000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209
- NOEC: 1.000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Persistence and degradability**Components:****Benzyl alcohol:**

- Biodegradability : Result: Readily biodegradable.
Biodegradation: 92 - 96 %
Exposure time: 14 d

Dexamethasone:

- Biodegradability : Result: Not readily biodegradable.
Biodegradation: 50 %
Exposure time: 3,54 d
Method: OECD Test Guideline 314

Bioaccumulative potential**Components:****Benzyl alcohol:**

- Partition coefficient: n-octanol/water : log Pow: 1,05

Dexamethasone (0.085%) Formulation

Version 1.10 Revision Date: 30.09.2023 SDS Number: 2708654-00011 Date of last issue: 04.04.2023
Date of first issue: 13.04.2018

Dexamethasone:

Partition coefficient: n-octanol/water : log Pow: 1,83

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**ANTT**

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

National List of Carcinogenic Agents for Humans - (LINACH) : Not applicable

Brazil. List of chemicals controlled by the Federal Police : Not applicable

The ingredients of this product are reported in the following inventories:

Dexamethasone (0.085%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.10	30.09.2023	2708654-00011	Date of first issue: 13.04.2018

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

SECTION 16. OTHER INFORMATION

Revision Date	:	30.09.2023
Date format	:	dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
--	---	---

Full text of other abbreviations

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and

Dexamethasone (0.085%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.10	30.09.2023	2708654-00011	Date of first issue: 13.04.2018

shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8