

Dexamethasone (with Ethanol) Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.7 30.09.2023 752026-00018 Date of first issue: 14.06.2016

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Dexamethasone (with Ethanol) Formulation

Manufacturer or supplier's details

Company : MSD

Address : Rua Coronel Bento Soares, 530

Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

Flammable liquids : Category 4

GHS label elements in accordance with ABNT NBR 14725 Standard

Signal Word : Warning

Hazard Statements : H227 Combustible liquid.

Precautionary Statements : Prevention:

P210 Keep away from heat/ sparks/ open flames/ hot surfaces.

No smoking.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Other hazards which do not result in classification

Vapors may form explosive mixture with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Ethanol#	64-17-5	Flammable liquids,	>= 5 -< 10
		Category 2	



Dexamethasone (with Ethanol) Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04.04.2023 30.09.2023 752026-00018 Date of first issue: 14.06.2016 4.7

		Eye irritation, Category 2A	
Dexamethasone	50-02-2	Reproductive toxicity, Category 1B Specific target organ toxicity - repeated exposure (Oral) (Ad- renal gland, Immune system, thymus gland), Category 2 Long-term (chronic) aquatic hazard, Category 1	>= 0,1 -< 0,25

[#] Voluntarily-disclosed substance

SECTION 4. FIRST AID MEASURES

General advice In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Flush eyes with water as a precaution.

In case of eye contact Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting. If swallowed

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

Protection of first-aiders

None known.

delayed

First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

Specific hazards during fire

media

High volume water jet

Do not use a solid water stream as it may scatter and spread



Dexamethasone (with Ethanol) Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.7 30.09.2023 752026-00018 Date of first issue: 14.06.2016

fighting fire.

Flash back possible over considerable distance. Vapors may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Remove all sources of ignition.

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Non-sparking tools should be used.

Soak up with inert absorbent material.

Suppress (knock down) gases/vapors/mists with a water spray

jet.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material

can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust



Dexamethasone (with Ethanol) Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04.04.2023 30.09.2023 752026-00018 Date of first issue: 14.06.2016 4.7

ventilation.

Do not get on skin or clothing. Advice on safe handling

Do not breathe vapors or spray mist.

Do not swallow.

Avoid contact with eyes.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the

environment.

If exposure to chemical is likely during typical use, provide eye Hygiene measures

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

Keep in properly labeled containers. Conditions for safe storage

Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Keep away from heat and sources of ignition.

Materials to avoid Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
Ethanol	64-17-5	LT	780 ppm 1.480 mg/m ³	BR OEL	
	Further information: Degree of harmfulness: minimum				
		STEL	1.000 ppm	ACGIH	
Dexamethasone	50-02-2	TWA	10 μg/m3 (OEB 3)	Internal	
	Further information: Skin				
		Wipe limit	100 μg/100 cm ²	Internal	

Engineering measures Minimize workplace exposure concentrations.

If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Personal protective equipment

If adequate local exhaust ventilation is not available or Respiratory protection

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.



Dexamethasone (with Ethanol) Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.7 30.09.2023 752026-00018 Date of first issue: 14.06.2016

Filter type Hand protection : Combined particulates and organic vapor type

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Take note that the product is flammable, which may impact the selection of hand

protection. Wash hands before breaks and at the end of

workday.

Eye protection : Wear the following personal protective equipment:

Safety glasses

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Wear the following personal protective equipment:

If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic

protective clothing.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : clear

Odor : No data available

Odor Threshold : No data available

pH : 4,9

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

No data available

Flash point : 68 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available



Dexamethasone (with Ethanol) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.7
 30.09.2023
 752026-00018
 Date of first issue: 14.06.2016

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

Combustible liquid.

Vapors may form explosive mixture with air. Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Hazardous decomposition : Oxidizing agents

Hazardous decomposition : No hazardous de

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of :

exposure

Inhalation Skin contact

Ingestion Eye contact

Acute toxicity

Not classified based on available information.



Dexamethasone (with Ethanol) Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.7 30.09.2023 752026-00018 Date of first issue: 14.06.2016

Components:

Ethanol:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 124,7 mg/l

Exposure time: 4 h
Test atmosphere: vapor

Dexamethasone:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

LD50 (Mouse): > 6.500 mg/kg

LD50 (Rat): 14 mg/kg

Acute toxicity (other routes of :

administration)

Application Route: Subcutaneous

Skin corrosion/irritation

Not classified based on available information.

Components:

Ethanol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Dexamethasone:

Species : Rabbit

Result : Mild skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Ethanol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Dexamethasone:

Species : Rabbit

Result : Mild eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.



Dexamethasone (with Ethanol) Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04.04.2023 30.09.2023 752026-00018 Date of first issue: 14.06.2016 4.7

Respiratory sensitization

Not classified based on available information.

Components:

Ethanol:

Test Type Local lymph node assay (LLNA)

Routes of exposure Skin contact Species Mouse Result negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Ethanol:

Genotoxicity in vitro Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Rodent dominant lethal test (germ cell) (in vivo) Genotoxicity in vivo

Species: Mouse

Application Route: Ingestion

Result: equivocal

Dexamethasone:

Genotoxicity in vitro Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: in vitro test

Test system: mouse lymphoma cells

Result: negative

Test Type: Micronucleus test Genotoxicity in vivo

Species: Mouse Application Route: Oral

Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

Ethanol:

Effects on fertility Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion

Result: negative



Dexamethasone (with Ethanol) Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.7 30.09.2023 752026-00018 Date of first issue: 14.06.2016

Dexamethasone:

Effects on fetal development : Test Type: Development

Species: Mouse

Application Route: Subcutaneous

Developmental Toxicity: LOAEL: 6 mg/kg body weight Result: Specific developmental abnormalities., Cleft palate

Species: Rabbit

Application Route: Intramuscular

Developmental Toxicity: NOAEL: 0,025 mg/kg body weight

Result: Specific developmental abnormalities.

Species: Rabbit

Application Route: Intramuscular

Developmental Toxicity: LOAEL: >= 0,062 mg/kg body weight

Result: Specific developmental abnormalities.

Species: Rat

Application Route: Subcutaneous

Developmental Toxicity: LOAEL: >= 0,02 mg/kg body weight Result: Skeletal and visceral variations., Retardations.

Reproductive toxicity - As-

sessment

May damage the unborn child.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Components:

Dexamethasone:

Routes of exposure : Oral

Target Organs : Adrenal gland, Immune system, thymus gland

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Ethanol:

Species : Rat

NOAEL : 1.280 mg/kg
LOAEL : 3.156 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Dexamethasone:

Species : Rat

NOAEL : 0,0015 mg/kg



Dexamethasone (with Ethanol) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.7
 30.09.2023
 752026-00018
 Date of first issue: 14.06.2016

Application Route : Oral Exposure time : 7 d Target Organs : Liver

Remarks : Significant toxicity observed in testing

Species : Rat

LOAEL : 0,003 mg/kg

Application Route : Oral Exposure time : 90 d

Target Organs : Blood, Adrenal gland, thymus gland Remarks : Significant toxicity observed in testing

Species : Rat

LOAEL : 0,125 mg/kg

Application Route : Oral
Exposure time : 6 Weeks
Target Organs : Adrenal gland

Remarks : Significant toxicity observed in testing

Species : Rat
LOAEL : 0,4 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Immune system

Remarks : Significant toxicity observed in testing

Species : Dog
LOAEL : 8 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Immune system

Remarks : Significant toxicity observed in testing

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Dexamethasone:

Ingestion : Target Organs: Immune system

Target Organs: Adrenal gland

Target Organs: Bone

Symptoms: muscle weakness

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Ethanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1.000 mg/l

Exposure time: 96 h



Dexamethasone (with Ethanol) Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.7 30.09.2023 752026-00018 Date of first issue: 14.06.2016

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia (water flea)): > 1.000 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 72 h

EC10 (Chlorella vulgaris (Fresh water algae)): 11,5 mg/l

Exposure time: 72 h

Toxicity to daphnia and other

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 9,6 mg/l

Exposure time: 9 d

Toxicity to microorganisms : EC50 (Pseudomonas putida): 6.500 mg/l

Exposure time: 16 h

Dexamethasone:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 56 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 9,2

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 9,2

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0,033 mg/l

Exposure time: 32 d

Method: OECD Test Guideline 210

M-Factor (Chronic aquatic

toxicity)

Toxicity to microorganisms

: 1

EC50: > 1.000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

NOEC: 1.000 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Persistence and degradability

Components:

Ethanol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 84 %



Dexamethasone (with Ethanol) Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.7 30.09.2023 752026-00018 Date of first issue: 14.06.2016

Exposure time: 20 d

Dexamethasone:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 50 % Exposure time: 3,54 d

Method: OECD Test Guideline 314

Bioaccumulative potential

Components:

Ethanol:

Partition coefficient: n-

octanol/water

log Pow: -0,35

Dexamethasone:

Partition coefficient: n-

octanol/water

log Pow: 1,83

Mobility in soilNo data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or

death.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.



Dexamethasone (with Ethanol) Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.7 30.09.2023 752026-00018 Date of first issue: 14.06.2016

Domestic regulation

ANTT

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans - : Not applicable

(LINACH)

Brazil. List of chemicals controlled by the Federal

Police

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 30.09.2023 Date format : dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Ethanol

cy, http://echa.europa.eu/

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

BR OEL : Brazil. NR 15 - Unhealthy activities and operations

ACGIH / STEL : Short-term exposure limit BR OEL / LT : Up to 48 hours /week

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and



Dexamethasone (with Ethanol) Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.7 30.09.2023 752026-00018 Date of first issue: 14.06.2016

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8