

**Dexamethasone (with Ethanol) Formulation**

Version 6.1      Revision Date: 20.02.2025      SDS Number: 752026-00022      Date of last issue: 28.09.2024  
Date of first issue: 14.06.2016

**SECTION 1. IDENTIFICATION**

Product identifier : Dexamethasone (with Ethanol) Formulation

**Manufacturer or supplier's details**

Company : MSD

Address : Rua Coronel Bento Soares, 530  
Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use : Not applicable

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification in accordance with ABNT NBR 14725 Standard**

Flammable liquids : Category 4

**GHS label elements in accordance with ABNT NBR 14725 Standard**

Signal Word : Warning

Hazard Statements : H227 Combustible liquid.

Precautionary Statements : **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Other hazards which do not result in classification**

Vapors may form explosive mixture with air.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Ethanol#	64-17-5	Flam. Liq., 2 Eye Irrit., 2A	>= 5 -< 10

## Dexamethasone (with Ethanol) Formulation

Version 6.1      Revision Date: 20.02.2025      SDS Number: 752026-00022      Date of last issue: 28.09.2024  
 Date of first issue: 14.06.2016

Benzyl alcohol	100-51-6	Acute Tox. (Oral), 4 Eye Irrit., 2A Skin Sens., 1B	$\geq 0,1 - < 1$
dexamethasone	50-02-2	Repr., 1B STOT RE, (Oral)(Adrenal gland, Immune system, thymus gland) , 2 Aquatic Chronic, 1	$\geq 0,1 - < 0,25$

# Voluntarily-disclosed substance

### SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
 Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
 Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
 Get medical attention.  
 Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : None known.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
 Alcohol-resistant foam  
 Carbon dioxide (CO<sub>2</sub>)  
 Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not use a solid water stream as it may scatter and spread fire.  
 Flash back possible over considerable distance.

**Dexamethasone (with Ethanol) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
6.1	20.02.2025	752026-00022	Date of first issue: 14.06.2016

Vapors may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapors/mists with a water spray jet.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

## Dexamethasone (with Ethanol) Formulation

Version 6.1      Revision Date: 20.02.2025      SDS Number: 752026-00022      Date of last issue: 28.09.2024  
 Date of first issue: 14.06.2016

- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
 Do not breathe vapors or spray mist.  
 Do not swallow.  
 Avoid contact with eyes.  
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
 Keep container tightly closed.  
 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 Take precautionary measures against static discharges.  
 Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
 When using do not eat, drink or smoke.  
 Wash contaminated clothing before re-use.
- Conditions for safe storage : Keep in properly labeled containers.  
 Keep tightly closed.  
 Keep in a cool, well-ventilated place.  
 Store in accordance with the particular national regulations.  
 Keep away from heat and sources of ignition.
- Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents  
 Self-reactive substances and mixtures  
 Organic peroxides  
 Explosives  
 Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	LT	780 ppm 1.480 mg/m <sup>3</sup>	BR OEL
Further information: Degree of harmfulness: minimum				
		STEL	1.000 ppm	ACGIH
dexamethasone	50-02-2	TWA	10 µg/m <sup>3</sup> (OEB 3)	Internal
Further information: Skin				
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal

- Engineering measures** : Minimize workplace exposure concentrations.  
 If sufficient ventilation is unavailable, use with local exhaust ventilation.

#### Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the

**Dexamethasone (with Ethanol) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
6.1	20.02.2025	752026-00022	Date of first issue: 14.06.2016

Filter type	: recommended guidelines, use respiratory protection.
Hand protection	: Combined particulates and organic vapor type
Material	: Chemical-resistant gloves
Remarks	: Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Take note that the product is flammable, which may impact the selection of hand protection. Wash hands before breaks and at the end of workday.
Eye protection	: Wear the following personal protective equipment: Safety glasses
Skin and body protection	: Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Wear the following personal protective equipment: If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic protective clothing. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state	: liquid
Color	: clear
Odor	: No data available
Odor Threshold	: No data available
pH	: 4,9
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: 68 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: Not applicable
Upper explosion limit / Upper flammability limit	: No data available

**Dexamethasone (with Ethanol) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
6.1	20.02.2025	752026-00022	Date of first issue: 14.06.2016

---

Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	No data available

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Combustible liquid. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

**Acute toxicity**

Not classified based on available information.

**Dexamethasone (with Ethanol) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
6.1	20.02.2025	752026-00022	Date of first issue: 14.06.2016

---

**Components:****Ethanol:**

Acute oral toxicity : LD50 (Rat): 10.470 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male): 116,9 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rabbit): > 15.800 mg/kg

**Benzyl alcohol:**

Acute oral toxicity : LD50 (Rat): 1.200 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5,4 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

**dexamethasone:**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg  
LD50 (Mouse): > 6.500 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 14 mg/kg  
Application Route: Subcutaneous

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Ethanol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Benzyl alcohol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**dexamethasone:**

Species : Rabbit  
Result : Mild skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Dexamethasone (with Ethanol) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
6.1	20.02.2025	752026-00022	Date of first issue: 14.06.2016

---

**Components:****Ethanol:**

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

**Benzyl alcohol:**

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

**dexamethasone:**

Species	:	Rabbit
Result	:	Mild eye irritation

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Components:****Ethanol:**

Test Type	:	Mouse ear swelling test (MEST)
Routes of exposure	:	Skin contact
Species	:	Mouse
Result	:	negative

**Benzyl alcohol:**

Test Type	:	Human repeat insult patch test (HRIPT)
Routes of exposure	:	Skin contact
Species	:	Humans
Result	:	positive

Assessment	:	Probability or evidence of low to moderate skin sensitization rate in humans
------------	---	--

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Ethanol:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
-----------------------	---	---

Test Type: In vitro mammalian cell gene mutation test



**Dexamethasone (with Ethanol) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
6.1	20.02.2025	752026-00022	Date of first issue: 14.06.2016

---

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Benzyl alcohol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

**dexamethasone:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: in vitro test

Test system: mouse lymphoma cells

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Benzyl alcohol:**

Species	: Mouse
Application Route	: Ingestion
Exposure time	: 103 weeks
Method	: OECD Test Guideline 451
Result	: negative

**Reproductive toxicity**

Not classified based on available information.

**Components:****Ethanol:**

**Dexamethasone (with Ethanol) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
6.1	20.02.2025	752026-00022	Date of first issue: 14.06.2016

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Mouse  
Application Route: Ingestion  
Result: negative

**Benzyl alcohol:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Mouse  
Application Route: Ingestion  
Result: negative

**dexamethasone:**

Effects on fetal development : Test Type: Development  
Species: Mouse  
Application Route: Subcutaneous  
Developmental Toxicity: LOAEL: 6 mg/kg body weight  
Result: Specific developmental abnormalities., Cleft palate

Species: Rabbit  
Application Route: Intramuscular  
Developmental Toxicity: NOAEL: 0,025 mg/kg body weight  
Result: Specific developmental abnormalities.

Species: Rabbit  
Application Route: Intramuscular  
Developmental Toxicity: LOAEL: >= 0,062 mg/kg body weight  
Result: Specific developmental abnormalities.

Species: Rat  
Application Route: Subcutaneous  
Developmental Toxicity: LOAEL: >= 0,02 mg/kg body weight  
Result: Skeletal and visceral variations ., Fetal growth retardation

Reproductive toxicity - Assessment : May damage the unborn child.

**STOT-single exposure**

Not classified based on available information.

**STOT-repeated exposure**

Not classified based on available information.

**Components:****dexamethasone:**

Routes of exposure : Oral  
Target Organs : Adrenal gland, Immune system, thymus gland

**Dexamethasone (with Ethanol) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
6.1	20.02.2025	752026-00022	Date of first issue: 14.06.2016

Assessment : May cause damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Ethanol:**

Species : Rat  
NOAEL : 1.730 mg/kg  
LOAEL : 3.200 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

**Benzyl alcohol:**

Species : Rat  
NOAEL : 1,072 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 28 Days  
Method : OECD Test Guideline 412

**dexamethasone:**

Species : Rat  
NOAEL : 0,0015 mg/kg  
Application Route : Oral  
Exposure time : 7 d  
Target Organs : Liver  
Remarks : Significant toxicity observed in testing

Species : Rat  
LOAEL : 0,003 mg/kg  
Application Route : Oral  
Exposure time : 90 d  
Target Organs : Blood, Adrenal gland, thymus gland  
Remarks : Significant toxicity observed in testing

Species : Dog  
LOAEL : 0,125 mg/kg  
Application Route : Oral  
Exposure time : 6 Weeks  
Target Organs : Adrenal gland  
Remarks : Significant toxicity observed in testing

Species : Rat  
LOAEL : 0,4 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Target Organs : Immune system  
Remarks : Significant toxicity observed in testing

Species : Dog  
LOAEL : 8 mg/kg

**Dexamethasone (with Ethanol) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
6.1	20.02.2025	752026-00022	Date of first issue: 14.06.2016

Application Route	: Oral
Exposure time	: 3 Months
Target Organs	: Immune system
Remarks	: Significant toxicity observed in testing

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****dexamethasone:**

Ingestion	: Target Organs: Immune system Target Organs: Adrenal gland Target Organs: Bone Symptoms: muscle weakness
-----------	--

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Ethanol:**

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 14.200 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Ceriodaphnia dubia (water flea)): 5.012 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h  EC10 (Chlorella vulgaris (Fresh water algae)): 11,5 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	: NOEC (Oryzias latipes (Japanese medaka)): >= 79 mg/l Exposure time: 100 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 9,6 mg/l Exposure time: 9 d
Toxicity to microorganisms	: EC50 (Protozoa): 5.800 mg/l Exposure time: 4 h

**Benzyl alcohol:**

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202

## Dexamethasone (with Ethanol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
6.1	20.02.2025	752026-00022	Date of first issue: 14.06.2016

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

### **dexamethasone:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 56 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 9,2 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 9,2 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0,033 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC50: > 1.000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

NOEC: 1.000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

### **Persistence and degradability**

#### **Components:**

#### **Ethanol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 84 %  
Exposure time: 20 d

**Dexamethasone (with Ethanol) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
6.1	20.02.2025	752026-00022	Date of first issue: 14.06.2016

**Benzyl alcohol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92 - 96 %  
Exposure time: 14 d

**dexamethasone:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 50 %  
Exposure time: 3,54 d  
Method: OECD Test Guideline 314

**Bioaccumulative potential****Components:****Ethanol:**

Partition coefficient: n-octanol/water : log Pow: -0,35

**Benzyl alcohol:**

Partition coefficient: n-octanol/water : log Pow: 1,05

**dexamethasone:**

Partition coefficient: n-octanol/water : log Pow: 1,83

**Mobility in soil**

No data available

**Other adverse effects**

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous.  
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.  
If not otherwise specified: Dispose of as unused product.

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

Not regulated as a dangerous good

**Dexamethasone (with Ethanol) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
6.1	20.02.2025	752026-00022	Date of first issue: 14.06.2016

---

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation****ANTT**

Not regulated as a dangerous good

**Special precautions for user**

Not applicable

---

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**National List of Carcinogenic Agents for Humans - : Not applicable  
(LINACH)Brazil. List of chemicals controlled by the Federal : Ethanol  
Police**The ingredients of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

---

**SECTION 16. OTHER INFORMATION**Revision Date : 20.02.2025  
Date format : dd.mm.yyyy**Further information**Sources of key data used to : Internal technical data, data from raw material SDSs, OECD  
compile the Material Safety eChem Portal search results and European Chemicals Agen-  
Data Sheet cy, <http://echa.europa.eu/>**Full text of other abbreviations**ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
BR OEL : Brazil. NR 15 - Unhealthy activities and operationsACGIH / STEL : Short-term exposure limit  
BR OEL / LT : Up to 48 hours /week

**Dexamethasone (with Ethanol) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
6.1	20.02.2025	752026-00022	Date of first issue: 14.06.2016

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8