

# **Dexamethasone (with Ethanol) Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 5.1 30.09.2023 752041-00018 Date of first issue: 14.06.2016

#### **Section 1: Identification**

Product name : Dexamethasone (with Ethanol) Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908

Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON) 0800 243 622 (0800

CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

#### **Section 2: Hazard identification**

**GHS Classification** 

Flammable liquids : Category 4

Skin sensitisation : Category 1

Reproductive toxicity : Category 1

**GHS** label elements

Hazard pictograms

Signal word : Danger

Hazard statements : H227 Combustible liquid.

H317 May cause an allergic skin reaction. H360D May damage the unborn child.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.



# **Dexamethasone (with Ethanol) Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 5.1
 30.09.2023
 752041-00018
 Date of first issue: 14.06.2016

P261 Avoid breathing mist or vapours.

P272 Contaminated work clothing should not be allowed out of

the workplace.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

#### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P333 + P313 If skin irritation or rash occurs: Get medical ad-

vice/ attention.

#### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards which do not result in classification

Vapours may form explosive mixture with air.

#### Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)	
Ethanol#	64-17-5	>= 1 -< 10	
Benzyl alcohol	100-51-6	>= 0.1 -< 1	
Dexamethasone	50-02-2	>= 0.1 -< 0.25	

<sup>#</sup> Voluntarily-disclosed substance

## Section 4: First-aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.



# **Dexamethasone (with Ethanol) Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 5.1 30.09.2023 752041-00018 Date of first issue: 14.06.2016

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water. May cause an allergic skin reaction. May damage the unborn child.

Most important symptoms and effects, both acute and

delaved

Protection of first-aiders

First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician Treat symptomatically and supportively.

#### Section 5: Fire-fighting measures

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

Do not use a solid water stream as it may scatter and spread

fire.

Flash back possible over considerable distance. Vapours may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

## Section 6: Accidental release measures

Personal precautions, protec- : tive equipment and emer-

gency procedures

Remove all sources of ignition. Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for Non-sparking tools should be used.



# **Dexamethasone (with Ethanol) Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 5.1 30.09.2023 752041-00018 Date of first issue: 14.06.2016

containment and cleaning up Soak up with inert absorbent material.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### Section 7: Handling and storage

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe vapours or spray mist.

Do not swallow.

Avoid contact with eyes.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

Conditions for safe storage : Keep in properly labelled containers.

Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

#### Section 8: Exposure controls/personal protection

### Components with workplace control parameters



# **Dexamethasone (with Ethanol) Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 5.1 30.09.2023 752041-00018 Date of first issue: 14.06.2016

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	WES-TWA	1,000 ppm 1,880 mg/m3	NZ OEL
	Further information: Ototoxin			
		STEL	1,000 ppm	ACGIH
Dexamethasone	50-02-2	TWA	10 μg/m3 (OEB 3)	Internal
	Further information: Skin			
		Wipe limit	100 μg/100 cm <sup>2</sup>	Internal

Minimize workplace exposure concentrations. **Engineering measures** 

If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Personal protective equipment

Respiratory protection If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Combined particulates and organic vapour type

Filter type Hand protection

Material

Chemical-resistant gloves

Remarks Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Take note that the product is flammable, which may impact the selection of hand protection. Wash

hands before breaks and at the end of workday.

Eye protection Wear the following personal protective equipment:

Safety glasses

Skin and body protection Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Wear the following personal protective equipment:

If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic

protective clothing.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Section 9: Physical and chemical properties

**Appearance** liquid

Colour clear

Odour No data available



# **Dexamethasone (with Ethanol) Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 5.1 30.09.2023 752041-00018 Date of first issue: 14.06.2016

Odour Threshold : No data available

pH : 4.9

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : 68 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available



# **Dexamethasone (with Ethanol) Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 752041-00018 5.1 30.09.2023 Date of first issue: 14.06.2016

## Section 10: Stability and reactivity

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions.

Possibility of hazardous reac-

Combustible liquid.

Vapours may form explosive mixture with air.

Can react with strong oxidizing agents.

Conditions to avoid Heat, flames and sparks. Oxidizing agents

Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

#### **Section 11: Toxicological information**

Exposure routes Inhalation

Skin contact Ingestion Eye contact

**Acute toxicity** 

Not classified based on available information.

Components:

**Ethanol:** 

Acute oral toxicity LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity LC50 (Rat): 124.7 mg/l

Exposure time: 4 h Test atmosphere: vapour

Benzyl alcohol:

Acute oral toxicity LD50 (Rat): 1,620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute toxicity estimate: 1,100 mg/kg Acute dermal toxicity

Method: Expert judgement

Remarks: Based on national or regional regulation.

Dexamethasone:

LD50 (Rat): > 2,000 mg/kgAcute oral toxicity

LD50 (Mouse): > 6,500 mg/kg



# **Dexamethasone (with Ethanol) Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 5.1
 30.09.2023
 752041-00018
 Date of first issue: 14.06.2016

Acute toxicity (other routes of : LD50 (Rat): 14 mg/kg

administration) Application Route: Subcutaneous

Skin corrosion/irritation

Not classified based on available information.

**Components:** 

Ethanol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Benzyl alcohol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Dexamethasone:

Species : Rabbit

Result : Mild skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

**Components:** 

**Ethanol:** 

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Benzyl alcohol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Dexamethasone:

Species : Rabbit

Result : Mild eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.



# **Dexamethasone (with Ethanol) Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 5.1 30.09.2023 752041-00018 Date of first issue: 14.06.2016

**Components:** 

**Ethanol:** 

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact
Species : Mouse
Result : negative

Benzyl alcohol:

Assessment : Probability or evidence of skin sensitisation in humans

Remarks : Based on national or regional regulation.

**Chronic toxicity** 

Germ cell mutagenicity

Not classified based on available information.

**Components:** 

**Ethanol:** 

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse

Application Route: Ingestion

Result: equivocal

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Dexamethasone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: in vitro assay

Test system: mouse lymphoma cells

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test



# **Dexamethasone (with Ethanol) Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 5.1
 30.09.2023
 752041-00018
 Date of first issue: 14.06.2016

Species: Mouse Application Route: Oral Result: negative

#### Carcinogenicity

Not classified based on available information.

#### **Components:**

#### Benzyl alcohol:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks

Method : OECD Test Guideline 451

Result : negative

### Reproductive toxicity

May damage the unborn child.

#### **Components:**

#### **Ethanol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion

Result: negative

#### Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

**Application Route: Ingestion** 

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Ingestion

Result: negative

### Dexamethasone:

Effects on foetal develop-

ment

: Test Type: Development

Species: Mouse

Application Route: Subcutaneous

Developmental Toxicity: LOAEL: 6 mg/kg body weight Result: Specific developmental abnormalities, Cleft palate

Species: Rabbit

Application Route: Intramuscular

Developmental Toxicity: NOAEL: 0.025 mg/kg body weight

Result: Specific developmental abnormalities



# **Dexamethasone (with Ethanol) Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 5.1 30.09.2023 752041-00018 Date of first issue: 14.06.2016

Species: Rabbit

Application Route: Intramuscular

Developmental Toxicity: LOAEL: >= 0.062 mg/kg body weight

Result: Specific developmental abnormalities

Species: Rat

Application Route: Subcutaneous

Developmental Toxicity: LOAEL: >= 0.02 mg/kg body weight

Result: Skeletal and visceral variations, Retardations

Reproductive toxicity - As-

sessment

May damage the unborn child.

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

#### Components:

#### Dexamethasone:

Exposure routes : Oral

Target Organs : Adrenal gland, Immune system, thymus gland

Assessment : May cause damage to organs through prolonged or repeated

exposure.

#### Repeated dose toxicity

#### Components:

#### **Ethanol:**

Species : Rat

NOAEL : 1,280 mg/kg LOAEL : 3,156 mg/kg Application Route : Ingestion Exposure time : 90 Days

Benzyl alcohol:

Species : Rat NOAEL : 1.072 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 28 Days

Method : OECD Test Guideline 412

Dexamethasone:

Species : Rat

NOAEL : 0.0015 mg/kg

Application Route : Oral Exposure time : 7 d



# **Dexamethasone (with Ethanol) Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 5.1
 30.09.2023
 752041-00018
 Date of first issue: 14.06.2016

Target Organs : Liver

Remarks : Significant toxicity observed in testing

Species : Rat

LOAEL : 0.003 mg/kg

Application Route : Oral Exposure time : 90 d

Target Organs : Blood, Adrenal gland, thymus gland Remarks : Significant toxicity observed in testing

Species : Rat

LOAEL : 0.125 mg/kg

Application Route : Oral
Exposure time : 6 Weeks
Target Organs : Adrenal gland

Remarks : Significant toxicity observed in testing

Species : Rat
LOAEL : 0.4 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Immune system

Remarks : Significant toxicity observed in testing

Species: DogLOAEL: 8 mg/kgApplication Route: OralExposure time: 3 Months

Target Organs : Immune system

Remarks : Significant toxicity observed in testing

## **Aspiration toxicity**

Not classified based on available information.

#### **Experience with human exposure**

## **Components:**

#### Dexamethasone:

Ingestion : Target Organs: Immune system

Target Organs: Adrenal gland

Target Organs: Bone

Symptoms: muscle weakness

#### Section 12: Ecological information

#### **Ecotoxicity**

#### **Components:**

#### **Ethanol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l



# **Dexamethasone (with Ethanol) Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 5.1 30.09.2023 752041-00018 Date of first issue: 14.06.2016

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia (water flea)): > 1,000 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 72 h

EC10 (Chlorella vulgaris (Fresh water algae)): 11.5 mg/l

Exposure time: 72 h

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

NOEC (Daphnia magna (Water flea)): 9.6 mg/l

Exposure time: 9 d

Toxicity to microorganisms

EC50 (Pseudomonas putida): 6,500 mg/l

Exposure time: 16 h

Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 230 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 770

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 51 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Dexamethasone:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 56 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.2

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 9.2

mg/l



# **Dexamethasone (with Ethanol) Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 5.1 30.09.2023 752041-00018 Date of first issue: 14.06.2016

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.033 mg/l

Exposure time: 32 d

Method: OECD Test Guideline 210

M-Factor (Chronic aquatic

toxicity)

Toxicity to microorganisms

EC50: > 1,000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

NOEC: 1,000 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

#### Persistence and degradability

#### **Components:**

**Ethanol:** 

Biodegradability : Result: Readily biodegradable.

: 1

Biodegradation: 84 % Exposure time: 20 d

Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 92 - 96 % Exposure time: 14 d

Dexamethasone:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 50 % Exposure time: 3.54 d

Method: OECD Test Guideline 314

#### **Bioaccumulative potential**

## **Components:**

Ethanol:

Partition coefficient: n-

octanol/water

log Pow: -0.35

Benzyl alcohol:

Partition coefficient: n-

octanol/water

log Pow: 1.05



# **Dexamethasone (with Ethanol) Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 5.1 30.09.2023 752041-00018 Date of first issue: 14.06.2016

Dexamethasone:

Partition coefficient: n-

octanol/water

log Pow: 1.83

Mobility in soil

No data available

Other adverse effects

No data available

### Section 13: Disposal considerations

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

#### **Section 14: Transport information**

#### International Regulations

**UNRTDG** 

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

**IATA-DGR** 

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen-

Not applicable

ger aircraft)

**IMDG-Code** 

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable



# **Dexamethasone (with Ethanol) Formulation**

Version SDS Number: Date of last issue: 04.04.2023 Revision Date: 5.1 30.09.2023 752041-00018 Date of first issue: 14.06.2016

Labels Not applicable **EmS Code** Not applicable Marine pollutant Not applicable

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National Regulations**

NZS 5433

**UN** number Not applicable Not applicable Proper shipping name Not applicable Class Subsidiary risk : Not applicable Packing group : Not applicable Labels : Not applicable Hazchem Code Not applicable

Special precautions for user

Not applicable

#### **Section 15: Regulatory information**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **HSNO Approval Number**

HSR100759 Veterinary Medicines Non dispersive Open System Application Group Standard

#### **HSW Controls**

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

## The components of this product are reported in the following inventories:

**AICS** not determined

DSL not determined

**IECSC** not determined

#### **Section 16: Other information**

**Revision Date** 30.09.2023

**Further information** 

Sources of key data used to

compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Date format dd.mm.yyyy



# **Dexamethasone (with Ethanol) Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 5.1 30.09.2023 752041-00018 Date of first issue: 14.06.2016

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospher-

ic Contaminants

ACGIH / STEL : Short-term exposure limit

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response: ERG - Emergency Response Guide: GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN