

# **Dexamethasone Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 2.10
 12.12.2023
 1842879-00013
 Date of first issue: 20.07.2017

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Dexamethasone Formulation

Other means of identification : DEXAFORT AQUEOUS SUSPENSION OF

DEXAMETHASONE AS MIXED ESTERS (37231)

Manufacturer or supplier's details

Company : MSD

Address : Rua Coronel Bento Soares, 530

Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification in accordance with ABNT NBR 14725 Standard

Reproductive toxicity : Category 1B

Long-term (chronic) aquatic

hazard

: Category 3

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms :

Signal Word : Danger

Hazard Statements : H360D May damage the unborn child.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use. P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.



# **Dexamethasone Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 2.10
 12.12.2023
 1842879-00013
 Date of first issue: 20.07.2017

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

Storage:

P405 Store locked up.

Other hazards which do not result in classification

None known.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Benzyl alcohol	100-51-6	Acute toxicity (Oral), Category 4 Acute toxicity (Inhala- tion), Category 4 Eye irritation, Category 2A	1,04
Dexamethasone	50-02-2	Reproductive toxicity, Category 1B Specific target organ toxicity - repeated exposure (Oral) (Ad- renal gland, Immune system, thymus gland), Category 2 Long-term (chronic) aquatic hazard, Category 1	0,3

# **SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.



# **Dexamethasone Formulation**

Version **Revision Date:** SDS Number: Date of last issue: 30.09.2023 1842879-00013 Date of first issue: 20.07.2017 2.10 12.12.2023

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water. May damage the unborn child.

Most important symptoms and effects, both acute and

delayed

Protection of first-aiders First Aid responders should pay attention to self-protection,

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician Treat symptomatically and supportively.

**SECTION 5. FIRE-FIGHTING MEASURES** 

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical None known.

Unsuitable extinguishing

Specific hazards during fire

fiahtina

Hazardous combustion prod-

ucts

Carbon oxides

Metal oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

Exposure to combustion products may be a hazard to health.

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

**SECTION 6. ACCIDENTAL RELEASE MEASURES** 

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material

can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and



# **Dexamethasone Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 2.10
 12.12.2023
 1842879-00013
 Date of first issue: 20.07.2017

disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe vapors or spray mist.

Do not swallow.

Avoid contact with eyes.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
Dexamethasone	50-02-2	TWA	10 μg/m3 (OEB 3)	Internal	
	Further information: Skin				
		Wipe limit	100 μg/100 cm <sup>2</sup>	Internal	

**Engineering measures** : Minimize workplace exposure concentrations.

If sufficient ventilation is unavailable, use with local exhaust

ventilation.



# **Dexamethasone Formulation**

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 2.10 12.12.2023 1842879-00013 Date of first issue: 20.07.2017

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type

Hand protection

Combined particulates and organic vapor type

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before

breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:

Safety glasses

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : suspension

Color : white to off-white

Odor Threshold : No data available

pH : 7,0 - 7,8

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available



# **Dexamethasone Formulation**

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 12.12.2023 1842879-00013 Date of first issue: 20.07.2017 2.10

Relative vapor density No data available

Density No data available

Solubility(ies)

Water solubility No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature No data available

Decomposition temperature No data available

Viscosity

Viscosity, kinematic No data available

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle size No data available

# **SECTION 10. STABILITY AND REACTIVITY**

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions.

Possibility of hazardous reac- :

tions

Can react with strong oxidizing agents.

Conditions to avoid None known. Incompatible materials Oxidizing agents

products

Hazardous decomposition No hazardous decomposition products are known.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of:

exposure

Inhalation Skin contact

Ingestion Eve contact

**Acute toxicity** 

Not classified based on available information.

**Product:** 

Acute oral toxicity Acute toxicity estimate: > 5.000 mg/kg

Method: Calculation method

Acute inhalation toxicity Acute toxicity estimate: > 10 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method



# **Dexamethasone Formulation**

Version **Revision Date:** SDS Number: Date of last issue: 30.09.2023 12.12.2023 1842879-00013 Date of first issue: 20.07.2017 2.10

**Components:** 

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1.620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4,178 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Dexamethasone:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

LD50 (Mouse): > 6.500 mg/kg

Acute toxicity (other routes of :

LD50 (Rat): 14 mg/kg

administration) Application Route: Subcutaneous

Skin corrosion/irritation

Not classified based on available information.

Components:

Benzyl alcohol:

**Species** Rabbit

Method **OECD Test Guideline 404** 

Result No skin irritation

Dexamethasone:

**Species** Rabbit

Result Mild skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Benzyl alcohol:

**Species** Rabbit

Result Irritation to eyes, reversing within 21 days

OECD Test Guideline 405 Method

Dexamethasone:

Species Rabbit

Result Mild eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.



# **Dexamethasone Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 2.10
 12.12.2023
 1842879-00013
 Date of first issue: 20.07.2017

#### Respiratory sensitization

Not classified based on available information.

#### **Components:**

# Benzyl alcohol:

Test Type : Maximization Test Routes of exposure : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

# Germ cell mutagenicity

Not classified based on available information.

## **Components:**

### Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Dexamethasone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: in vitro test

Test system: mouse lymphoma cells

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Application Route: Oral

Result: negative

#### Carcinogenicity

Not classified based on available information.

#### **Components:**

#### Benzyl alcohol:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks

Method : OECD Test Guideline 451

Result : negative



## **Dexamethasone Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 2.10
 12.12.2023
 1842879-00013
 Date of first issue: 20.07.2017

#### Reproductive toxicity

May damage the unborn child.

#### **Components:**

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse

Application Route: Ingestion

Result: negative

**Dexamethasone:** 

Effects on fetal development : Test Type: Development

Species: Mouse

Application Route: Subcutaneous

Developmental Toxicity: LOAEL: 6 mg/kg body weight Result: Specific developmental abnormalities., Cleft palate

Species: Rabbit

Application Route: Intramuscular

Developmental Toxicity: NOAEL: 0,025 mg/kg body weight

Result: Specific developmental abnormalities.

Species: Rabbit

Application Route: Intramuscular

Developmental Toxicity: LOAEL: >= 0,062 mg/kg body weight

Result: Specific developmental abnormalities.

Species: Rat

Application Route: Subcutaneous

Developmental Toxicity: LOAEL: >= 0,02 mg/kg body weight Result: Skeletal and visceral variations ., Retardations.

Reproductive toxicity - As-

sessment

May damage the unborn child.

#### STOT-single exposure

Not classified based on available information.

#### STOT-repeated exposure

Not classified based on available information.

## Components:

Dexamethasone:

Routes of exposure : Oral

Target Organs : Adrenal gland, Immune system, thymus gland

Assessment : May cause damage to organs through prolonged or repeated

exposure.



# **Dexamethasone Formulation**

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 2.10 12.12.2023 1842879-00013 Date of first issue: 20.07.2017

#### Repeated dose toxicity

## **Components:**

#### Benzyl alcohol:

Species : Rat NOAEL : 1,072 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 28 Days

Method : OECD Test Guideline 412

Dexamethasone:

Species : Rat

NOAEL : 0,0015 mg/kg

Application Route : Oral Exposure time : 7 d Target Organs : Liver

Remarks : Significant toxicity observed in testing

Species : Rat

LOAEL : 0,003 mg/kg

Application Route : Oral Exposure time : 90 d

Target Organs : Blood, Adrenal gland, thymus gland Remarks : Significant toxicity observed in testing

Species : Rat

LOAEL : 0,125 mg/kg

Application Route : Oral Exposure time : 6 Weeks Target Organs : Adrenal gland

Remarks : Significant toxicity observed in testing

Species : Rat
LOAEL : 0,4 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Immune system

Remarks : Significant toxicity observed in testing

Species : Dog
LOAEL : 8 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Immune system

Remarks : Significant toxicity observed in testing

# **Aspiration toxicity**

Not classified based on available information.



# **Dexamethasone Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 2.10
 12.12.2023
 1842879-00013
 Date of first issue: 20.07.2017

#### **Experience with human exposure**

**Components:** 

Dexamethasone:

Ingestion : Target Organs: Immune system

Target Organs: Adrenal gland

Target Organs: Bone

Symptoms: muscle weakness

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Components:** 

Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 230 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 770

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 51 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Dexamethasone:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 56 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 9,2

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 9,2

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox- : NOEC (Pimephales promelas (fathead minnow)): 0,033 mg/l



# **Dexamethasone Formulation**

Version **Revision Date:** SDS Number: Date of last issue: 30.09.2023 12.12.2023 1842879-00013 Date of first issue: 20.07.2017 2.10

icity) Exposure time: 32 d

: 1

Method: OECD Test Guideline 210

M-Factor (Chronic aquatic

toxicity)

Toxicity to microorganisms

EC50: > 1.000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

NOEC: 1.000 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

#### Persistence and degradability

#### **Components:**

Benzyl alcohol:

Biodegradability Result: Readily biodegradable.

> Biodegradation: 92 - 96 % Exposure time: 14 d

Dexamethasone:

Result: Not readily biodegradable. Biodegradability

> Biodegradation: 50 % Exposure time: 3,54 d

Method: OECD Test Guideline 314

#### Bioaccumulative potential

#### **Components:**

Benzyl alcohol:

Partition coefficient: n-

octanol/water

log Pow: 1,05

Dexamethasone:

Partition coefficient: n-

log Pow: 1,83

octanol/water

Mobility in soil No data available

Other adverse effects

No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste



# **Dexamethasone Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 2.10
 12.12.2023
 1842879-00013
 Date of first issue: 20.07.2017

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

#### **UNRTDG**

Not regulated as a dangerous good

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **Domestic regulation**

#### **ANTT**

Not regulated as a dangerous good

#### Special precautions for user

Not applicable

#### **SECTION 15. REGULATORY INFORMATION**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans -

: Not applicable

(LINACH)

Brazil. List of chemicals controlled by the Federal

Not applicable

Police

# The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### **SECTION 16. OTHER INFORMATION**

Revision Date : 12.12.2023 Date format : dd.mm.yyyy

**Further information** 

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/



# **Dexamethasone Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 2.10
 12.12.2023
 1842879-00013
 Date of first issue: 20.07.2017

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified: Nch - Chilean Norm: NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NOM - Official Mexican Norm: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8