

Dexamethasone / Trichlormethiazide Formulation

Version 2.1 Revision Date: 30.09.2023 SDS Number: 5408270-00009 Date of last issue: 04.04.2023
Date of first issue: 13.02.2020

SECTION 1. IDENTIFICATION

Product name : Dexamethasone / Trichlormethiazide Formulation

Manufacturer or supplier's details

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma
Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Serious eye damage/eye irritation : Category 2A

Reproductive toxicity : Category 1B

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H319 Causes serious eye irritation.
H360D May damage the unborn child.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Dexamethasone / Trichlormethiazide Formulation

Version 2.1 Revision Date: 30.09.2023 SDS Number: 5408270-00009 Date of last issue: 04.04.2023
Date of first issue: 13.02.2020

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P337 + P313 If eye irritation persists: Get medical advice/attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|-----------------------|----------|-----------------------|
| N,N-Dimethylacetamide | 127-19-5 | >= 10 -< 20 |
| Benzyl alcohol | 100-51-6 | >= 1 -< 5 |
| Trichlormethiazide | 133-67-5 | >= 0,1 -< 1 |
| Dexamethasone | 50-02-2 | >= 0,025 -< 0,1 |

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

Dexamethasone / Trichlormethiazide Formula- tion

| | | | |
|----------------|------------------------------|------------------------------|---|
| Version 2.1 | Revision Date: 30.09.2023 | SDS Number: 5408270-00009 | Date of last issue: 04.04.2023 Date of first issue: 13.02.2020 |
|----------------|------------------------------|------------------------------|---|

Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.
May damage the unborn child.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to

Dexamethasone / Trichlormethiazide Formulation

Version 2.1 Revision Date: 30.09.2023 SDS Number: 5408270-00009 Date of last issue: 04.04.2023
Date of first issue: 13.02.2020

determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe vapors or spray mist.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|-----------------------|---------------------------|----------------------------------|--|----------|
| N,N-Dimethylacetamide | 127-19-5 | CMP | 10 ppm | AR OEL |
| | Further information: Skin | | | |
| | | TWA | 10 ppm | ACGIH |
| Trichlormethiazide | 133-67-5 | TWA | 1 µg/m ³ (OEB4) | Internal |
| | | Wipe limit | 10 µg/100 cm ² | Internal |
| Dexamethasone | 50-02-2 | TWA | 10 µg/m ³ (OEB 3) | Internal |
| | Further information: Skin | | | |
| | | Wipe limit | 100 µg/100 cm ² | Internal |

Dexamethasone / Trichlormethiazide Formula- tion

Version 2.1 Revision Date: 30.09.2023 SDS Number: 5408270-00009 Date of last issue: 04.04.2023
Date of first issue: 13.02.2020

Biological occupational exposure limits

| Components | CAS-No. | Control parameters | Biological specimen | Sam-pling time | Permissible concentra-tion | Basis |
|-----------------------|----------|--------------------|---------------------|---|----------------------------|-----------|
| N,N-Dimethylacetamide | 127-19-5 | N-methylaceta-mide | Urine | after the last shift of the last day of the work week | 30 mg/g creatinine | AR BEI |
| | | N-Methylaceta-mide | Urine | End of shift at end of work-week | 30 mg/g creatinine | ACGIH BEI |

Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

**Dexamethasone / Trichlormethiazide Formula-
tion**

| | | | |
|----------------|------------------------------|------------------------------|---|
| Version 2.1 | Revision Date: 30.09.2023 | SDS Number: 5408270-00009 | Date of last issue: 04.04.2023 Date of first issue: 13.02.2020 |
|----------------|------------------------------|------------------------------|---|

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| | | |
|--|---|-------------------|
| Appearance | : | liquid |
| Color | : | colorless |
| Odor | : | No data available |
| Odor Threshold | : | No data available |
| pH | : | No data available |
| Melting point/freezing point | : | No data available |
| Initial boiling point and boiling range | : | No data available |
| Flash point | : | No data available |
| Evaporation rate | : | No data available |
| Flammability (solid, gas) | : | Not applicable |
| Flammability (liquids) | : | No data available |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Vapor pressure | : | No data available |
| Relative vapor density | : | No data available |
| Relative density | : | No data available |
| Density | : | No data available |
| Solubility(ies) Water solubility | : | No data available |
| Partition coefficient: n-octanol/water | : | Not applicable |
| Autoignition temperature | : | No data available |
| Decomposition temperature | : | No data available |

**Dexamethasone / Trichlormethiazide Formula-
tion**

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 04.04.2023 |
| 2.1 | 30.09.2023 | 5408270-00009 | Date of first issue: 13.02.2020 |

| | | |
|----------------------|---|--|
| Viscosity | | |
| Viscosity, kinematic | : | No data available |
| Explosive properties | : | Not explosive |
| Oxidizing properties | : | The substance or mixture is not classified as oxidizing. |
| Molecular weight | : | No data available |
| Particle size | : | Not applicable |

SECTION 10. STABILITY AND REACTIVITY

| | | |
|------------------------------------|---|--|
| Reactivity | : | Not classified as a reactivity hazard. |
| Chemical stability | : | Stable under normal conditions. |
| Possibility of hazardous reactions | : | Can react with strong oxidizing agents. |
| Conditions to avoid | : | None known. |
| Incompatible materials | : | Oxidizing agents |
| Hazardous decomposition products | : | No hazardous decomposition products are known. |

SECTION 11. TOXICOLOGICAL INFORMATION

| | | |
|--|---|--|
| Information on likely routes of exposure | : | Inhalation Skin contact Ingestion Eye contact |
|--|---|--|

Acute toxicity

Not classified based on available information.

Product:

| | | |
|---------------------------|---|--|
| Acute oral toxicity | : | Acute toxicity estimate: > 5.000 mg/kg Method: Calculation method |
| Acute inhalation toxicity | : | Acute toxicity estimate: > 10 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method |
| Acute dermal toxicity | : | Acute toxicity estimate: > 5.000 mg/kg Method: Calculation method |

Components:**N,N-Dimethylacetamide:**

| | | |
|---------------------------|---|--|
| Acute oral toxicity | : | LD50 (Rat): 4.800 mg/kg |
| Acute inhalation toxicity | : | LC50 (Rat): 2,2 mg/l Exposure time: 4 h |

Dexamethasone / Trichlormethiazide Formulation

Version 2.1 Revision Date: 30.09.2023 SDS Number: 5408270-00009 Date of last issue: 04.04.2023
Date of first issue: 13.02.2020

Test atmosphere: dust/mist

Acute dermal toxicity : Acute toxicity estimate: 1.100 mg/kg
Method: Expert judgment
Remarks: Based on national or regional regulation.

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1.620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4,178 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Trichlormethiazide:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Symptoms: hyperglycemia

LD50 (Mouse): 2.600 mg/kg

Dexamethasone:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

LD50 (Mouse): > 6.500 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 14 mg/kg
Application Route: Subcutaneous

Skin corrosion/irritation

Not classified based on available information.

Components:**N,N-Dimethylacetamide:**

Species : Rabbit
Result : No skin irritation

Benzyl alcohol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Dexamethasone:

Species : Rabbit
Result : Mild skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Dexamethasone / Trichlormethiazide Formulation

Version 2.1 Revision Date: 30.09.2023 SDS Number: 5408270-00009 Date of last issue: 04.04.2023
Date of first issue: 13.02.2020

Components:

N,N-Dimethylacetamide:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days

Benzyl alcohol:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

Dexamethasone:

Species : Rabbit
Result : Mild eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

N,N-Dimethylacetamide:

Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Benzyl alcohol:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

N,N-Dimethylacetamide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)
Species: Rat
Application Route: Inhalation
Method: OECD Test Guideline 478
Result: negative

**Dexamethasone / Trichlormethiazide Formula-
tion**

Version 2.1 Revision Date: 30.09.2023 SDS Number: 5408270-00009 Date of last issue: 04.04.2023
Date of first issue: 13.02.2020

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Dexamethasone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: in vitro test
Test system: mouse lymphoma cells
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Result: negative

Carcinogenicity

Not classified based on available information.

Components:**N,N-Dimethylacetamide:**

Species : Rat
Application Route : inhalation (vapor)
Exposure time : 18 month(s)
Result : negative

Benzyl alcohol:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks
Method : OECD Test Guideline 451
Result : negative

Reproductive toxicity

May damage the unborn child.

Components:**N,N-Dimethylacetamide:**

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Inhalation

Dexamethasone / Trichlormethiazide Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 04.04.2023 |
| 2.1 | 30.09.2023 | 5408270-00009 | Date of first issue: 13.02.2020 |

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Inhalation
Result: positive

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Ingestion
Result: negative

Trichlormethiazide:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Oral
Early Embryonic Development: NOAEL: 1.000 mg/kg body weight
Result: No effects on fertility and early embryonic development were detected.
Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development
Species: Mouse
Application Route: Oral
Early Embryonic Development: NOAEL: 3.000 mg/kg body weight
Result: No effects on fertility and early embryonic development were detected.
Remarks: Based on data from similar materials

Dexamethasone:

Effects on fetal development : Test Type: Development
Species: Mouse
Application Route: Subcutaneous
Developmental Toxicity: LOAEL: 6 mg/kg body weight
Result: Specific developmental abnormalities., Cleft palate

Species: Rabbit
Application Route: Intramuscular
Developmental Toxicity: NOAEL: 0,025 mg/kg body weight

Dexamethasone / Trichlormethiazide Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 04.04.2023 |
| 2.1 | 30.09.2023 | 5408270-00009 | Date of first issue: 13.02.2020 |

Result: Specific developmental abnormalities.

Species: Rabbit
 Application Route: Intramuscular
 Developmental Toxicity: LOAEL: \geq 0,062 mg/kg body weight
 Result: Specific developmental abnormalities.

Species: Rat
 Application Route: Subcutaneous
 Developmental Toxicity: LOAEL: \geq 0,02 mg/kg body weight
 Result: Skeletal and visceral variations ., Retardations.

Reproductive toxicity - Assessment : May damage the unborn child.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Components:

Dexamethasone:

Routes of exposure : Oral
 Target Organs : Adrenal gland, Immune system, thymus gland
 Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

N,N-Dimethylacetamide:

Species : Rat
 NOAEL : 90 mg/m³
 LOAEL : 360 mg/m³
 Application Route : inhalation (vapor)
 Exposure time : 24 Months

Benzyl alcohol:

Species : Rat
 NOAEL : 1,072 mg/l
 Application Route : inhalation (dust/mist/fume)
 Exposure time : 28 Days
 Method : OECD Test Guideline 412

Dexamethasone:

Species : Rat
 NOAEL : 0,0015 mg/kg
 Application Route : Oral
 Exposure time : 7 d
 Target Organs : Liver

Dexamethasone / Trichlormethiazide Formulation

Version 2.1 Revision Date: 30.09.2023 SDS Number: 5408270-00009 Date of last issue: 04.04.2023
 Date of first issue: 13.02.2020

Remarks : Significant toxicity observed in testing

Species : Rat
 LOAEL : 0,003 mg/kg
 Application Route : Oral
 Exposure time : 90 d
 Target Organs : Blood, Adrenal gland, thymus gland
 Remarks : Significant toxicity observed in testing

Species : Rat
 LOAEL : 0,125 mg/kg
 Application Route : Oral
 Exposure time : 6 Weeks
 Target Organs : Adrenal gland
 Remarks : Significant toxicity observed in testing

Species : Rat
 LOAEL : 0,4 mg/kg
 Application Route : Oral
 Exposure time : 3 Months
 Target Organs : Immune system
 Remarks : Significant toxicity observed in testing

Species : Dog
 LOAEL : 8 mg/kg
 Application Route : Oral
 Exposure time : 3 Months
 Target Organs : Immune system
 Remarks : Significant toxicity observed in testing

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Trichlormethiazide:

General Information : Symptoms: Dizziness, Drowsiness, effects on blood pressure, Fatigue, Headache, hyperkalemia, hypertension, hypotension
 Remarks: The most common side effects are:

Dexamethasone:

Ingestion : Target Organs: Immune system
 Target Organs: Adrenal gland
 Target Organs: Bone
 Symptoms: muscle weakness

Dexamethasone / Trichlormethiazide Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 04.04.2023 |
| 2.1 | 30.09.2023 | 5408270-00009 | Date of first issue: 13.02.2020 |

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

N,N-Dimethylacetamide:

- | | | |
|---|---|--|
| Toxicity to fish | : | LC50 (Leuciscus idus (Golden orfe)): > 500 mg/l Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): > 500 mg/l Exposure time: 48 h Method: Directive 67/548/EEC, Annex V, C.2. |
| Toxicity to algae/aquatic plants | : | EC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l Exposure time: 72 h EC10 (Desmodesmus subspicatus (green algae)): > 500 mg/l Exposure time: 72 h |
| Toxicity to microorganisms | : | EC10: > 1.995 mg/l Exposure time: 30 min |

Benzyl alcohol:

- | | | |
|--|---|--|
| Toxicity to fish | : | LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 |
| Toxicity to algae/aquatic plants | : | EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 51 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 |

Dexamethasone:

- | | | |
|---|---|--|
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): > 56 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 |
| Toxicity to algae/aquatic plants | : | EC50 (Pseudokirchneriella subcapitata (green algae)): > 9,2 mg/l |

Dexamethasone / Trichlormethiazide Formulation

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 04.04.2023 |
| 2.1 | 30.09.2023 | 5408270-00009 | Date of first issue: 13.02.2020 |

Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 9,2 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0,033 mg/l
Exposure time: 32 d
Method: OECD Test Guideline 210

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC50: > 1.000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

NOEC: 1.000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Persistence and degradability

Components:

N,N-Dimethylacetamide:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 70 %
Exposure time: 28 d
Remarks: The 10 day time window criterion is not fulfilled.

Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 92 - 96 %
Exposure time: 14 d

Dexamethasone:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 50 %
Exposure time: 3,54 d
Method: OECD Test Guideline 314

Bioaccumulative potential

Components:

Benzyl alcohol:

Partition coefficient: n-octanol/water : log Pow: 1,05

Dexamethasone / Trichlormethiazide Formulation

Version 2.1 Revision Date: 30.09.2023 SDS Number: 5408270-00009 Date of last issue: 04.04.2023
Date of first issue: 13.02.2020

Dexamethasone:

Partition coefficient: n-octanol/water : log Pow: 1,83

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations**UNRTDG**

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Argentina. Carcinogenic Substances and Agents Registry. : Not applicable

Control of precursors and essential chemicals for the preparation of drugs. : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

**Dexamethasone / Trichlormethiazide Formula-
tion**

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 04.04.2023 |
| 2.1 | 30.09.2023 | 5408270-00009 | Date of first issue: 13.02.2020 |

IECSC : not determined

SECTION 16. OTHER INFORMATION

| | | |
|---------------|---|------------|
| Revision Date | : | 30.09.2023 |
| Date format | : | dd.mm.yyyy |

Further information

| | | |
|--|---|---|
| Sources of key data used to compile the Material Safety Data Sheet | : | Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/ |
|--|---|---|

Full text of other abbreviations

| | | |
|--------------|---|---|
| ACGIH | : | USA. ACGIH Threshold Limit Values (TLV) |
| ACGIH BEI | : | ACGIH - Biological Exposure Indices (BEI) |
| AR BEI | : | Argentina. Biological Exposure Indices |
| AR OEL | : | Argentina. Occupational Exposure Limits |
| ACGIH / TWA | : | 8-hour, time-weighted average |
| AR OEL / CMP | : | TLV (Threshold Limit Value) |

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-

Dexamethasone / Trichlormethiazide Formula- tion

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 04.04.2023 |
| 2.1 | 30.09.2023 | 5408270-00009 | Date of first issue: 13.02.2020 |

recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8