

**Dexamethasone / Trichlormethiazide Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
6.1	20.06.2025	5408275-00013	Date of first issue: 13.02.2020

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Dexamethasone / Trichlormethiazide Formulation

**Manufacturer or supplier's details**

Company name of supplier : MSD  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product  
Restrictions on use : Not applicable

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Serious eye damage/eye irritation : Category 2A

Skin sensitization : Category 1

Reproductive toxicity : Category 1B

**GHS label elements**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H360D May damage the unborn child.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P261 Avoid breathing mist or vapors.  
P264 Wash skin thoroughly after handling.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

**Dexamethasone / Trichlormethiazide Formula-  
tion**

Version 6.1	Revision Date: 20.06.2025	SDS Number: 5408275-00013	Date of last issue: 14.04.2025 Date of first issue: 13.02.2020
----------------	------------------------------	------------------------------	---

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.  
P337 + P313 If eye irritation persists: Get medical advice/attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
N,N-Dimethylacetamide	127-19-5	$\geq 10$ -< 20
Benzyl alcohol	100-51-6	$\geq 1$ -< 5
Trichlormethiazide	133-67-5	$\geq 1$ -< 5
dexamethasone	50-02-2	< 0.1

**SECTION 4. FIRST AID MEASURES**

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	: In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.

**Dexamethasone / Trichlormethiazide Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
6.1	20.06.2025	5408275-00013	Date of first issue: 13.02.2020

If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	May cause an allergic skin reaction. Causes serious eye irritation. May damage the unborn child.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

**SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NO <sub>x</sub> )
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for	:	Soak up with inert absorbent material.

**Dexamethasone / Trichlormethiazide Formula-  
tion**

Version 6.1	Revision Date: 20.06.2025	SDS Number: 5408275-00013	Date of last issue: 14.04.2025 Date of first issue: 13.02.2020
----------------	------------------------------	------------------------------	---

containment and cleaning up	<p>For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.</p> <p>Clean up remaining materials from spill with suitable absorbent.</p> <p>Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.</p> <p>Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.</p>
-----------------------------	--

**SECTION 7. HANDLING AND STORAGE**

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	: Do not get on skin or clothing. Avoid breathing mist or vapors. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
Conditions for safe storage	: Keep in properly labeled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.
Materials to avoid	: Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Explosives Gases

## Dexamethasone / Trichlormethiazide Formula- tion

Version 6.1      Revision Date: 20.06.2025      SDS Number: 5408275-00013      Date of last issue: 14.04.2025  
Date of first issue: 13.02.2020

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
N,N-Dimethylacetamide	127-19-5	VLE-PPT	10 ppm	NOM-010-STPS-2014
		TWA	10 ppm	ACGIH
Trichlormethiazide	133-67-5	TWA	1 µg/m <sup>3</sup> (OEB4)	Internal
		Wipe limit	10 µg/100 cm <sup>2</sup>	Internal
dexamethasone	50-02-2	TWA	10 µg/m <sup>3</sup> (OEB 3)	Internal
	Further information: Skin			
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal

#### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
N,N-Dimethylacetamide	127-19-5	N-methylacetamide	Urine	End of shift at end of work-week	30 mg/g creatinine	MX BEI
		N-Methylacetamide	Urine	End of shift at end of work-week	30 mg/g creatinine	ACGIH BEI

**Engineering measures** : The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not

**Dexamethasone / Trichlormethiazide Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
6.1	20.06.2025	5408275-00013	Date of first issue: 13.02.2020

exist, handle over lined trays or benchtops.

**Personal protective equipment**

Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	:	Combined particulates and organic vapor type
Hand protection	:	
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	:	liquid
Color	:	colorless
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available

**Dexamethasone / Trichlormethiazide Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
6.1	20.06.2025	5408275-00013	Date of first issue: 13.02.2020

Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	Not applicable

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Skin contact  
Ingestion  
Eye contact

**Dexamethasone / Trichlormethiazide Formula-  
tion**

Version 6.1	Revision Date: 20.06.2025	SDS Number: 5408275-00013	Date of last issue: 14.04.2025 Date of first issue: 13.02.2020
----------------	------------------------------	------------------------------	---

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

**Components:****N,N-Dimethylacetamide:**

Acute oral toxicity : LD50 (Rat): 4,800 mg/kg

Acute inhalation toxicity : LC50 (Rat): 2.2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : Acute toxicity estimate: 1,100 mg/kg  
Method: Expert judgment  
Remarks: Based on national or regional regulation.

**Benzyl alcohol:**

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.4 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

**Trichlormethiazide:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Symptoms: hyperglycemia

LD50 (Mouse): 2,600 mg/kg

**dexamethasone:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

LD50 (Mouse): > 6,500 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 14 mg/kg  
Application Route: Subcutaneous



**Dexamethasone / Trichlormethiazide Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
6.1	20.06.2025	5408275-00013	Date of first issue: 13.02.2020

---

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****N,N-Dimethylacetamide:**

Species	:	Rabbit
Result	:	No skin irritation

**Benzyl alcohol:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

**dexamethasone:**

Species	:	Rabbit
Result	:	Mild skin irritation

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Components:****N,N-Dimethylacetamide:**

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days

**Benzyl alcohol:**

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

**dexamethasone:**

Species	:	Rabbit
Result	:	Mild eye irritation

**Respiratory or skin sensitization****Skin sensitization**

May cause an allergic skin reaction.

**Respiratory sensitization**

Not classified based on available information.

**Components:****N,N-Dimethylacetamide:**

Routes of exposure	:	Skin contact
Species	:	Guinea pig

**Dexamethasone / Trichlormethiazide Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
6.1	20.06.2025	5408275-00013	Date of first issue: 13.02.2020

Result : negative

**Benzyl alcohol:**

Test Type : Human repeat insult patch test (HRIPT)  
Routes of exposure : Skin contact  
Species : Humans  
Result : positive

Assessment : Probability or evidence of low to moderate skin sensitization rate in humans

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****N,N-Dimethylacetamide:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Rat  
Application Route: Inhalation  
Method: OECD Test Guideline 478  
Result: negative

**Benzyl alcohol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

**dexamethasone:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: in vitro test  
Test system: mouse lymphoma cells  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Result: negative

**Dexamethasone / Trichlormethiazide Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
6.1	20.06.2025	5408275-00013	Date of first issue: 13.02.2020

---

**Carcinogenicity**

Not classified based on available information.

**Components:****N,N-Dimethylacetamide:**

Species	:	Rat
Application Route	:	inhalation (vapor)
Exposure time	:	18 month(s)
Result	:	negative

**Benzyl alcohol:**

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	103 weeks
Method	:	OECD Test Guideline 451
Result	:	negative

**Reproductive toxicity**

May damage the unborn child.

**Components:****N,N-Dimethylacetamide:**

Effects on fertility	:	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Inhalation Result: negative
----------------------	---	--

Effects on fetal development	:	Test Type: Embryo-fetal development Species: Rat Application Route: Inhalation Result: positive
------------------------------	---	--

Reproductive toxicity - Assessment	:	Clear evidence of adverse effects on development, based on animal experiments.
------------------------------------	---	--

**Benzyl alcohol:**

Effects on fertility	:	Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
----------------------	---	---

Effects on fetal development	:	Test Type: Embryo-fetal development Species: Mouse Application Route: Ingestion Result: negative
------------------------------	---	---

**Trichlormethiazide:**

Effects on fertility	:	Test Type: Fertility/early embryonic development
----------------------	---	--

## Dexamethasone / Trichlormethiazide Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
6.1	20.06.2025	5408275-00013	Date of first issue: 13.02.2020

Species: Rat  
 Application Route: Oral  
 Early Embryonic Development: NOAEL: 1,000 mg/kg body weight  
 Result: No effects on fertility and early embryonic development were detected.  
 Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development  
 Species: Mouse  
 Application Route: Oral  
 Early Embryonic Development: NOAEL: 3,000 mg/kg body weight  
 Result: No effects on fertility and early embryonic development were detected.  
 Remarks: Based on data from similar materials

### **dexamethasone:**

Effects on fetal development : Test Type: Development  
 Species: Mouse  
 Application Route: Subcutaneous  
 Developmental Toxicity: LOAEL: 6 mg/kg body weight  
 Result: Specific developmental abnormalities., Cleft palate

Species: Rabbit  
 Application Route: Intramuscular  
 Developmental Toxicity: NOAEL: 0.025 mg/kg body weight  
 Result: Specific developmental abnormalities.

Species: Rabbit  
 Application Route: Intramuscular  
 Developmental Toxicity: LOAEL:  $\geq 0.062$  mg/kg body weight  
 Result: Specific developmental abnormalities.

Species: Rat  
 Application Route: Subcutaneous  
 Developmental Toxicity: LOAEL:  $\geq 0.02$  mg/kg body weight  
 Result: Skeletal and visceral variations ., Fetal growth retardation

Reproductive toxicity - Assessment : May damage the unborn child.

### **STOT-single exposure**

Not classified based on available information.

### **STOT-repeated exposure**

Not classified based on available information.

### **Components:**

#### **dexamethasone:**

Routes of exposure : Oral  
 Target Organs : Adrenal gland, Immune system, thymus gland

**Dexamethasone / Trichlormethiazide Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
6.1	20.06.2025	5408275-00013	Date of first issue: 13.02.2020

Assessment : May cause damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****N,N-Dimethylacetamide:**

Species : Rat  
NOAEL : 90 mg/m<sup>3</sup>  
LOAEL : 360 mg/m<sup>3</sup>  
Application Route : inhalation (vapor)  
Exposure time : 24 Months

**Benzyl alcohol:**

Species : Rat  
NOAEL : 1.072 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 28 Days  
Method : OECD Test Guideline 412

**dexamethasone:**

Species : Rat  
NOAEL : 0.0015 mg/kg  
Application Route : Oral  
Exposure time : 7 d  
Target Organs : Liver  
Remarks : Significant toxicity observed in testing

Species : Rat  
LOAEL : 0.003 mg/kg  
Application Route : Oral  
Exposure time : 90 d  
Target Organs : Blood, Adrenal gland, thymus gland  
Remarks : Significant toxicity observed in testing

Species : Dog  
LOAEL : 0.125 mg/kg  
Application Route : Oral  
Exposure time : 6 Weeks  
Target Organs : Adrenal gland  
Remarks : Significant toxicity observed in testing

Species : Rat  
LOAEL : 0.4 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Target Organs : Immune system  
Remarks : Significant toxicity observed in testing

Species : Dog  
LOAEL : 8 mg/kg

## Dexamethasone / Trichlormethiazide Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
6.1	20.06.2025	5408275-00013	Date of first issue: 13.02.2020

Application Route	:	Oral
Exposure time	:	3 Months
Target Organs	:	Immune system
Remarks	:	Significant toxicity observed in testing

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### **Trichlormethiazide:**

General Information	:	Symptoms: Dizziness, Drowsiness, effects on blood pressure, Fatigue, Headache, hyperkalemia, hypertension, hypotension
Remarks:	:	The most common side effects are:

#### **dexamethasone:**

Ingestion	:	Target Organs: Immune system
	:	Target Organs: Adrenal gland
	:	Target Organs: Bone
	:	Symptoms: muscle weakness

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### **N,N-Dimethylacetamide:**

Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): > 500 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 500 mg/l Exposure time: 48 h Method: Directive 67/548/EEC, Annex V, C.2.
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l Exposure time: 72 h  EC10 (Desmodesmus subspicatus (green algae)): > 500 mg/l Exposure time: 72 h
Toxicity to microorganisms	:	EC10: > 1,995 mg/l Exposure time: 30 min

#### **Benzyl alcohol:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202

**Dexamethasone / Trichlormethiazide Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue:
6.1	20.06.2025	5408275-00013	14.04.2025
			Date of first issue: 13.02.2020

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

**dexamethasone:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 56 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.2 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 9.2 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.033 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

NOEC: 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

**Persistence and degradability****Components:****N,N-Dimethylacetamide:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 70 %  
Exposure time: 28 d

**Dexamethasone / Trichlormethiazide Formula-  
tion**

Version 6.1	Revision Date: 20.06.2025	SDS Number: 5408275-00013	Date of last issue: 14.04.2025 Date of first issue: 13.02.2020
----------------	------------------------------	------------------------------	---

Method: OECD Test Guideline 301C  
Remarks: The test was conducted equivalent or similar to guideline

**Benzyl alcohol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92 - 96 %  
Exposure time: 14 d

**dexamethasone:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 50 %  
Exposure time: 3.54 d  
Method: OECD Test Guideline 314

**Bioaccumulative potential****Components:****Benzyl alcohol:**

Partition coefficient: n-octanol/water : log Pow: 1.05

**dexamethasone:**

Partition coefficient: n-octanol/water : log Pow: 1.83

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good



**Dexamethasone / Trichlormethiazide Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
6.1	20.06.2025	5408275-00013	Date of first issue: 13.02.2020

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation****NOM-002-SCT**

Not regulated as a dangerous good

**Special precautions for user**

Not applicable

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

Federal Law for the control of chemical precursors, : Not applicable  
essential chemical products and machinery for  
producing capsules, tablets and pills.

**The ingredients of this product are reported in the following inventories:**

AICS	: not determined
DSL	: not determined
IECSC	: not determined

**SECTION 16. OTHER INFORMATION**

Revision Date	: 20.06.2025
Date format	: dd.mm.yyyy

**Full text of other abbreviations**

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	: ACGIH - Biological Exposure Indices (BEI)
MX BEI	: Official Mexican Norm NOM-047-SSA1-2011, Environmental Health - Biological exposure indices for workers occupationally exposed to chemical agents
NOM-010-STPS-2014	: Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting the Work Environment - Identification, Assessment and Control - Appendix 1 Occupational Exposure Limits
ACGIH / TWA	: 8-hour, time-weighted average
NOM-010-STPS-2014 / VLE-	: Time weighted average limit value
PPT	

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with

**Dexamethasone / Trichlormethiazide Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
6.1	20.06.2025	5408275-00013	Date of first issue: 13.02.2020

x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8