

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.0	06.04.2024	5421569-00011	Date of first issue: 13.02.2020

### **SECTION 1:** Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	Dexamethasone / Trichlormethiazide Formulation
1.2 Relevant identified uses of t	the s	substance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Veterinary product
Recommended restrictions on use	:	Not applicable
1.3 Details of the supplier of the	e saf	iety data sheet
Company	:	
Telephone	:	353-51-601000
E-mail address of person responsible for the SDS	:	EHSDATASTEWARD@msd.com
1.4 Emergency telephone numb +1-908-423-6000	ber	

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2	
Reproductive toxicity, Category 1B	

H319: Causes serious eye irritation. H360D: May damage the unborn child.

#### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Signal word



Hazard statements : H319 Causes serious eye irritation. H360D May damage the unborn child.

2



Version 3.0	Revision Date: 06.04.2024	SDS Number: 5421569-00011	Date of last issue: 30.09.2023 Date of first issue: 13.02.2020
Preca	utionary statements	P264 Wash skir	ecial instructions before use. n thoroughly after handling. tective gloves/ protective clothing/ eye protec- on.
		attention.	exposed or concerned: Get medical advice/ eye irritation persists: Get medical advice/
		Storage: P405 Store lock	

Hazardous components which must be listed on the label:

N,N-Dimethylacetamide

Restricted to professional users.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

#### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
N,N-Dimethylacetamide	127-19-5	Acute Tox. 4; H332	>= 10 - < 20
	204-826-4	Acute Tox. 4; H312	
	616-011-00-4	Eye Irrit. 2; H319	
		Repr. 1B; H360D	
		Acute toxicity esti-	
		mate	

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Dexamethasone / Trichlormethiazide Formulation

Version 3.0	Revision Date: 06.04.2024	SDS Number: 5421569-00011	Date of last issue: 30.09.2023 Date of first issue: 13.02.2020	
Benz	yl alcohol	100-51-6 202-859-9 603-057-00-	Acute inhalation toxicity (dust/mist): 2,2 mg/l Acute dermal toxici- ty: 1.100 mg/kg Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Irrit. 2; H319 Acute toxicity esti- mate Acute oral toxicity: 1.620 mg/kg	>= 1 - < 10
Trichl	lormethiazide	133-67-5 205-118-8		>= 0,1 - < 1
Dexa	methasone	50-02-2 200-003-9	Repr. 1B; H360D STOT RE 2; H373 (Adrenal gland, Immune system, thymus gland) Aquatic Chronic 1; H410 M-Factor (Chronic aquatic toxicity): 1	>= 0,025 - < 0,1

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes.



Vers 3.0	sion	Revision Date: 06.04.2024		DS Number: 21569-00011	Date of last issue: 30.09.2023 Date of first issue: 13.02.2020				
	Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.								
	In case	of eye contact	:	for at least 15 mir	ove contact lens, if worn.				
	If swall	owed	:	Get medical atten	NOT induce vomiting. tion. oughly with water.				
4.2	Most im	portant symptoms a	nd e	effects, both acute	and delayed				
	Risks		:	Causes serious e May damage the	ye irritation.				
4.3 I	ndicati	on of any immediate	me	dical attention and	special treatment needed				
	Treatm	-	:		cally and supportively.				
SEC	CTION	5: Firefighting mea	sur	es					
5.1 E	Extingu	ishing media							
	Suitable	e extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (C Dry chemical					
	Unsuita media	able extinguishing	:	None known.					
529	Snecial	hazards arising from	the	e substance or mi	xture				
0.2	-	c hazards during fire-	:		bustion products may be a hazard to health.				
	Hazard ucts	ous combustion prod-	:	Carbon oxides Nitrogen oxides (l	NOx)				
53	Advice <sup>.</sup>	for firefighters							
		protective equipment	:		e, wear self-contained breathing apparatus. tective equipment.				
	Specifie ods	c extinguishing meth-	:	cumstances and to Use water spray to	measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to do				



Version 3.0	Revision Date: 06.04.2024	SDS Number: 5421569-00011	Date of last issue: 30.09.2023 Date of first issue: 13.02.2020							
		Evacuate are	ea.							
SECTIO	SECTION 6: Accidental release measures									
6.1 Perso	onal precautions, prote	ctive equipment	and emergency procedures							
Pers	onal precautions	Follow safe	al protective equipment. handling advice (see section 7) and personal pro- oment recommendations (see section 8).							
6.2 Envir	onmental precautions									
Envir	onmental precautions	Prevent furth Prevent spre barriers). Retain and c	e to the environment. her leakage or spillage if safe to do so. eading over a wide area (e.g. by containment or oil dispose of contaminated wash water. ities should be advised if significant spillages ontained.							
6.3 Metho	ods and material for co	ontainment and cl	leaning up							
	ods for cleaning up	: Soak up with For large spi ment to keep be pumped, Clean up rer bent. Local or nati posal of this employed in mine which n Sections 13	inert absorbent material. ills, provide dyking or other appropriate contain- b material from spreading. If dyked material can store recovered material in appropriate container. naining materials from spill with suitable absor- onal regulations may apply to releases and dis- material, as well as those materials and items the cleanup of releases. You will need to deter- regulations are applicable. and 15 of this SDS provide information regarding or national requirements.							
	ence to other sections ons: 7, 8, 11, 12 and 13.									
SECTIO	N 7: Handling and st	orage								
74 0	utions for outs have the									
	utions for safe handlir nical measures	-	ering measures under EXPOSURE							
		CONTROLS	/PERSONAL PROTECTION section.							
Loca	I/Total ventilation	: If sufficient v ventilation.	entilation is unavailable, use with local exhaust							
Advid	ce on safe handling	: Do not get o								

Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety



Version 3.0	Revision Date: 06.04.2024		Number: 1569-00011	Date of last issue: 30.09.2023 Date of first issue: 13.02.2020
Hygi	ene measures	s F T E I F F F T F F I I I I I I I I I I I I I	sessment Keep container tig Fake care to preventionment. f exposure to che lushing systems blace. When usin thated clothing be fhe effective ope engineering contra appropriate dego	ent spills, waste and minimize release to the emical is likely during typical use, provide eye and safety showers close to the working g do not eat, drink or smoke. Wash contami- fore re-use. ration of a facility should include review of ols, proper personal protective equipment, whing and decontamination procedures, monitoring, medical surveillance and the
7.2 Cond	litions for safe storage,	inclu	ding any incom	patibilities
	uirements for storage s and containers	t		labelled containers. Store locked up. Keep ore in accordance with the particular national
Advi	ce on common storage	S S C E	Strong oxidizing a	stances and mixtures
7.3 Spec	ific end use(s)			
•	cific use(s)	: 1	No data available	

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
Propylene glycol	57-55-6	TWA	25 ppm	FOR-2011-		
			79 mg/m3	12-06-1358		
N,N-	127-19-5	TWA	10 ppm	FOR-2011-		
Dimethylacetamide			35 mg/m3	12-06-1358		
	Further inform	Further information: Chemicals that can be absorbed through the skin.				
		TWA	10 ppm	2000/39/EC		
			36 mg/m3			
	Further information: Identifies the possibility of significant uptake through the skin, Indicative					
		STEL	20 ppm	2000/39/EC		
			72 mg/m3			
	Further information: Identifies the possibility of significant uptake through the					



Version Revision D 3.0 06.04.2024				ate of last issue: 30.09.2023 ate of first issue: 13.02.2020	
	0010 11202 1	0121			<u> </u>
I		skin, Indicativ	e		
			TWA	10 ppm	2004/37/EC
				36 mg/m3	
		Further inform			
			STEL	20 ppm	2004/37/EC
				72 mg/m3	
		Further information: Skin, Carcinogens or mutagens			
	Trichlormethiazide	133-67-5	TWA	1 μg/m3 (OEB4)	Internal
			Wipe limit	10 µg/100 cm2	Internal
	Dexamethasone	50-02-2	TWA	10 μg/m3 (OEB 3)	Internal
		Further inform	nation: Skin		
			Wipe limit	100 µg/100 cm <sup>2</sup>	Internal

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Benzyl alcohol	Workers	Inhalation	Long-term systemic effects	22 mg/m3
	Workers	Inhalation	Acute systemic ef- fects	110 mg/m3
	Workers	Skin contact	Long-term systemic effects	8 mg/kg bw/day
	Workers	Skin contact	Acute systemic ef- fects	40 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	5,4 mg/m3
	Consumers	Inhalation	Acute systemic ef- fects	27 mg/m3
	Consumers	Skin contact	Long-term systemic effects	4 mg/kg bw/day
	Consumers	Skin contact	Acute systemic ef- fects	20 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	4 mg/kg bw/day
	Consumers	Ingestion	Acute systemic ef- fects	20 mg/kg bw/day
N,N- Dimethylacetamide	Workers	Inhalation	Long-term systemic effects	36 mg/m3
	Workers	Inhalation	Acute systemic ef- fects	36 mg/m3
	Workers	Skin contact	Acute systemic ef- fects	13,6 mg/kg bw/day
	Consumers	Inhalation	Long-term local ef- fects	7 mg/m3
	Consumers	Skin contact	Long-term systemic effects	2,7 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	1 mg/kg bw/day
Propylene glycol	Workers	Inhalation	Long-term local ef-	10 mg/m3



Version Revision Date: a.0 06.04.2024			SDS Number: 5421569-00011		Date of last issue: 30.09.202 Date of first issue: 13.02.202			
11						fects		
		Workers		Inhalation		Long-term systemic effects	: 168 mg/m3	
		Consumers	S	Inhalation		Long-term local ef- fects	10 mg/m3	
		Consumers	S	Inhalation		Long-term systemic effects	50 mg/m3	
Predi	icted No Effect Co	oncentratio	n (PN	IEC) accor	ding to	Regulation (EC) No	. 1907/2006:	
Subs	tance name		Envir	onmental C	ompartr	nent	Value	
Benz	yl alcohol			n water			1 mg/l 0,1 mg/l	
			Marine water					
			Intermittent use/release				2,3 mg/l	
			Sewage treatment plant				39 mg/l	
				n water sed			5,27 mg/kg	
			Marine sediment				0,527 mg/kg 0,456 mg/kg	
			Soil					
N,N-E	Dimethylacetamide	•	Fres	0,5 mg/l				
			Marir	0,0966 mg/l 5 mg/l				
			Intermittent use/release					
			Sewa	485 mg/l				
				n water sed	2,27 mg/kg			
			Soil				0,15 mg/kg	
Propy	/lene glycol			n water			260 mg/l	
			Fresl	nwater - inte	ermittent		183 mg/l	
			Marir	ne water			26 mg/l	
			Sewage treatment plant				20000 mg/l	
		Т	Fresh water sediment				572 mg/kg dry	
					weight (d.w.)			
11			Marir	ne sediment	t		57,2 mg/kg dry	
							weight (d.w.)	
11			Soil				50 mg/kg dry	
							weight (d.w.)	

# 8.2 Exposure controls

### **Engineering measures**

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

### Personal protective equipment

Eye/face protection :	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or
-----------------------	--



Version 3.0	Revision Date: 06.04.2024	SDS Number: 5421569-00011	Date of last issue: 30.09.2023 Date of first issue: 13.02.2020				
Hand	protection	aerosols.					
Ma	iterial	: Chemical-resista	ant gloves				
	marks and body protection	being performed suits) to avoid e	laboratory coat. garments should be used based upon the task I (e.g., sleevelets, apron, gauntlets, disposable xposed skin surfaces. degowning techniques to remove potentially				
Respi	ratory protection	: If adequate loca sure assessmer ommended guid	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Equipment should conform to NS EN 14387				
Filt	ter type	: Combined partic	culates and organic vapour type (A-P)				

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	•	colourless
Odour	:	No data available
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Dexamethasone / Trichlormethiazide Formulation

Vers 3.0	sion	Revision Date: 06.04.2024		S Number: 21569-00011	Date of last issue: 30.09.2023 Date of first issue: 13.02.2020
	<b>5</b> 4			No data available	
	рН		:	NO data available	
	Viscos Vise	ity cosity, kinematic	:	No data available	)
	Solubil Wa	ity(ies) ter solubility	:	No data available	
	Partitic octano	n coefficient: n- l/water	:	Not applicable	
	Vapou	r pressure	:	No data available	)
	Relativ	e density	:	No data available	
	Densit	у	:	No data available	
	Relativ	e vapour density	:	No data available	
		e characteristics ticle size	:	Not applicable	
9.2	Other i	nformation			
	Explos	ives	:	Not explosive	
	Oxidizi	ng properties	:	The substance o	r mixture is not classified as oxidizing.
	Evapo	ration rate	:	No data available	9
	Molecu	ular weight	:	No data available	)

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Not classified as a reactivity hazard.

#### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

### 10.4 Conditions to avoid

Conditions to avoid : None known.

### 10.5 Incompatible materials



ersion 0	Revision Date: 06.04.2024		S Number: 21569-00011	Date of last issue: 30.09.2023 Date of first issue: 13.02.2020
Mater	ials to avoid	:	Oxidizing agents	3
	rdous decomposition p			
ECTION	I 11: Toxicological in	for	mation	
1.1 Infori	mation on hazard class	es	as defined in Reg	julation (EC) No 1272/2008
Inform expos	nation on likely routes of sure	:	Inhalation Skin contact Ingestion Eye contact	
	e toxicity			
_	assified based on availa	ble	information.	
<u>Produ</u>			A - 1 - 1 - 1 - 1	
Acute	oral toxicity	÷	Method: Calculat	imate: > 2.000 mg/kg ion method
Acute	inhalation toxicity	:	Acute toxicity est Exposure time: 4	
			Test atmosphere Method: Calculat	: dust/mist
Acute	dermal toxicity	:	Acute toxicity est Method: Calculat	imate: > 2.000 mg/kg ion method
Comp	oonents:			
N,N-C	Dimethylacetamide:			
Acute	oral toxicity	:	LD50 (Rat): 4.800	) mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): 2,2 n Exposure time: 4 Test atmosphere	ĥ
Acute	dermal toxicity	:	Method: Expert ju	imate: 1.100 mg/kg udgement on national or regional regulation.
Benzy	yl alcohol:			
Acute	oral toxicity	:	LD50 (Rat): 1.620	) mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): > 4,1 Exposure time: 4 Test atmosphere Method: OECD T	h



Versior 3.0	n Revision Date: 06.04.2024		S Number: 21569-00011	Date of last issue: 30.09.2023 Date of first issue: 13.02.2020
Tr	ichlormethiazide:			
	cute oral toxicity	:	LD50 (Rat): > 5.00 Symptoms: hypere	
			LD50 (Mouse): 2.6	600 mg/kg
De	examethasone:			
Ad	cute oral toxicity	:	LD50 (Rat): > 2.00	00 mg/kg
			LD50 (Mouse): > 6	6.500 mg/kg
	cute toxicity (other routes of dministration)	:	LD50 (Rat): 14 mg Application Route:	
	kin corrosion/irritation ot classified based on availa	ble i	nformation.	
<u>C</u>	omponents:			
N,	N-Dimethylacetamide:			
	pecies esult	:	Rabbit No skin irritation	
В	enzyl alcohol:			
	oecies ethod	:	Rabbit OECD Test Guide	line 404
	esult	:	No skin irritation	
De	examethasone:			
	becies esult	:	Rabbit Mild skin irritation	
	erious eye damage/eye irri	tatio	on	
	auses serious eye irritation.			
<u>C</u>	omponents:			
	N-Dimethylacetamide:			
Sp Re	pecies esult	:	Rabbit Irritation to eyes, r	eversing within 21 days
В	enzyl alcohol:			
	Decies	:	Rabbit OECD Test Guide	line 405
	ethod esult	:		eversing within 21 days
<b>ח</b>	avamathasana			

### Dexamethasone:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Dexamethasone / Trichlormethiazide Formulation

Version 3.0	Revision Date: 06.04.2024		S Number: 21569-00011	Date of last issue: 30.09.2023 Date of first issue: 13.02.2020
Specie Result		:	Rabbit Mild eye irritation	
Respi	ratory or skin sensiti	satio	n	
	sensitisation		information.	
	assified based on avai	lable	information.	
-	ratory sensitisation assified based on avai	labla i	information	
_		able	inionnation.	
	onents:			
	imethylacetamide:			
Expos Specie	sure routes	:	Skin contact Guinea pig	
Result		:	negative	
-	/l alcohol:			
Test T	ype sure routes	:	Maximisation Tes Skin contact	t
Specie		÷	Guinea pig	
Metho	d	:	OECD Test Guide	eline 406
Result	t	:	negative	
Gorm	cell mutagenicity			
	assified based on avai	lable i	information	
	onents:			
'	imethylacetamide:			
Genot	oxicity in vitro	:	Result: negative	ial reverse mutation assay (AMES)
Genot	oxicity in vivo	:	Species: Rat	t dominant lethal test (germ cell) (in vivo)
			Application Route Method: OECD T Result: negative	
II Benzy	/l alcohol:			
Genot	oxicity in vitro	:	Test Type: Bacter Result: negative	ial reverse mutation assay (AMES)
Genot	oxicity in vivo	:	Test Type: Mamm cytogenetic assay Species: Mouse	nalian erythrocyte micronucleus test (in vivo ′)

13/24

Application Route: Intraperitoneal injection Result: negative



Version 3.0	Revision Date: 06.04.2024	-	DS Number: 21569-00011	Date of last issue: 30.09.2023 Date of first issue: 13.02.2020
Dexa	imethasone:			
Genc	ptoxicity in vitro	:	Test Type: Bacter Result: negative	rial reverse mutation assay (AMES)
			Test Type: in vitro Test system: mou Result: negative	o assay ise lymphoma cells
Geno	otoxicity in vivo	:	Test Type: Micror Species: Mouse Application Route Result: negative	
	inogenicity classified based on availa	able	information.	
<u>Com</u>	ponents:			
N,N-I	Dimethylacetamide:			
	cation Route sure time	:	Rat inhalation (vapou 18 month(s) negative	r)
Benz	yl alcohol:			
Spec Appli	ies cation Route sure time od	:	Mouse Ingestion 103 weeks OECD Test Guide negative	eline 451
Repr	oductive toxicity			
	damage the unborn child	d.		
<u>Com</u>	ponents:			
	Dimethylacetamide: ets on fertility	:	Test Type: One-g Species: Rat Application Route Result: negative	eneration reproduction toxicity study : Inhalation
Effec ment	ts on foetal develop-	:	Test Type: Embry Species: Rat Application Route Result: positive	vo-foetal development e: Inhalation
Repression session	oductive toxicity - As- ment	:	Clear evidence of animal experimer	adverse effects on development, based on tts.



Version 3.0	Revision Date: 06.04.2024		Number: 569-00011	Date of last issue: 30.09.2023 Date of first issue: 13.02.2020
Benzy	yl alcohol:			
	s on fertility	SI AI Re	pecies: Rat oplication Rou esult: negative	
Effect ment	s on foetal develop-	Si Ai	est Type: Emb pecies: Mouse oplication Rou esult: negative	te: Ingestion
Trich	lormethiazide:			
Effect	s on fertility	Si Ai Ea Ri Ri m	pecies: Rat oplication Rou arly Embryoni eight esult: No effec ent were dete	c Development: NOAEL: 1.000 mg/kg body
		Sj Aj Ea Wi Ri M	pecies: Mouse oplication Rou arly Embryoni eight esult: No effec ent were dete	te: Oral c Development: NOAEL: 3.000 mg/kg body cts on fertility and early embryonic develop-
Dexa	methasone:			
Effect ment	s on foetal develop-	Si Ai Di	evelopmental	
		Ap De	evelopmental	t te: Intramuscular Toxicity: NOAEL: 0,025 mg/kg body weight developmental abnormalities
		Ap De	evelopmental	te: Intramuscular Toxicity: LOAEL: >= 0,062 mg/kg body weight developmental abnormalities
			pecies: Rat	te: Subcutaneous



/ersion 5.0	Revision Date: 06.04.2024	SDS Number:Date of last issue: 30.09.20235421569-00011Date of first issue: 13.02.2020
		Developmental Toxicity: LOAEL: >= 0,02 mg/kg body weight Result: Skeletal and visceral variations, Retardations
Repro sessn	oductive toxicity - As- nent	: May damage the unborn child.
	<b>- single exposure</b> lassified based on avai	lable information.
	<b>- repeated exposure</b> lassified based on avai	
Com	oonents:	
Dexa	methasone:	
Targe	sure routes et Organs ssment	<ul> <li>Oral</li> <li>Adrenal gland, Immune system, thymus gland</li> <li>May cause damage to organs through prolonged or repeated exposure.</li> </ul>
Repe	ated dose toxicity	
Com	oonents:	
N,N-D	Dimethylacetamide:	
	ΞL	: Rat : 90 mg/m3 : 360 mg/m3 : inhalation (vapour) : 24 Months
Benz	yl alcohol:	
Speci NOAE Applic Expos Metho	EL cation Route sure time	<ul> <li>Rat</li> <li>1,072 mg/l</li> <li>inhalation (dust/mist/fume)</li> <li>28 Days</li> <li>OECD Test Guideline 412</li> </ul>
Dexa	methasone:	
Speci NOAE Applic Expos	es EL cation Route sure time et Organs	<ul> <li>Rat</li> <li>0,0015 mg/kg</li> <li>Oral</li> <li>7 d</li> <li>Liver</li> <li>Significant toxicity observed in testing</li> </ul>
Expo		<ul> <li>Rat</li> <li>0,003 mg/kg</li> <li>Oral</li> <li>90 d</li> <li>Blood, Adrenal gland, thymus gland</li> <li>16 / 24</li> </ul>

Commission Regulation (EU) 2020/878



## Dexamethasone / Trichlormethiazide Formulation

Version 3.0	Revision Date: 06.04.2024		DS Number: 21569-00011	Date of last issue: 30.09.2023 Date of first issue: 13.02.2020
Remarks		:	Significant toxicity	v observed in testing
Species LOAEL Application Route Exposure time Target Organs Remarks			Rat 0,125 mg/kg Oral 6 Weeks Adrenal gland Significant toxicity observed in testing	
Species LOAEL Application Route Exposure time Target Organs Remarks			Rat 0,4 mg/kg Oral 3 Months Immune system Significant toxicity	<i>v</i> observed in testing
Species LOAEL Application Route Exposure time Target Organs Remarks			Dog 8 mg/kg Oral 3 Months Immune system Significant toxicity	v observed in testing

### Aspiration toxicity

Not classified based on available information.

#### 11.2 Information on other hazards

### Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### Experience with human exposure

#### **Components:**

Trichlormethiazide:	
General Information :	Symptoms: Dizziness, Drowsiness, effects on blood pressure, Fatigue, Headache, hyperkalemia, hypertension, hypotension Remarks: The most common side effects are:
Dexamethasone:	
Ingestion :	Target Organs: Immune system Target Organs: Adrenal gland Target Organs: Bone Symptoms: muscle weakness



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.0	06.04.2024	5421569-00011	Date of first issue: 13.02.2020

### **SECTION 12: Ecological information**

### 12.1 Toxicity

### Components:

	N,N-Dimethylacetamide:		
	Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): > 500 mg/l Exposure time: 96 h
	Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 500 mg/l Exposure time: 48 h Method: Directive 67/548/EEC, Annex V, C.2.
	Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l Exposure time: 72 h
			EC10 (Desmodesmus subspicatus (green algae)): > 500 mg/l Exposure time: 72 h
	Toxicity to microorganisms	:	EC10 : > 1.995 mg/l Exposure time: 30 min
	Benzyl alcohol:		
	Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h
	Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
	Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
			NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	NOEC: 51 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211
-	Dexamethasone:		
	Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 56 mg/l Exposure time: 48 h



Version 3.0	Revision Date: 06.04.2024		DS Number: 21569-00011	Date of last issue: 30.09.2023 Date of first issue: 13.02.2020	
II			Method: OECD T	est Guideline 202	
	Toxicity to algae/aquatic plants		EC50 (Pseudokin mg/l Exposure time: 7: Method: OECD T		
			NOEC (Pseudoki mg/l Exposure time: 7 Method: OECD T		
Τοχία	city to microorganisms	:	EC50 : > 1.000 m Exposure time: 3 Test Type: Respi Method: OECD T	ĥ	
			NOEC : 1.000 mg Exposure time: 3 Test Type: Respi Method: OECD T	h	
Toxic icity)	city to fish (Chronic tox-	:	Exposure time: 32 Species: Pimepha		
M-Fa toxic	actor (Chronic aquatic ity)	:	1		
12.2 Pers	sistence and degradabi	lity			
Com	ponents:				
N,N-	Dimethylacetamide:				
Biod	egradability	:	Result: Not readil Biodegradation: Exposure time: 20 Remarks: The 10	70 %	
Benz	zyl alcohol:				
Biod	egradability	:	Result: Readily bi Biodegradation: Exposure time: 14	92 - 96 %	
Dexa	amethasone:				
Biod	egradability	:	Result: Not readil Biodegradation: Exposure time: 3 Method: OECD T	50 %	



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.0	06.04.2024	5421569-00011	Date of first issue: 13.02.2020

#### 12.3 Bioaccumulative potential

#### Components:

Benzyl alcohol:		
Partition coefficient: n- octanol/water	:	log Pow: 1,05
Dexamethasone:		

Partition coefficient: n-	: log Pow: 1,83
---------------------------	-----------------

# octanol/water

### 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods	
Product	<ul> <li>Dispose of in accordance with local regulations.</li> <li>According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.</li> <li>Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.</li> <li>Do not dispose of waste into sewer.</li> </ul>
Contaminated packaging	<ul> <li>Empty containers should be taken to an approved waste han- dling site for recycling or disposal.</li> <li>If not otherwise specified: Dispose of as unused product.</li> </ul>

### **SECTION 14: Transport information**

### 14.1 UN number or ID number



Version 3.0	Revision Date: 06.04.2024	SDS Number:Date of last issue: 30.09.20235421569-00011Date of first issue: 13.02.2020	
ADN		: Not regulated as a dangerous good	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDG	ì	: Not regulated as a dangerous good	
ΙΑΤΑ		: Not regulated as a dangerous good	
14.2 UN p	roper shipping name	5 5 5	
ADN		: Not regulated as a dangerous good	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDG	ì	: Not regulated as a dangerous good	
ΙΑΤΑ		: Not regulated as a dangerous good	
14.3 Trans	sport hazard class(es		
ADN		: Not regulated as a dangerous good	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDG	ì	: Not regulated as a dangerous good	
ΙΑΤΑ		: Not regulated as a dangerous good	
14.4 Pack	ing group		
ADN		: Not regulated as a dangerous good	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDG	<b>;</b>	: Not regulated as a dangerous good	
ΙΑΤΑ	(Cargo)	: Not regulated as a dangerous good	
ΙΑΤΑ	(Passenger)	: Not regulated as a dangerous good	
-	r <b>onmental hazards</b> egulated as a dangerou	s good	
•	ial precautions for us pplicable	er en	
14.7 Marit Rema	-	according to IMO instruments : Not applicable for product as supplied.	

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture



Version 3.0	Revision Date: 06.04.2024	SDS Number: 5421569-00011		first issue: 30.09.2023 first issue: 13.02.2020
the ma	H - Restrictions on the arket and use of certair es and articles (Annex	a dangerous substance		Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3 Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the condi- tions in corresponding Regulation to
				determine whether an entry is appli- cable to the placing on the market or not.
				If you intend to use this product as tattoo ink, please contact your ven- dor.
				N,N-Dimethylacetamide (Number on list 72, 30)
	H - Candidate List of S orn for Authorisation (A		ר ו :	N,N-Dimethylacetamide
REAC	H - List of substances x XIV)		. :	Not applicable
Regul	ation (EC) No 1005/200 he ozone layer	09 on substances that o	de- :	Not applicable
Regul	ation (EU) 2019/1021 c (recast)	on persistent organic po	ollu- :	Not applicable
Regul ment a	ation (ÉU) No 649/2012 and the Council concer gerous chemicals			Not applicable
Seves				t and of the Council on the control of

### Other regulations:

Note the Working Environment Act § 4-1 and § 4-2 on requirements for the employer to protect pregnant employees against discomfort and injury as a result of the work situation and the working environment.

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

### The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined



Version 3.0	Revision Date: 06.04.2024		OS Number: 21569-00011	Date of last issue: 30.09.2023 Date of first issue: 13.02.2020					
<b>15.2 Chemical safety assessment</b> A Chemical Safety Assessment has not been carried out.									
SECTION 16: Other information									
Other information		:	Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.						
Full text of H-Statements									
H302 H312 H319 H332 H360D H373 H410			Harmful if swallowed. Harmful in contact with skin. Causes serious eye irritation. Harmful if inhaled. May damage the unborn child. May cause damage to organs through prolonged or repeated exposure if swallowed. Very toxic to aquatic life with long lasting effects.						
Full	text of other abbreviati	ons							
Aqu Eye Rep STC 200	te Tox. atic Chronic Irrit. r. DT RE 0/39/EC 4/37/EC		Europe. Commiss list of indicative of Europe. Directive from the risks rela						
200 200 200 200	R-2011-12-06-1358 0/39/EC / TWA 0/39/EC / STEL 4/37/EC / STEL 4/37/EC / TWA R-2011-12-06-1358 / A		at work Norway. Occupati Limit Value - eigh Short term expose Short term expose Long term expose Long term expose	ure limit ure limit ıre limit					

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - Interna-



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.0	06.04.2024	5421569-00011	Date of first issue: 13.02.2020

tional Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/	
Classification of the mixtur	e:		Classification procedure:
Eye Irrit. 2	H3	19	Calculation method
Repr. 1B	H3	60D	Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NO / EN