

Versi 4.0	ion	Revision Date: 06.04.2024		DS Number: 108280-00011	Date of last issue: 30.09.2023 Date of first issue: 13.02.2020		
SEC	SECTION 1: Identification of the substance/mixture and of the company/undertaking						
1.1 P	Product	identifier					
	Trade r	ame	:	Dexamethasone	/ Trichlormethiazide Formulation		
1.2 R	Relevan	t identified uses of t	he s	substance or mixt	ure and uses advised against		
	Use of the Sub- stance/Mixture		:	Veterinary produc	ct		
	Recom on use	mended restrictions	:	Not applicable			
1.3 D	Details (of the supplier of the	e sat	fety data sheet			
Company		:	MSD 20 Spartan Road 1619 Spartan, So				
	Telepho	one	:	+27119239300			
		address of person sible for the SDS	:	EHSDATASTEW	ARD@msd.com		

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2
Reproductive toxicity, Category 1B

H319: Causes serious eye irritation. H360D: May damage the unborn child.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H319 Causes serious eye irritation. H360D May damage the unborn child.
Precautionary statements	:	Prevention:



Version 4.0	Revision Date: 06.04.2024	SDS Number: 5408280-00011	Date of last issue: 30.09.2023 Date of first issue: 13.02.2020
		P264 Wash skin	ecial instructions before use. thoroughly after handling. ective gloves/ protective clothing/ eye protec- on.
		attention.	exposed or concerned: Get medical advice/ eye irritation persists: Get medical advice/
		Storage: P405 Store lock	ed up.

Hazardous components which must be listed on the label:

N,N-Dimethylacetamide

Additional Labelling

Restricted to professional users.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative tive and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.


SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration
	Index-No.		(% w/w)
	Registration number		
N,N-Dimethylacetamide	127-19-5	Acute Tox. 4; H332	>= 10 - < 20
	204-826-4	Acute Tox. 4; H312	
	616-011-00-4	Eye Irrit. 2; H319	
		Repr. 1B; H360D	
Benzyl alcohol	100-51-6	Acute Tox. 4; H302	>= 1 - < 10
	202-859-9	Acute Tox. 4; H332	
	603-057-00-5	Eye Irrit. 2; H319	
Trichlormethiazide	133-67-5		>= 0,1 - < 1
	205-118-8		
Dexamethasone	50-02-2	Repr. 1B; H360D	>= 0,025 - <
	200-003-9	STOT RE 2; H373	0,1
		(Adrenal gland,	
		Immune system,	
		thymus gland)	
		Aquatic Chronic 1;	
		H410	





For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures						
General advice		In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.				
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).				
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.				
In case of skin contact		In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.				
In case of eye contact		In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.				
If swallowed		If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.				
4.2 Most important symptoms a	and ef	ffects, both acute and delayed				
Risks	:	Causes serious eye irritation. May damage the unborn child.				
4.3 Indication of any immediate medical attention and special treatment needed						
Treatment	:	Treat symptomatically and supportively.				

SECTION 5: Firefighting measures

5.1	Extin	guisł	ning	media
-----	-------	-------	------	-------

Suitable extinguishing media : Water spray



Vers 4.0	ion	Revision Date: 06.04.2024		0S Number: 08280-00011	Date of last issue: 30.09.2023 Date of first issue: 13.02.2020	
				Alcohol-resistant f Carbon dioxide (C Dry chemical		
	Unsuita media	ble extinguishing	:	None known.		
5.2 S	Special	hazards arising from	the	substance or mix	xture	
			:	Exposure to combustion products may be a hazard to health.		
	Hazardous combustion prod- ucts		:	Carbon oxides Nitrogen oxides (NOx)		
5.3 A	Advice	for firefighters				
	Special protective equipment for firefighters		:	In the event of fire, wear self-contained breathing apparate Use personal protective equipment.		
	Specific ods	c extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do	

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment.
	Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
---------------------------	---	--

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate contain- ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent.
		Local or national regulations may apply to releases and dis- posal of this material, as well as those materials and items



Version 4.0	Revision Date: 06.04.2024	SDS Number: 5408280-00011	Date of last issue: 30.09.2023 Date of first issue: 13.02.2020
		mine which reg Sections 13 and	e cleanup of releases. You will need to deter- ulations are applicable. d 15 of this SDS provide information regarding national requirements.
	rence to other sections ions: 7, 8, 11, 12 and 13.		
SECTIO	N 7: Handling and st	orage	
7.1 Prec	autions for safe handlin	ng	
Tecl	nnical measures		g measures under EXPOSURE ERSONAL PROTECTION section.
Loca	al/Total ventilation		tilation is unavailable, use with local exhaust
	ice on safe handling iene measures	Do not swallow Do not get in ey Wash skin thor Handle in acco practice, based sessment Keep container Take care to pr environment. If exposure to of flushing system place. When us nated clothing b The effective of engineering con appropriate deg industrial hygie	vapours or spray mist. yes. bughly after handling. rdance with good industrial hygiene and safety on the results of the workplace exposure as- tightly closed. event spills, waste and minimize release to the chemical is likely during typical use, provide eye is and safety showers close to the working sing do not eat, drink or smoke. Wash contami- before re-use. beration of a facility should include review of htrols, proper personal protective equipment, gowning and decontamination procedures, ne monitoring, medical surveillance and the
7.2 Cond	litions for safe storage	use of administ including any inco	
Req	uirements for storage is and containers	: Keep in proper	ly labelled containers. Store locked up. Keep Store in accordance with the particular national
Adv	ice on common storage	Strong oxidizing	ibstances and mixtures
7.3 Spec	ific end use(s)		
-	cific use(s)	: No data availat	le



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
4.0	06.04.2024	5408280-00011	Date of first issue: 13.02.2020

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
N,N- Dimethylacetamide	127-19-5	OEL-RL	20 ppm	ZA OEL	
	Further information: danger of cutaneous absorption, Occupational Exposu Limits - Restricted Limits For Hazardous Chemical Agents				
		TWA	10 ppm 36 mg/m3	2000/39/EC	
		STEL	20 ppm 72 mg/m3	2000/39/EC	
		TWA	10 ppm 36 mg/m3	2004/37/EC	
		STEL	20 ppm 72 mg/m3	2004/37/EC	
Trichlormethiazide	133-67-5	TWA	1 µg/m3 (OEB4)	Internal	
		Wipe limit	10 µg/100 cm2	Internal	
Dexamethasone	50-02-2	TWA	10 µg/m3 (OEB 3)	Internal	
	Further inform	nation: Skin			
		Wipe limit	100 μg/100 cm²	Internal	

Biological occupational exposure limits

Substance name	CAS-No.	Control parameters	Sampling time	Basis
N,N-Dimethylacetamide	127-19-5	N- Methylacetamide: 30 mg/g creatinine (Urine)	End of shift at end of workweek	ZA BEI

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Benzyl alcohol	Workers	Inhalation	Long-term systemic effects	22 mg/m3
	Workers	Inhalation	Acute systemic ef- fects	110 mg/m3
	Workers	Skin contact	Long-term systemic effects	8 mg/kg bw/day
	Workers	Skin contact	Acute systemic ef- fects	40 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	5,4 mg/m3
	Consumers	Inhalation	Acute systemic ef- fects	27 mg/m3
	Consumers	Skin contact	Long-term systemic effects	4 mg/kg bw/day
	Consumers	Skin contact	Acute systemic ef- fects	20 mg/kg bw/day



		5408	3280-0		e of last issue: 30.09.202 of first issue: 13.02.202	
		Consumer	S	Ingestion	Long-term systemic effects	c 4 mg/kg bw/day
		Consumer	S	Ingestion	Acute systemic ef- fects	20 mg/kg bw/day
N,N- Dime	thylacetamide	Workers		Inhalation	Long-term systemic effects	
		Workers		Inhalation	Acute systemic ef- fects	36 mg/m3
		Workers		Skin contact	Acute systemic ef- fects	13,6 mg/kg bw/day
		Consumer	S	Inhalation	Long-term local ef- fects	7 mg/m3
		Consumer	'S	Skin contact	Long-term systemic effects	2,7 mg/kg bw/day
		Consumer	ſS	Ingestion	Long-term systemic effects	
Propy	lene glycol	Workers		Inhalation	Long-term local ef- fects	10 mg/m3
		Workers		Inhalation	Long-term systemic effects	c 168 mg/m
	Consumer	S	Inhalation	Long-term local ef- fects	10 mg/m3	
		Consumer	S	Inhalation	Long-term systemic effects	c 50 mg/m3
Predi	icted No Effect (Concentratio	on (PN	EC) according	to Regulation (EC) No	1907/2006
Cult at					·····j·····(= -) ····	. 1907/2000.
Subs	tance name		Envii	onmental Compa		Value
	tance name yl alcohol			onmental Compa n water	- · · ·	
			Fres Marir	n water	artment	Value 1 mg/l 0,1 mg/l
			Fres Marin Inter	n water ne water mittent use/releas	artment	Value 1 mg/l 0,1 mg/l 2,3 mg/l
			Fres Marin Inter Sewa	n water ne water mittent use/releas age treatment pla	artment Se	Value 1 mg/l 0,1 mg/l 2,3 mg/l 39 mg/l
			Fresl Marin Intern Sewa Fresl	n water ne water mittent use/releas age treatment pla n water sediment	artment Se	Value 1 mg/l 0,1 mg/l 2,3 mg/l 39 mg/l 5,27 mg/kg
			Fresl Marin Intern Sewa Fresl Marin	n water ne water mittent use/releas age treatment pla	artment Se	Value 1 mg/l 0,1 mg/l 2,3 mg/l 39 mg/l 5,27 mg/kg 0,527 mg/kg
Benz	yl alcohol		Fresl Marin Intern Sewa Fresl Marin Soil	n water ne water mittent use/releas age treatment pla n water sediment ne sediment	artment Se	Value 1 mg/l 0,1 mg/l 2,3 mg/l 39 mg/l 5,27 mg/kg 0,527 mg/kg 0,456 mg/kg
Benz		de	Fresl Marin Intern Sewa Fresl Marin Soil Fresl	n water ne water mittent use/releas age treatment pla n water sediment ne sediment	artment Se	Value 1 mg/l 0,1 mg/l 2,3 mg/l 39 mg/l 5,27 mg/kg 0,527 mg/kg 0,456 mg/kg 0,5 mg/l
Benz	yl alcohol	de	Fresl Marin Intern Sewa Fresl Marin Soil Fresl Marin	n water ne water mittent use/releas age treatment pla n water sediment ne sediment n water ne water	artment Se ant	Value 1 mg/l 0,1 mg/l 2,3 mg/l 39 mg/l 5,27 mg/kg 0,527 mg/kg 0,456 mg/kg 0,5 mg/l 0,0966 mg/l
Benz	yl alcohol	de	Fresl Marin Intern Sewa Fresl Marin Soil Fresl Marin Intern	n water ne water mittent use/releas age treatment pla n water sediment ne sediment n water ne water ne water mittent use/releas	artment se int se	Value 1 mg/l 0,1 mg/l 2,3 mg/l 39 mg/l 5,27 mg/kg 0,527 mg/kg 0,456 mg/kg 0,5 mg/l 0,0966 mg/l 5 mg/l
Benz	yl alcohol	de	Fresl Marin Intern Sewa Fresl Marin Soil Fresl Marin Intern Sewa	n water ne water mittent use/releas age treatment pla n water sediment ne sediment n water ne water mittent use/releas age treatment pla	artment se int se se int	Value 1 mg/l 0,1 mg/l 2,3 mg/l 39 mg/l 5,27 mg/kg 0,527 mg/kg 0,456 mg/kg 0,5 mg/l 0,0966 mg/l 5 mg/l 485 mg/l
Benz	yl alcohol	de	Fresl Marin Intern Sewa Fresl Marin Soil Fresl Marin Intern Sewa Fresl	n water ne water mittent use/releas age treatment pla n water sediment ne sediment n water ne water ne water mittent use/releas	artment se int se se int	Value 1 mg/l 0,1 mg/l 2,3 mg/l 39 mg/l 5,27 mg/kg 0,527 mg/kg 0,456 mg/kg 0,5 mg/l 0,0966 mg/l 5 mg/l 485 mg/l 2,27 mg/kg
Benz	yl alcohol Dimethylacetamic	de	Fresl Marin Sewa Fresl Marin Soil Fresl Marin Intern Sewa Fresl Soil	n water ne water mittent use/releas age treatment pla n water sediment ne sediment n water ne water mittent use/releas age treatment pla n water sediment	artment se int se se int	Value 1 mg/l 0,1 mg/l 2,3 mg/l 39 mg/l 5,27 mg/kg 0,527 mg/kg 0,456 mg/kg 0,5 mg/l 0,0966 mg/l 5 mg/l 485 mg/l 2,27 mg/kg 0,15 mg/kg
Benz	yl alcohol	de	Fresl Marin Sewa Fresl Marin Soil Fresl Marin Intern Sewa Fresl Soil Fresl	n water ne water mittent use/releas age treatment pla n water sediment ne sediment n water ne water mittent use/releas age treatment pla n water sediment	se se int se	Value 1 mg/l 0,1 mg/l 2,3 mg/l 39 mg/l 5,27 mg/kg 0,527 mg/kg 0,456 mg/kg 0,5 mg/l 0,0966 mg/l 5 mg/l 485 mg/l 2,27 mg/kg 0,15 mg/kg 260 mg/l
Benz	yl alcohol Dimethylacetamic	de	Fresl Marin Sewa Fresl Marin Soil Fresl Marin Intern Sewa Fresl Soil Fresl Fresl	n water ne water mittent use/releas age treatment pla n water sediment ne sediment n water ne water mittent use/releas age treatment pla n water sediment n water - intermitte	se se int se	Value 1 mg/l 0,1 mg/l 2,3 mg/l 39 mg/l 5,27 mg/kg 0,527 mg/kg 0,456 mg/kg 0,5 mg/l 0,0966 mg/l 5 mg/l 485 mg/l 2,27 mg/kg 0,15 mg/kg 260 mg/l 183 mg/l
Benz	yl alcohol Dimethylacetamic	de	Fresl Marin Sewa Fresl Marin Soil Fresl Marin Intern Sewa Fresl Soil Fresl Marin Eresl Marin	n water ne water mittent use/releas age treatment pla n water sediment ne sediment n water ne water mittent use/releas age treatment pla n water sediment n water sediment n water - intermitten ne water	artment	Value 1 mg/l 0,1 mg/l 2,3 mg/l 39 mg/l 5,27 mg/kg 0,527 mg/kg 0,456 mg/kg 0,5 mg/l 0,0966 mg/l 5 mg/l 485 mg/l 2,27 mg/kg 0,15 mg/kg 260 mg/l 183 mg/l 26 mg/l
Benz	yl alcohol Dimethylacetamic	de	Fresl Marin Sewa Fresl Marin Soil Fresl Marin Intern Sewa Fresl Soil Fresl Marin Sewa	n water ne water mittent use/releas age treatment pla n water sediment ne sediment ne water ne water mittent use/releas age treatment pla n water - intermitten ne water ne water ne water ne water ne water ne water ne water ne water ne water ne water	artment	Value 1 mg/l 0,1 mg/l 2,3 mg/l 39 mg/l 5,27 mg/kg 0,527 mg/kg 0,456 mg/kg 0,5 mg/l 0,0966 mg/l 5 mg/l 485 mg/l 2,27 mg/kg 0,15 mg/kg 260 mg/l 183 mg/l 26 mg/l 20000 mg/l
Benz	yl alcohol Dimethylacetamic		Fresl Marin Sewa Fresl Marin Soil Fresl Marin Sewa Fresl Marin Sewa Fresl Marin Sewa Fresl	n water ne water mittent use/releas age treatment pla n water sediment ne sediment ne water mittent use/releas age treatment pla n water sediment n water n water n water n water sediment n water n water sediment n water sediment n water sediment n water sediment	artment	Value 1 mg/l 0,1 mg/l 2,3 mg/l 39 mg/l 5,27 mg/kg 0,527 mg/kg 0,456 mg/kg 0,5 mg/l 0,0966 mg/l 5 mg/l 485 mg/l 2,27 mg/kg 0,15 mg/kg 260 mg/l 183 mg/l 26 mg/l 20000 mg/l 572 mg/kg dr weight (d.w.)
Benz	yl alcohol Dimethylacetamic		Fresl Marin Sewa Fresl Marin Soil Fresl Marin Sewa Fresl Marin Sewa Fresl Marin Sewa Fresl	n water ne water mittent use/releas age treatment pla n water sediment ne sediment ne water ne water mittent use/releas age treatment pla n water - intermitten ne water ne water ne water ne water ne water ne water ne water ne water ne water ne water	artment	Value 1 mg/l 0,1 mg/l 2,3 mg/l 39 mg/l 5,27 mg/kg 0,527 mg/kg 0,456 mg/kg 0,5 mg/l 0,0966 mg/l 5 mg/l 485 mg/l 2,27 mg/kg 0,15 mg/kg 260 mg/l 183 mg/l 26 mg/l 20000 mg/l 572 mg/kg dr



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
4.0	06.04.2024	5408280-00011	Date of first issue: 13.02.2020

8.2 Exposure controls

Engineering measures

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

Personal protective equipment

Eye/face protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Material	:	Chemical-resistant gloves
Remarks Skin and body protection	:	Consider double gloving. Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection Filter type	:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Colour Odour Odour Threshold	:	liquid colourless No data available No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling	:	No data available
range Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable



Vers 4.0	sion	Revision Date: 06.04.2024		S Number:)8280-00011	Date of last issue: 30.09.2023 Date of first issue: 13.02.2020
		explosion limit / Upper ability limit	:	No data available	9
		explosion limit / Lower ability limit	:	No data available	9
	Vapou	r pressure	:	No data available	9
	Relativ	e vapour density	:	No data available	9
	Relativ	e density	:	No data available	9
	Density	ý	:	No data available	2
	Partitio octano	ter solubility n coefficient: n-	::	No data available Not applicable No data available	
	Decom	position temperature	:	No data available	9
		cosity, kinematic	:	No data available	9
		ive properties	:	Not explosive	
	Oxidizi	ng properties	•	The substance o	r mixture is not classified as oxidizing.
9.2		n formation ability (liquids)	:	No data available	9
	Molecu	ılar weight	:	No data available	9
	Particle	e size	:	Not applicable	

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.



Version 4.0	Revision Date: 06.04.2024		0S Number: 08280-00011	Date of last issue: 30.09.2023 Date of first issue: 13.02.2020
	npatible materials rials to avoid	:	Oxidizing agents	
	rdous decomposition p azardous decomposition			
SECTION	11: Toxicological in	for	mation	
11.1 Infor	mation on toxicological	l ef	fects	
Inforn expos	nation on likely routes of sure	:	Inhalation Skin contact Ingestion Eye contact	
	e toxicity lassified based on availal	ble	information.	
Prod	uct:			
Acute	e oral toxicity	:	Acute toxicity esti Method: Calculati	mate: > 2.000 mg/kg on method
Acute	inhalation toxicity	:	Acute toxicity esti Exposure time: 4 Test atmosphere: Method: Calculati	h dust/mist
Acute	e dermal toxicity	:	Acute toxicity esti Method: Calculati	mate: > 2.000 mg/kg on method
Com	ponents:			
	Dimethylacetamide:	:	LD50 (Rat): 4.800	ma/ka
	inhalation toxicity	:	LC50 (Rat): 2,2 m Exposure time: 4 Test atmosphere:	g/l h
Acute	e dermal toxicity	:	Method: Expert ju	mate: 1.100 mg/kg dgement on national or regional regulation.
	yl alcohol: e oral toxicity	:	LD50 (Rat): 1.620	ma/ka
	e inhalation toxicity	:	LC50 (Rat): > 4,1 Exposure time: 4 Test atmosphere: Method: OECD To	78 mg/l h dust/mist



<text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text></text></text></text></text></text></text></text></text></text></text></text></text></text></text></text></text></text></text></text>	Version 4.0	Revision Date: 06.04.2024		9S Number: 08280-00011	Date of last issue: 30.09.2023 Date of first issue: 13.02.2020
Acute oral toxicity LD50 (Rat): > 5.000 mg/kg Symptoms: hyperglycemia LD50 (Mouse): 2.600 mg/kg Dexamethasone: LD50 (Mouse): 2.600 mg/kg LD50 (Mouse): > 6.500 mg/kg LD50 (Mouse): > 6.500 mg/kg Acute oral toxicity LD50 (Rat): > 2.000 mg/kg LD50 (Rat): 14 mg/kg Administration) Application Route: Subcutaneous Skin corrosion/irritation Application Route: Subcutaneous Skin corrosion/irritation Not classified based on available information. Species Result No skin irritation Species Result No skin irritation Dexamethasone: Species Result Mild skin irritation Dexamethasone: Species Result Method Mild skin irritation Components: No-Dimethylacetamide: Result Irritation to eyes, reversing within 21 days	Trichl	ormethiazide:			
Dexamethasone: Acute oral toxicity £ LD50 (Rat): > 2.000 mg/kg £ LD50 (Mouse): > 6.500 mg/kg £ LD50 (Rat): 14 mg/kg Acute toxicity (other routes of : LD50 (Rat): 14 mg/kg Administration) Acute toxicity (other routes of : LD50 (Rat): 14 mg/kg Administration) Application Route: Subcutaneous Skin corrosion/irritation Moute cossified based on available information. Components: Application Route: Subcutaneous Mot classified based on available information. Components: Result T C No skin irritation Benzyl alcohol: Species : Rabbit Result C CD Test Guideline 404 Result No skin irritation Dezamethasone: Species : Rabbit Result No skin irritation Dezamethasone: Species : Rabbit Result Mild skin irritation Causes serious eye irritation. Species : Rabbit Result : Tritation to eyes, reversing within 21 days Mu-Dimethylacetamide: Species : Rabbit Result : Tritation to eyes, reversing within 21 days Mut dynametal : Irritation to eyes, reversing within 21 days Bazamethasone: Irritation to eyes, reversing within 21 days			:		
Acute oral toxicity :: LD50 (Rat): > 2.000 mg/kg Acute toxicity (other routes of :: LD50 (Rat): 14 mg/kg administration) :: Application Route: Subcutaneous Skin corrosion/irritation . Not classified based on available information. Components: N,N-Dimethylacetamide: Species :: Result :: No skin irritation Benzyl alcohol: Species :: Rabbit Method :: OECD Test Guideline 404 Result :: No skin irritation Dexamethasone: . . Species :: Rabbit Result :: Mild skin irritation Dexamethasone: . . Species :: Rabbit Result :: Mild skin irritation Causes serious eye irritation. . Depecies :: Rabbit Result :: Irritation to eyes, reversing within 21 days Decies : . Species : Rabbit				LD50 (Mouse): 2.6	600 mg/kg
LD50 (Mouse): > 6.500 mg/kg Acute toxicity (other routes of : LD50 (Rat): 14 mg/kg administration) Application Route: Subcutaneous Skin corrosion/irritation Not classified based on available information. Components: N,N-Dimethylacetamide: Species : Rabbit Result : No skin irritation Benzyl alcohol: Species : Rabbit Method : OECD Test Guideline 404 Result : No skin irritation Dexamethasone: . Species : Rabbit Result : No skin irritation Dexamethasone: . Species : Rabbit Result : Mild skin irritation Causes serious eye irritation. . Species : Rabbit Result : Irritation to eyes, reversing within 21 days Bipecies : Rabbit Result : Irritation to eyes, reversing within 21 days Decamethasone: . Species : Rabbit Result : Irritation to eyes, reversing within 21 days Decamethasone: <td< td=""><td>Dexar</td><td>methasone:</td><td></td><td></td><td></td></td<>	Dexar	methasone:			
Acute toxicity (other routes of :: LD50 (Rat): 14 mg/kg administration) Application Route: Subcutaneous Skin corrosion/irritation Not classified based on available information. Components: N,N-Dimethylacetamide: Species :: Rabbit Result :: No skin irritation Benzyl alcohol: Species :: Rabbit Method :: OECD Test Guideline 404 Result :: No skin irritation Dexamethasone: : Species :: Rabbit Result :: Mild skin irritation Dexamethasone: : Species : Rabbit Result : Mild skin irritation Serious eye damage/eye irritation Causes serious eye irritation. Species : Rabbit Result : Irritation to eyes, reversing within 21 days Benzyl alcohol: : GECD Test Guideline 405 Species : Rabbit Method : OECD Test Guideline 405 Result : Irritation to eyes, reversing within 21 days Dexamethasone: : Irritation to eyes, reversing within 21 days	Acute	oral toxicity	:	LD50 (Rat): > 2.00	00 mg/kg
administration) Application Route: Subcutaneous Skin corrosion/irritation Not classified based on available information. Components: N,N-Dimethylacetamide: Species Result Ko skin irritation Benzyl alcohol: Species Rabbit Method COED Test Guideline 404 Result Ko skin irritation Dexamethasone: No skin irritation Species Rabbit Result Ko skin irritation Dexamethasone: No skin irritation Species Rabbit Result Mild skin irritation Serious eye damage/eye irritation Causes serious eye irritation. Camponents: NN-Dimethylacetamide: N,N-Dimethylacetamide: Execut Species Rabbit Result Irritation to eyes, reversing within 21 days Benzyl alcohol: CeCD Test Guideline 405 Species Cexamethasone: Execut Irritation to eyes, reversing within 21 days Dexamethasone: Execut Species Rabbit Meso				LD50 (Mouse): > 6	6.500 mg/kg
Not classified based on available information. Components: N,N-Dimethylacetamide: Species Rabbit Result So skin irritation Benzyl alcohol: Species Rabbit Method So OECD Test Guideline 404 Result No skin irritation Dexamethasone: No skin irritation Species Rabbit Result No skin irritation Dexamethasone: Species Species Rabbit Result Mild skin irritation Serious eye damage/eye irritation Causes serious eye irritation. Causes serious eye irritation. Species Species Rabbit Result Tritation to eyes, reversing within 21 days Benzyl alcohol: Decomponents: Method OECD Test Guideline 405 Result OECD Test Guideline 405 Result Components: Species Rabbit Method OECD Test Guideline 405 Result OECD Test Guideline 405 Result Tritation to eyes, reversing within 21 days <tr< td=""><td></td><td></td><td>:</td><td></td><td></td></tr<>			:		
Components: N,N-Dimethylacetamide: Species Rabbit Result So skin irritation Benzyl alcohol: Species Rabbit Method So OECD Test Guideline 404 Result No skin irritation Dexamethasone: No skin irritation Species Rabbit Result No skin irritation Dexamethasone: Species Species Rabbit Result Mild skin irritation Serious eye damage/eye irritation Causes serious eye irritation. Serious eye damage/eye irritation Causes serious eye irritation. Species Rabbit Result Tritation to eyes, reversing within 21 days Benzyl alcohol: Mild Species Rabbit Result OECD Test Guideline 405 Result OECD Test Guideline 405 Result OECD Test Guideline 405 Result Irritation to eyes, reversing within 21 days Deceies Rabbit Result Irritation to eyes, reversing within 21 days Deceies Rabbit	Skin o	corrosion/irritation			
N,N-Dimethylacetamide:Species:Result:No skin irritationBenzyl alcohol:Species:RabbitMethod:OECD Test Guideline 404Result:No skin irritationDexamethasone:Species:Result:No skin irritationDexamethasone:Species:Result:Mild skin irritationSerious eye damage/eye irritationCauses serious eye irritation.Serious eye damage/eye irritationCauses serious eye irritation.Species:Result:Image: Species:Result:Image: Species:Result:Image: Species:Result:Image: Species:Result <td:< td="">Image: Species:Result<td:< td="">Image: Species<td:< td="">Result<td:< td="">Image: Species<td:< td="">Result<</td:<></td:<></td:<></td:<></td:<></td:<></td:<></td:<></td:<></td:<></td:<></td:<></td:<>	Not cla	assified based on availa	ble	information.	
Species : Rabbit Result : No skin irritation Benzyl alcohol: Species : Rabbit Method : OECD Test Guideline 404 Result : No skin irritation Dexamethasone: : Species : Rabbit Result : No skin irritation Dexamethasone: : Species : Rabbit Result : Mild skin irritation Serious eye damage/eye irritation : Causes serious eye irritation. : Components: : N,N-Dimethylacetamide: : Species : Rabbit Result : Irritation to eyes, reversing within 21 days Benzyl alcohol: : Species : Rabbit Method : OECD Test Guideline 405 Result : Irritation to eyes, reversing within 21 days Dexamethasone: : Irritation to eyes, reversing within 21 days Dexamethasone: : Irritation to eyes, reversing within 21 days Species : Rabbit Result : Mild eye irritation	Comp	onents:			
Species : Rabbit Result : No skin irritation Benzyl alcohol: Species : Rabbit Method : OECD Test Guideline 404 Result : No skin irritation Dexamethasone: : Species : Rabbit Result : No skin irritation Dexamethasone: : Species : Rabbit Result : Mild skin irritation Serious eye damage/eye irritation : Causes serious eye irritation. : Components: : N,N-Dimethylacetamide: : Species : Rabbit Result : Irritation to eyes, reversing within 21 days Benzyl alcohol: : Species : Rabbit Method : OECD Test Guideline 405 Result : Irritation to eyes, reversing within 21 days Dexamethasone: : Irritation to eyes, reversing within 21 days Dexamethasone: : Irritation to eyes, reversing within 21 days Species : Rabbit Result : Mild eye irritation	N,N-D	imethylacetamide:			
Benzyl alcohol: Species ::: Rabbit Method ::: OECD Test Guideline 404 Result ::: No skin irritation Dexamethasone: Species ::: Rabbit Result ::: No skin irritation Dexamethasone: Species ::: Rabbit Result ::: Mild skin irritation Serious eye damage/eye irritation Causes serious eye irritation. Causes serious eye irritation. Components: My-Dimethylacetamide: Species :: Rabbit Result :: Irritation to eyes, reversing within 21 days Benzyl alcohol: Species : Rabbit Method :: OECD Test Guideline 405 Result :: Irritation to eyes, reversing within 21 days Dexamethasone: Species : Rabbit Result : Irritation to eyes, reversing within 21 days Dexamethasone: Species : Rabbit Result : Mild eye irritation		-	:	Rabbit	
Species : Rabbit Method : OECD Test Guideline 404 Result : No skin irritation Dexamethasone: Species : Rabbit Result : Mild skin irritation Serious eye damage/eye irritation Causes serious eye irritation Causes serious eye irritation Causes serious eye irritation. Components: N,N-Dimethylacetamide: Species : Result : Irritation to eyes, reversing within 21 days Benzyl alcohol: Species : Result : OECD Test Guideline 405 Result : Result : Irritation to eyes, reversing within 21 days Dexamethasone: Species : Species : Result : Result : Method : Species : Result : <td< td=""><td>Resul</td><td>t</td><td>:</td><td>No skin irritation</td><td></td></td<>	Resul	t	:	No skin irritation	
Species : Rabbit Method : OECD Test Guideline 404 Result : No skin irritation Dexamethasone: Species : Rabbit Result : Mild skin irritation Serious eye damage/eye irritation Causes serious eye irritation Causes serious eye irritation Causes serious eye irritation. Components: N,N-Dimethylacetamide: Species : Result : Irritation to eyes, reversing within 21 days Benzyl alcohol: Species : Result : OECD Test Guideline 405 Result : Result : Irritation to eyes, reversing within 21 days Dexamethasone: Species : Species : Result : Result : Result : Species : Result : <td< td=""><td>Benzy</td><td>/l alcohol:</td><td></td><td></td><td></td></td<>	Benzy	/l alcohol:			
Method : OECD Test Guideline 404 Result : No skin irritation Dexamethasone:			:	Rabbit	
Dexamethasone: Species : Rabbit Result : Mild skin irritation Serious eye damage/eye irritation Causes serious eye irritation. Causes serious eye irritation. Components: N,N-Dimethylacetamide: Species : Rabbit Result : Irritation to eyes, reversing within 21 days Benzyl alcohol: : OECD Test Guideline 405 Result : Irritation to eyes, reversing within 21 days Dexamethasone: : Irritation to eyes, reversing within 21 days Descies : Rabbit Method : OECD Test Guideline 405 Result : Irritation to eyes, reversing within 21 days	Metho	d	:	OECD Test Guide	line 404
Species : Rabbit Result : Mild skin irritation Serious eye damage/eye irritation Causes serious eye irritation. Causes serious eye irritation. Components: N,N-Dimethylacetamide: Species : Rabbit Result : Irritation to eyes, reversing within 21 days Benzyl alcohol: Species : Rabbit Method : OECD Test Guideline 405 Result : Irritation to eyes, reversing within 21 days Dexamethasone: : Species : Rabbit Result : Irritation to eyes, reversing within 21 days	Result	t	:	No skin irritation	
Result : Mild skin irritation Serious eye damage/eye irritation. Causes serious eye irritation. Components: N,N-Dimethylacetamide: Species : Rabbit Result : Irritation to eyes, reversing within 21 days Benzyl alcohol: Species : Rabbit Method : OECD Test Guideline 405 Result : Irritation to eyes, reversing within 21 days Dexamethasone: : Species : Rabbit Result : Irritation to eyes, reversing within 21 days	Dexar	nethasone:			
Serious eye damage/eye irritation. Causes serious eye irritation. Domponents: N,N-Dimethylacetamide: Species : Rabbit Result : Irritation to eyes, reversing within 21 days Benzyl alcohol: Species : Rabbit Method : OECD Test Guideline 405 Result : Irritation to eyes, reversing within 21 days Dexamethasone: : Irritation to eyes, reversing within 21 days	Specie	es	:	Rabbit	
Causes serious eye irritation. Components: N,N-Dimethylacetamide: Species : Rabbit Result : Irritation to eyes, reversing within 21 days Benzyl alcohol: Species : Rabbit Method : OECD Test Guideline 405 Result : Irritation to eyes, reversing within 21 days Dexamethasone: Species : Rabbit Result : Irritation to eyes, reversing within 21 days	Result	t	:	Mild skin irritation	
Causes serious eye irritation. Components: N,N-Dimethylacetamide: Species : Rabbit Result : Irritation to eyes, reversing within 21 days Benzyl alcohol: Species : Rabbit Method : OECD Test Guideline 405 Result : Irritation to eyes, reversing within 21 days Dexamethasone: Species : Rabbit Result : Irritation to eyes, reversing within 21 days	Serio	us eve damage/eve irri	tati	on	
Components: N,N-Dimethylacetamide: Species : Rabbit Result : Irritation to eyes, reversing within 21 days Benzyl alcohol: Species : Rabbit Method : OECD Test Guideline 405 Result : Irritation to eyes, reversing within 21 days Dexamethasone: : Irritation to eyes, reversing within 21 days Species : Rabbit Result : Irritation to eyes, reversing within 21 days					
Species : Rabbit Result : Irritation to eyes, reversing within 21 days Benzyl alcohol: : Species : Rabbit Method : OECD Test Guideline 405 Result : Irritation to eyes, reversing within 21 days Dexamethasone: : Species : Rabbit Result : Mild eye irritation		-			
Species : Rabbit Result : Irritation to eyes, reversing within 21 days Benzyl alcohol: : Species : Rabbit Method : OECD Test Guideline 405 Result : Irritation to eyes, reversing within 21 days Dexamethasone: : Species : Rabbit Result : Mild eye irritation	N.N-D	imethylacetamide:			
Result : Irritation to eyes, reversing within 21 days Benzyl alcohol: : Species : Rabbit Method : OECD Test Guideline 405 Result : Irritation to eyes, reversing within 21 days Dexamethasone: : Species : Rabbit Result : Mild eye irritation		-	•	Rabbit	
Species : Rabbit Method : OECD Test Guideline 405 Result : Irritation to eyes, reversing within 21 days Dexamethasone: : Species : Rabbit Result : Mild eye irritation			:		eversing within 21 days
Species : Rabbit Method : OECD Test Guideline 405 Result : Irritation to eyes, reversing within 21 days Dexamethasone: : Species : Rabbit Result : Mild eye irritation	Renzu	/l alcohol·			
Method : OECD Test Guideline 405 Result : Irritation to eyes, reversing within 21 days Dexamethasone:				Rabbit	
Result : Irritation to eyes, reversing within 21 days Dexamethasone:			÷		line 405
Species:RabbitResult:Mild eye irritation			:		
Species:RabbitResult:Mild eye irritation	Dexar	nethasone:			
Result : Mild eye irritation			:	Rabbit	
11 / 22			:		
				11 / 22	



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
4.0	06.04.2024	5408280-00011	Date of first issue: 13.02.2020

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

N,N-Dimethylacetamide:

Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative

Benzyl alcohol:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Test Type Exposure routes Species Method Result	: negative

Germ cell mutagenicity

Not classified based on available information.

Components:

N,N-Dimethylacetamide:		
Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	:	Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Rat Application Route: Inhalation Method: OECD Test Guideline 478 Result: negative
Benzyl alcohol:		
Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative
Dexamethasone:		
Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative



ersion .0	Revision Date: 06.04.2024	SDS Number: 5408280-00011	Date of last issue: 30.09.2023 Date of first issue: 13.02.2020
		Test Type: ir Test system Result: nega	: mouse lymphoma cells
Geno	toxicity in vivo	: Test Type: M Species: Mo Application F Result: nega	Route: Oral
Carci	nogenicity		
Not cl	assified based on ava	ilable information.	
<u>Comp</u>	oonents:		
)imethylacetamide:		
	cation Route sure time	: Rat : inhalation (v : 18 month(s) : negative	apour)
Benzy	yl alcohol:		
	cation Route sure time od	: Mouse : Ingestion : 103 weeks : OECD Test : negative	Guideline 451
-	oductive toxicity lamage the unborn ch	ild.	
<u>Comp</u>	oonents:		
N,N-D)imethylacetamide:		
Effect	s on fertility	Species: Ra	Route: Inhalation
Effect ment	s on foetal develop-	Species: Ra	Route: Inhalation
Repro sessn	oductive toxicity - As- nent	: Clear evider animal expe	ce of adverse effects on development, based or riments.
Benzy	yl alcohol:		
Effect	s on fertility	Species: Ra	Route: Ingestion
		13 /	22



rsion)	Revision Date: 06.04.2024	SDS Number: 5408280-00011	Date of last issue: 30.09.2023 Date of first issue: 13.02.2020
11		Remarks: Base	ed on data from similar materials
Effect ment	s on foetal develop-	: Test Type: Eml Species: Mous Application Rou Result: negativ	ute: Ingestion
Trich	lormethiazide:		
Effect	s on fertility	Species: Rat Application Rou Early Embryon weight Result: No effe ment were dete	ic Development: NOAEL: 1.000 mg/kg body cts on fertility and early embryonic develop-
		Species: Mous Application Rou Early Embryon weight Result: No effe ment were dete	ute: Oral ic Development: NOAEL: 3.000 mg/kg body cts on fertility and early embryonic develop-
	methasone: is on foetal develop-	: Test Type: Dev	releasest
ment		Species: Mous Application Rou Developmental	
		Developmental	t ute: Intramuscular Toxicity: NOAEL: 0,025 mg/kg body weight c developmental abnormalities
		Developmental	t ute: Intramuscular Toxicity: LOAEL: >= 0,062 mg/kg body weig c developmental abnormalities
		Developmental	ute: Subcutaneous Toxicity: LOAEL: >= 0,02 mg/kg body weigh I and visceral variations, Retardations
Repro sessn	oductive toxicity - As- nent	: May damage th	ne unborn child.



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
4.0	06.04.2024	5408280-00011	Date of first issue: 13.02.2020

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

Dexamethasone:

Exposure routes	: Oral
Target Organs	: Adrenal gland, Immune system, thymus gland
Assessment	: May cause damage to organs through prolonged or repeated
11	exposure.

Repeated dose toxicity

Components:

N,N-Dimethylacetamide:

Species	:	Rat
NOAEL	:	90 mg/m3
LOAEL	:	360 mg/m3
Application Route	:	inhalation (vapour)
Species NOAEL LOAEL Application Route Exposure time	:	24 Months

Benzyl alcohol:

Species	: Rat
NOAEL	: 1,072 mg/l
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 28 Days
Species NOAEL Application Route Exposure time Method	: OECD Test Guideline 412

Dexamethasone:

Dexamethasone:	
Species NOAEL Application Route Exposure time Target Organs Remarks	 Rat 0,0015 mg/kg Oral 7 d Liver Significant toxicity observed in testing
Species LOAEL Application Route Exposure time Target Organs Remarks	 Rat 0,003 mg/kg Oral 90 d Blood, Adrenal gland, thymus gland Significant toxicity observed in testing
Species LOAEL Application Route Exposure time Target Organs	 Rat 0,125 mg/kg Oral 6 Weeks Adrenal gland



Version 4.0	Revision Date: 06.04.2024		S Number:)8280-00011	Date of last issue: 30.09.2023 Date of first issue: 13.02.2020
Rema	rks	:	Significant toxic	ity observed in testing
Expos	L cation Route sure time t Organs		Rat 0,4 mg/kg Oral 3 Months Immune system Significant toxic	ity observed in testing
Expos Targe Rema	L cation Route sure time t Organs	:	Dog 8 mg/kg Oral 3 Months Immune system Significant toxic	ity observed in testing

Not classified based on available information.

Experience with human exposure

Components:

Trichlormethiazide:

General Information	:	Symptoms: Dizziness, Drowsiness, effects on blood pressure, Fatigue, Headache, hyperkalemia, hypertension, hypotension Remarks: The most common side effects are:
Dexamethasone: Ingestion	:	Target Organs: Immune system Target Organs: Adrenal gland Target Organs: Bone Symptoms: muscle weakness

SECTION 12: Ecological information

12.1 Toxicity

Components:

N,N-Dimethylacetamide:

Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): > 500 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 500 mg/l Exposure time: 48 h Method: Directive 67/548/EEC, Annex V, C.2.
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l Exposure time: 72 h
		EC10 (Desmodesmus subspicatus (green algae)): > 500 mg/l Exposure time: 72 h



ersion 0	Revision Date: 06.04.2024	-	0S Number: 08280-00011	Date of last issue: 30.09.2023 Date of first issue: 13.02.2020
Toxic	ity to microorganisms	:	EC10 : > 1.995 m Exposure time: 30	
Benz	yl alcohol:			
Toxic	ity to fish	:	LC50 (Pimephales Exposure time: 96	s promelas (fathead minnow)): 460 mg/l 5 h
	ity to daphnia and other ic invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD Te	
Toxici plants	ity to algae/aquatic S	:	EC50 (Pseudokiro mg/l Exposure time: 72 Method: OECD To	
			NOEC (Pseudokir mg/l Exposure time: 72 Method: OECD Te	
	ity to daphnia and other ic invertebrates (Chron- icity)	:	Exposure time: 21	magna (Water flea)
II Dexa	methasone:			
	ity to daphnia and other ic invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD Te	
Toxici plants	ity to algae/aquatic	:	EC50 (Pseudokiro mg/l Exposure time: 72 Method: OECD To	
			NOEC (Pseudokir mg/l Exposure time: 72 Method: OECD Te	
Toxic	ity to microorganisms	:	EC50 : > 1.000 m Exposure time: 3 Test Type: Respir Method: OECD Te	h ation inhibition
			NOEC : 1.000 mg Exposure time: 3 Test Type: Respir Method: OECD To	h ation inhibition
Toxic	ity to fish (Chronic tox-	:	NOEC: 0,033 mg/	1



Version 4.0	Revision Date: 06.04.2024		Number: 280-00011	Date of last issue: 30.09.2023 Date of first issue: 13.02.2020
icity)		S		2 d ales promelas (fathead minnow) Fest Guideline 210
M-Fa toxici	ctor (Chronic aquatic ty)	: 1		
12.2 Pers	istence and degradab	ility		
Com	ponents:			
	Dimethylacetamide: egradability	E	iodegradation: xposure time: 2	
Benz	yl alcohol:			
Biode	egradability	E	tesult: Readily b liodegradation: xposure time: 1	92 - 96 %
Dexa	methasone:			
Biode	egradability	E	iodegradation: xposure time: 3	
12.3 Bioa	ccumulative potential			
Com	ponents:			
Benz	yl alcohol:			
Partit octan	ion coefficient: n- ol/water	: lo	og Pow: 1,05	
Partit	methasone: ion coefficient: n- iol/water	: lo	og Pow: 1,83	
	i lity in soil ata available			
	lts of PBT and vPvB a	assess	ment	
Prod				
	ssment	to V	be either persi	nixture contains no components considered stent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of



Version 4.0	Revision Date: 06.04.2024	SDS Number: 5408280-00011	Date of last issue: 30.09.2023 Date of first issue: 13.02.2020
12.6 Othe	r adverse effects		
<u>Prod</u> Endo tial	uct: crine disrupting poten-	ered to have er REACH Article	/mixture does not contain components consid- ndocrine disrupting properties according to 57(f) or Commission Delegated regulation 0 or Commission Regulation (EU) 2018/605 at or higher.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	 Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	 Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good



Version 4.0	Revision Date: 06.04.2024		ast issue: 30.09.2023 rst issue: 13.02.2020
14.4 Pack	ing group		
ADN		: Not regulated as a dangero	us good
ADR		: Not regulated as a dangero	us good
RID		: Not regulated as a dangero	us good
IMDG	6	: Not regulated as a dangero	us good
ΙΑΤΑ	(Cargo)	: Not regulated as a dangero	us good
ΙΑΤΑ	(Passenger)	: Not regulated as a dangero	us good
	ronmental hazards	s good	
-	ial precautions for u	er	
14.7 Trans	sport in bulk accord	g to Annex II of Marpol and the	IBC Code
Rema	arks	: Not applicable for product a	s supplied.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The co	omponents of this product are reported in the following inventories:
	· not determined

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

H302	Harmful if swallowed.
	Harmful in contact with skin.
H319	Causes serious eye irritation.
	Harmful if inhaled.
H360D	May damage the unborn child.
H373	May cause damage to organs through prolonged or repeated
	exposure if swallowed.
H410	Very toxic to aquatic life with long lasting effects.



Versio 4.0	n Revision Date: 06.04.2024	SDS Number: 5408280-0001	Date of last issue: 30.09.2023 1 Date of first issue: 13.02.2020
Fu	ull text of other abbrevia	tions	
Ad	cute Tox.	: Acute toxic	city
Ad	quatic Chronic		(chronic) aquatic hazard
	, e Irrit.	: Eye irritatio	
-	epr.	: Reproduct	
	TOT RE		rget organ toxicity - repeated exposure
20	000/39/EC	: Europe. C	ommission Directive 2000/39/EC establishing a first ative occupational exposure limit values
20	004/37/EC	: Europe. Di	rective 2004/37/EC on the protection of workers sks related to exposure to carcinogens or mutagens
Zł	A BEI		ca. The Regulations for Hazardous Chemical ological Exposure Indices
ZA	A OEL	: South Afric	ca. The Regulations for Hazardous Chemical ccupational Exposure Limits
20	000/39/EC / TWA		e - eight hours
	000/39/EC / STEL		exposure limit
	004/37/EC / STEL		exposure limit
20	004/37/EC / TWA		exposure limit
Z	A OEL / OEL-RL	: Occupation	nal Exposure Limit Restricted limit - 8- hour expo- uivalent (12 hour shifts)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - Interna-tional Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative



H360D

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023	
4.0	06.04.2024	5408280-00011	Date of first issue: 13.02.2020	
Furth	er information			

Sources of key data used to compile the Safety Data Sheet	:	nternal technical data, data from raw material SDSs, OECD Chem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Classification of the mixture	e:	Classification procedure:
Eye Irrit. 2	H31	Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN

Repr. 1B