according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (23.06%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 21.11.2023 06.04.2024 10820886-00007 Date of first issue: 22.07.2022 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Diazinon (23.06%) Liquid Formulation

Other means of identification: COOPERS DIAZINON SHEEP BLOWFLY DRESSING AND

CATTLE, GOAT AND PIG SPRAY (62353)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-

stance/Mixture

Veterinary product

Recommended restrictions

on use

Not applicable

1.3 Details of the supplier of the safety data sheet

MSD Company

Kilsheelan

Clonmel Tipperary, IE

Telephone 353-51-601000

E-mail address of person

responsible for the SDS

EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 H302: Harmful if swallowed.

Serious eye damage, Category 1 H318: Causes serious eye damage. Skin sensitisation, Category 1 H317: May cause an allergic skin reaction. Germ cell mutagenicity, Category 2 H341: Suspected of causing genetic defects.

Carcinogenicity, Category 1B H350: May cause cancer.

Specific target organ toxicity - single ex-H370: Causes damage to organs.

posure, Category 1

Specific target organ toxicity - single ex-

posure, Category 3

Specific target organ toxicity - repeated

exposure, Category 2

Aspiration hazard, Category 1

H336: May cause drowsiness or dizziness.

H373: May cause damage to organs through pro-

longed or repeated exposure.

H304: May be fatal if swallowed and enters air-

wavs.

Short-term (acute) aquatic hazard, Cate-H400: Very toxic to aquatic life.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (23.06%) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 21.11.2023

 3.0
 06.04.2024
 10820886-00007
 Date of first issue: 22.07.2022

gory 1

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :







Signal word : Danger

Hazard statements : H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H336 May cause drowsiness or dizziness.H341 Suspected of causing genetic defects.

H350 May cause cancer.

H370 Causes damage to organs.

H373 May cause damage to organs through prolonged or

repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Supplemental Hazard

Statements

EUH066

Repeated exposure may cause skin dryness or

cracking.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER/ doctor.

P308 + P311 IF exposed or concerned: Call a POISON

CENTER/ doctor. P391 Collect spillage.

Hazardous components which must be listed on the label:

Hydrocarbons, C10, aromatics, <1% naphthalene

Diazinon

Calcium dodecylbenzenesulphonate

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (23.06%) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 21.11.2023

 3.0
 06.04.2024
 10820886-00007
 Date of first issue: 22.07.2022

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: This substance/mixture contains components considered to have endocrine disrupting properties for environment, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name Hydrocarbons, C10, aromatics, <1%	CAS-No. EC-No. Index-No. Registration number 64742-94-5	Classification STOT SE 3; H336	Concentration (% w/w) >= 50 - < 70
naphthalene		Asp. Tox. 1; H304 Aquatic Chronic 2; H411 EUH066	
Diazinon	333-41-5 206-373-8 015-040-00-4	Acute Tox. 4; H302 Muta. 2; H341 Carc. 1B; H350 STOT SE 1; H370 (Nervous system) STOT RE 2; H373 (Nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1.000 M-Factor (Chronic aquatic toxicity): 100 Acute toxicity estimate Acute oral toxicity:	>= 20 - < 25

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (23.06%) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 21.11.2023

 3.0
 06.04.2024
 10820886-00007
 Date of first issue: 22.07.2022

I		1.139 mg/kg	
Calcium dodecylbenzenesulphonate	26264-06-2 247-557-8	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412 Acute toxicity estimate Acute oral toxicity:	>= 3 - < 10
Nonylphenol, ethoxylated	9016-45-9	500,05 mg/kg Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10	>= 3 - < 10
7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7- oxabicyclo[4.1.0]heptane-3- carboxylate	2386-87-0 219-207-4	Skin Sens. 1; H317 Muta. 2; H341 STOT RE 2; H373 (nasal cavity) Aquatic Chronic 3; H412	>= 2,5 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (23.06%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 21.11.2023 3.0 06.04.2024 10820886-00007 Date of first issue: 22.07.2022

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention immediately.

If swallowed, DO NOT induce vomiting.

If vomiting occurs have person lean forward.

Call a physician or poison control centre immediately.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Harmful if swallowed.

May be fatal if swallowed and enters airways.

May cause an allergic skin reaction.

Causes serious eye damage.

May cause drowsiness or dizziness. Suspected of causing genetic defects.

May cause cancer.

Causes damage to organs.

May cause damage to organs through prolonged or repeated

exposure.

Repeated exposure may cause skin dryness or cracking.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx)

Sulphur oxides

Oxides of phosphorus

Metal oxides

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (23.06%) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 21.11.2023

 3.0
 06.04.2024
 10820886-00007
 Date of first issue: 22.07.2022

Sulphur compounds

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.
Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (23.06%) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 21.11.2023

 3.0
 06.04.2024
 10820886-00007
 Date of first issue: 22.07.2022

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in

accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Hydrocarbons, C10, aromatics,	64742-94-5	TWA	25 ppm 120 mg/m3	FOR-2011- 12-06-1358

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (23.06%) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 21.11.2023

 3.0
 06.04.2024
 10820886-00007
 Date of first issue: 22.07.2022

<1% naphthalene				
Diazinon	333-41-5	TWA	0,1 mg/m3	FOR-2011-
				12-06-1358
	Further information: Chemicals that can be absorbed through the skin.			
	Further information: Skin			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Calcium dodecylben- zenesulphonate	Workers	Inhalation	Long-term systemic effects	52 mg/m3
	Workers	Inhalation	Acute systemic effects	52 mg/m3
	Workers	Inhalation	Long-term local ef- fects	52 mg/m3
	Workers	Inhalation	Acute local effects	52 mg/m3
	Workers	Skin contact	Long-term systemic effects	57,2 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	80 mg/kg bw/day
	Workers	Skin contact	Long-term local ef- fects	1,57 mg/kg bw/day
	Workers	Skin contact	Acute local effects	1,57 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	26 mg/m3
	Consumers	Inhalation	Acute systemic effects	26 mg/m3
	Consumers	Inhalation	Acute local effects	26 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	26 mg/m3
	Consumers	Skin contact	Long-term systemic effects	28,6 mg/kg bw/day
	Consumers	Skin contact	Acute systemic effects	40 mg/kg bw/day
	Consumers	Skin contact	Acute local effects	0,787 mg/kg bw/day
	Consumers	Skin contact	Long-term local ef- fects	0,787 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	13 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	13 mg/kg bw/day
7- Oxabicy- clo[4.1.0]hept-3- ylmethyl 7- oxabicy- clo[4.1.0]heptane-3- carboxylate	Workers	Inhalation	Long-term systemic effects	0,18 mg/m3
ĺ	Workers	Inhalation	Long-term local ef-	0,18 mg/m3

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (23.06%) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 21.11.2023

 3.0
 06.04.2024
 10820886-00007
 Date of first issue: 22.07.2022

			fects	
	Workers	Skin contact	Long-term systemic effects	0,05 mg/kg bw/day
Hydrocarbons, C10, aromatics, <1% naphthalene	Workers	Inhalation	Long-term systemic effects	151 mg/m3
	Workers	Skin contact	Long-term systemic effects	12,5 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	32 mg/m3
	Consumers	Skin contact	Long-term systemic effects	7,5 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	7,5 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Calcium dodecylbenzenesulpho- nate	Fresh water	0,28 mg/l
	Freshwater - intermittent	0,654 mg/l
	Marine water	0,458 mg/l
	Sewage treatment plant	50 mg/l
	Fresh water sediment	27,5 mg/kg dry weight (d.w.)
	Marine sediment	2,75 mg/kg dry weight (d.w.)
	Air	10 mg/m3
	Soil	25 mg/kg dry weight (d.w.)
	Oral	20 mg/kg food
7-Oxabicyclo[4.1.0]hept-3- ylmethyl 7- oxabicyclo[4.1.0]heptane-3- carboxylate	Fresh water	0,024 mg/l
	Freshwater - intermittent	0,24 mg/l
	Marine water	0,0024 mg/l
	Sewage treatment plant	19,5 mg/l
	Fresh water sediment	0,211 mg/kg dry weight (d.w.)
	Marine sediment	0,0211 mg/kg dry weight (d.w.)
	Soil	0,0282 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (23.06%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 21.11.2023 3.0 06.04.2024 10820886-00007 Date of first issue: 22.07.2022

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices)

Minimize open handling.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable

suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Equipment should conform to NS EN 14387

Filter type : Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : clear, yellow

Odour : characteristic

Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (23.06%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 21.11.2023 3.0 06.04.2024 10820886-00007 Date of first issue: 22.07.2022

Lower explosion limit / Lower

flammability limit

No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : No data available

Viscosity

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Vapour pressure : No data available

Relative density : No data available

Density : No data available

Relative vapour density : No data available

Particle characteristics

Particle size : Not applicable

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

Molecular weight : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (23.06%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 21.11.2023 3.0 06.04.2024 10820886-00007 Date of first issue: 22.07.2022

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Inhalation

exposure Skin contact Ingestion

Ingestion Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1.850 mg/kg

Method: Calculation method

Components:

Hydrocarbons, C10, aromatics, <1% naphthalene:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 420

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 4,778 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on data from similar materials

Diazinon:

Acute oral toxicity : LD50 (Rat): 1.139 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5,437 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (23.06%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 21.11.2023 3.0 06.04.2024 10820886-00007 Date of first issue: 22.07.2022

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2.020 mg/kg

Calcium dodecylbenzenesulphonate:

Acute oral toxicity : LD50 (Rat): > 500 - 2.000 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Method: OECD Test Guideline 402

Remarks: Based on data from similar materials

Nonylphenol, ethoxylated:

Acute oral toxicity : LD50 (Rat): 500 - 2.000 mg/kg

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Acute oral toxicity : LD50 (Rat, male): > 2.959 - 5.000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): >= 5,19 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 436

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

Components:

Hydrocarbons, C10, aromatics, <1% naphthalene:

Assessment : Repeated exposure may cause skin dryness or cracking.

Diazinon:

Species : Rabbit

Result : Mild skin irritation

Calcium dodecylbenzenesulphonate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (23.06%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 21.11.2023 3.0 06.04.2024 10820886-00007 Date of first issue: 22.07.2022

Remarks : Based on data from similar materials

Nonylphenol, ethoxylated:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Hydrocarbons, C10, aromatics, <1% naphthalene:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

Calcium dodecylbenzenesulphonate:

Species : Rabbit

Method : OECD Test Guideline 405
Result : Irreversible effects on the eye
Remarks : Based on data from similar materials

Nonylphenol, ethoxylated:

Species : Rabbit

Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

Hydrocarbons, C10, aromatics, <1% naphthalene:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (23.06%) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 21.11.2023

 3.0
 06.04.2024
 10820886-00007
 Date of first issue: 22.07.2022

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Remarks : Based on data from similar materials

Diazinon:

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Calcium dodecylbenzenesulphonate:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

Nonylphenol, ethoxylated:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Remarks : Based on data from similar materials

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : positive

Assessment : Probability or evidence of skin sensitisation in humans

Germ cell mutagenicity

Suspected of causing genetic defects.

Components:

Hydrocarbons, C10, aromatics, <1% naphthalene:

Genotoxicity in vitro : Test Type: In vitro sister chromatid exchange assay in mam-

malian cells Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: inhalation (vapour)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (23.06%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 21.11.2023 3.0 06.04.2024 10820886-00007 Date of first issue: 22.07.2022

Result: negative

Remarks: Based on data from similar materials

Diazinon:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay)

Species: Rat

Application Route: Intraperitoneal injection

Result: positive

Germ cell mutagenicity- As-

sessment

Positive result(s) from in vivo mammalian somatic cell muta-

genicity tests.

Calcium dodecylbenzenesulphonate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Nonylphenol, ethoxylated:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (23.06%) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 21.11.2023

 3.0
 06.04.2024
 10820886-00007
 Date of first issue: 22.07.2022

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: positive

Test Type: In vitro mammalian cell gene mutation test

Result: positive

Test Type: In vitro sister chromatid exchange assay in mam-

malian cells Result: positive

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: positive

Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with

mammalian liver cells in vivo

Species: Rat

Application Route: Ingestion

Method: OECD Test Guideline 486

Result: negative

Test Type: Micronucleus test

Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Test Type: Transgenic rodent somatic cell gene mutation as-

say

Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 488

Result: positive

Germ cell mutagenicity- As-

sessment

Positive result(s) from in vivo mammalian somatic cell muta-

genicity tests.

Carcinogenicity

May cause cancer.

Components:

Diazinon:

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks
Result : negative

Carcinogenicity - Assess-

ment

Sufficient evidence of carcinogenicity in animal experiments

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species : Mouse

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (23.06%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 21.11.2023 3.0 06.04.2024 10820886-00007 Date of first issue: 22.07.2022

Application Route : Skin contact Exposure time : 29 Months Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

Hydrocarbons, C10, aromatics, <1% naphthalene:

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: inhalation (vapour)

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Diazinon:

Effects on fertility : Test Type: Three-generation study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Calcium dodecylbenzenesulphonate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (23.06%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 21.11.2023 3.0 06.04.2024 10820886-00007 Date of first issue: 22.07.2022

Effects on foetal develop: Test Type: Embryo-foetal development

ment Species: Rat

Application Route: Ingestion
Method: OECD Test Guideline 414

Result: negative

STOT - single exposure

May cause drowsiness or dizziness.

Causes damage to organs.

Components:

Hydrocarbons, C10, aromatics, <1% naphthalene:

Assessment : May cause drowsiness or dizziness.
Remarks : Based on data from similar materials

Diazinon:

Exposure routes : Ingestion
Target Organs : Nervous system

Assessment : Shown to produce significant health effects in animals at con-

centrations of 300 mg/kg bw or less.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

Diazinon:

Exposure routes : Ingestion
Target Organs : Nervous system

Assessment : Shown to produce significant health effects in animals at con-

centrations of >10 to 100 mg/kg bw.

Calcium dodecylbenzenesulphonate:

Assessment : No significant health effects observed in animals at concentra-

tions of 100 mg/kg bw or less.

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Exposure routes : Ingestion
Target Organs : nasal cavity

Assessment : Shown to produce significant health effects in animals at con-

centrations of >10 to 100 mg/kg bw.

Repeated dose toxicity

Components:

Hydrocarbons, C10, aromatics, <1% naphthalene:

Species : Rat NOAEL : 300 mg/kg

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (23.06%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 21.11.2023 3.0 06.04.2024 10820886-00007 Date of first issue: 22.07.2022

Application Route : Ingestion Exposure time : 13 Weeks

Remarks : Based on data from similar materials

Diazinon:

Species: RatNOAEL: 0,3 mg/kgLOAEL: 15 mg/kgApplication Route: IngestionExposure time: 90 Days

 Species
 : Rat

 NOAEL
 : 0,1 mg/l

 LOAEL
 : 0,75 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 28 Days

Calcium dodecylbenzenesulphonate:

Species : Rat

LOAEL : > 200 mg/kg
Application Route : Ingestion
Exposure time : 6 - 7 Weeks

Method : OECD Test Guideline 422

Remarks : Based on data from similar materials

Species : Rabbit

NOAEL : > 100 mg/kg

Application Route : Skin contact

Exposure time : 28 Days

Method : OECD Test Guideline 410

Remarks : Based on data from similar materials

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species: RatNOAEL: 5 mg/kgLOAEL: 50 mg/kgApplication Route: IngestionExposure time: 90 Days

Method : OECD Test Guideline 408

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

Hydrocarbons, C10, aromatics, <1% naphthalene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (23.06%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 21.11.2023 3.0 06.04.2024 10820886-00007 Date of first issue: 22.07.2022

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Experience with human exposure

Components:

Diazinon:

Inhalation : Symptoms: carcinogenic effects

SECTION 12: Ecological information

12.1 Toxicity

Components:

Hydrocarbons, C10, aromatics, <1% naphthalene:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): 3 - 10 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 - 3

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Diazinon:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,09 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): 0,000164 mg/l

Exposure time: 48 h

M-Factor (Acute aquatic tox- : 1.000

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (23.06%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 21.11.2023 3.0 06.04.2024 10820886-00007 Date of first issue: 22.07.2022

icity)

Toxicity to fish (Chronic tox-

icity)

: NOEC: 0,092 mg/l Exposure time: 34 d

Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,00017 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

100

Calcium dodecylbenzenesulphonate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 1 - 10 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 10 -

100 mg/l

Exposure time: 72 h

Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): > 0,1 -

1 mg/l

Exposure time: 72 h

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

icity)

NOEC: > 0,1 - 1 mg/l

Exposure time: 28 d

Species: Pimephales promelas (fathead minnow) Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: > 1 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Remarks: Based on data from similar materials

Nonylphenol, ethoxylated:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0,1 - 1 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other : EC50 (Ceriodaphnia dubia (water flea)): > 0,1 - 1 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (23.06%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 21.11.2023 06.04.2024 10820886-00007 Date of first issue: 22.07.2022 3.0

aquatic invertebrates Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

M-Factor (Acute aquatic tox- :

icity)

Toxicity to fish (Chronic tox-

icity)

NOEC: > 0.1 - 1 mg/lExposure time: 100 d

Species: Oryzias latipes (Japanese medaka) Remarks: Based on data from similar materials

Toxicity to daphnia and other: NOEC: > 0.001 - 0.01 mg/l

aquatic invertebrates (Chron-

ic toxicity)

Exposure time: 28 d

Species: Mysidopsis bahia (opossum shrimp) Remarks: Based on data from similar materials

M-Factor (Chronic aquatic 10

toxicity)

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

LC50 (Oncorhynchus mykiss (rainbow trout)): 24 mg/l Toxicity to fish

Exposure time: 96 h

Method: OECD Test Guideline 203

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 40 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aguatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): >

110 ma/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Raphidocelis subcapitata (freshwater green alga)): 30

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms EC10 (activated sludge): 409 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (23.06%) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 21.11.2023

 3.0
 06.04.2024
 10820886-00007
 Date of first issue: 22.07.2022

12.2 Persistence and degradability

Components:

Hydrocarbons, C10, aromatics, <1% naphthalene:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 49,56 % Exposure time: 28 d

Method: OECD Test Guideline 301F

Calcium dodecylbenzenesulphonate:

Biodegradability : Result: Readily biodegradable.

Remarks: Based on data from similar materials

Nonylphenol, ethoxylated:

Biodegradability : Result: Not readily biodegradable.

Remarks: Based on data from similar materials

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 71 % Exposure time: 28 d

Method: OECD Test Guideline 301B

12.3 Bioaccumulative potential

Components:

Diazinon:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Bioconcentration factor (BCF): 46,9

Partition coefficient: n-

octanol/water

: log Pow: 3,69

Calcium dodecylbenzenesulphonate:

Bioaccumulation : Bioconcentration factor (BCF): < 500

Remarks: Based on data from similar materials

Partition coefficient: n- : log Pow: 4,77

octanol/water Remarks: Calculation

Nonylphenol, ethoxylated:

Partition coefficient: n-

: log Pow: 4,48

octanol/water

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Partition coefficient: n- : log Pow: 1,34

octanol/water Method: OECD Test Guideline 107

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (23.06%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 21.11.2023 3.0 06.04.2024 10820886-00007 Date of first issue: 22.07.2022

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : This substance/mixture contains components considered to

have endocrine disrupting properties for environment, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU)

2017/2100.

Components:

Nonylphenol, ethoxylated:

Assessment : The substance is considered to have endocrine disrupting

properties according to REACH Article 57(f) for the environ-

ment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (23.06%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 21.11.2023 3.0 06.04.2024 10820886-00007 Date of first issue: 22.07.2022

IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Diazinon)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Diazinon)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Diazinon)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Diazinon)

IATA : Environmentally hazardous substance, liquid, n.o.s.

(Diazinon)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (23.06%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 21.11.2023 3.0 06.04.2024 10820886-00007 Date of first issue: 22.07.2022

Labels : 9

EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen: 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mix-

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 75, 3

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (23.06%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 21.11.2023
3.0	06.04.2024	10820886-00007	Date of first issue: 22.07.2022

use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

If you intend to use this product as tattoo ink, please contact your vendor.

Nonylphenol, ethoxylated (Number on list 46b, 46a.)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

REACH - List of substances subject to authorisation

(Annex XIV)

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Regulation (EU) No 649/2012 of the European Parlia-

ment and the Council concerning the export and import

of dangerous chemicals

: Diazinon

Nonylphenol, ethoxylated

Nonylphenol, ethoxylated

Nonylphenol, ethoxylated

Not applicable

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
H3	STOT SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE	50 t	200 t
E1	ENVIRONMENTAL HAZARDS	100 t	200 t
34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)	2.500 t	25.000 t

Other regulations:

Note the Working Environment Act § 4-1 and § 4-2 on requirements for the employer to protect pregnant employees against discomfort and injury as a result of the work situation and the

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (23.06%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 21.11.2023 3.0 06.04.2024 10820886-00007 Date of first issue: 22.07.2022

working environment.

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

Full text of H-Statements

H302 : Harmful if swallowed.

H304 : May be fatal if swallowed and enters airways.

H315 : Causes skin irritation.

H317
H318
Causes serious eye damage.
H336
May cause drowsiness or dizziness.
H341
Suspected of causing genetic defects.

H350 : May cause cancer.

H370 : Causes damage to organs.

H373 : May cause damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H410
H411
Toxic to aquatic life with long lasting effects.
H412
Harmful to aquatic life with long lasting effects.

EUH066 : Repeated exposure may cause skin dryness or cracking.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Asp. Tox. : Aspiration hazard
Carc. : Carcinogenicity
Eye Dam. : Serious eye damage
Muta. : Germ cell mutagenicity

Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure STOT SE : Specific target organ toxicity - single exposure

FOR-2011-12-06-1358 : Norway. Occupational Exposure limits

FOR-2011-12-06-1358 / : Long term exposure limit

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (23.06%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 21.11.2023 3.0 06.04.2024 10820886-00007 Date of first issue: 22.07.2022

TWA

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Classification of the mixture:

Classification procedure:

Acute Tox. 4	H302	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
Muta. 2	H341	Calculation method
Carc. 1B	H350	Calculation method
STOT SE 1	H370	Calculation method
STOT SE 3	H336	Calculation method
STOT RE 2	H373	Calculation method

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazinon (23.06%) Liquid Formulation

Version 3.0	Revision Date: 06.04.2024	SDS Number: 10820886-00007	Date of last issue: 21.11.2023 Date of first issue: 22.07.2022	
Asp. T	Гох. 1	H304	Calculation method	
Aquat	ic Acute 1	H400	Calculation method	
Aquat	ic Chronic 1	H410	Calculation method	

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NO / EN