



Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 7699414-00009 Date of first issue: 22.12.2020

Section 1: Identification

Product identifier : Diazinon Formulation

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

Manufacturer or supplier's details

Company : MSD

Address : 50 Tuas West Drive

Singapore - Singapore 638408

Telephone : +1-908-740-4000

Emergency telephone number : 65 6697 2111 (24/7/365)

E-mail address : EHSDATASTEWARD@msd.com

Section 2: Hazard identification

Classification of the substance or mixture

Acute toxicity (Oral) : Category 4

Skin corrosion/irritation : Category 2

Serious eye damage/eye irri-

tation

Category 1

Skin sensitisation : Category 1

Germ cell mutagenicity : Category 1B

Carcinogenicity : Category 1B

Specific target organ toxicity - :

single exposure

Category 1 (Nervous system)

Specific target organ toxicity - : Category 3

single exposure

0-1---

Specific target organ toxicity - :

repeated exposure

Category 2 (Nervous system)

Aspiration hazard : Category 1



Diazinon Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 7699414-00009 Date of first issue: 22.12.2020

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 1

GHS Label elements, including precautionary statements

Hazard pictograms









Signal word : Danger

Hazard statements : H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H336 May cause drowsiness or dizziness.

H340 May cause genetic defects.

H350 May cause cancer.

H370 Causes damage to organs (Nervous system).

H373 May cause damage to organs (Nervous system) through

prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapours. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of

the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/

doctor if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER/ doctor.





Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 7699414-00009 Date of first issue: 22.12.2020

P308 + P311 IF exposed or concerned: Call a POISON

CENTER/ doctor.

P331 Do NOT induce vomiting.

P333 + P313 If skin irritation or rash occurs: Get medical ad-

vice/ attention.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Diazinon	333-41-5	>= 50 -< 70
Solvent naphtha (petroleum), light aromatic	64742-95-6	>= 20 -< 25
Nonylphenol, ethoxylated	9016-45-9	>= 20 -< 25
7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate	2386-87-0	>= 1 -< 10

Section 4: First-aid measures

Description of necessary first-aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention immediately.

If swallowed, DO NOT induce vomiting.

If vomiting occurs have person lean forward.





Version SDS Number: Date of last issue: 30.09.2023 Revision Date: 3.0 06.04.2024 7699414-00009 Date of first issue: 22.12.2020

Call a physician or poison control centre immediately.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Risks Harmful if swallowed.

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause an allergic skin reaction. Causes serious eye damage. May cause drowsiness or dizziness.

May cause genetic defects.

May cause cancer.

Causes damage to organs.

May cause damage to organs through prolonged or repeated

exposure.

Protection of first-aiders First Aid responders should pay attention to self-protection,

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Special hazards arising from the substance or mixture

Specific hazards during fire-

Exposure to combustion products may be a hazard to health.

fighting

Hazardous combustion prod-

Carbon oxides

ucts

Nitrogen oxides (NOx) Sulphur oxides

Oxides of phosphorus

Special protective actions for fire-fighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.





 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.0
 06.04.2024
 7699414-00009
 Date of first issue: 22.12.2020

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

Section 7: Handling and storage

Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye





Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 7699414-00009 Date of first issue: 22.12.2020

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Section 8: Exposure controls/personal protection

Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Diazinon	333-41-5	PEL (long term)	0.1 mg/m3	SG OEL
		TWA (Inhalable fraction and vapor)	0.01 mg/m3	ACGIH
Solvent naphtha (petroleum), light aromatic	64742-95-6	TWA	200 mg/m3 (total hydrocarbon vapor)	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentration	Basis
Diazinon	333-41-5	red blood cell acetyl- cholinester- ase (rbc ACHE)	Blood		70 % of baseline	SG BTLV
		Acetylcho- linesterase	In red blood cells	End of shift	70 % of an individual's	ACGIH BEI





Version SDS Number: Date of last issue: 30.09.2023 Revision Date: 3.0 06.04.2024 7699414-00009 Date of first issue: 22.12.2020

activity			baseline	
Butyrylcho-	In serum	End of	60 % of an	ACGIH
linesterase	or plasma	shift	individual's	BEI
activity			baseline	

Appropriate engineering control measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con-

tainment devices). Minimize open handling.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Work uniform or laboratory coat. Skin protection

> Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

If adequate local exhaust ventilation is not available or expo-Respiratory protection

Chemical-resistant gloves

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Combined particulates and organic vapour type

Filter type

Hand protection

Material

Remarks Consider double gloving.

Section 9: Physical and chemical properties

Appearance liquid

Colour vellow

Odour characteristic

Odour Threshold No data available

pΗ No data available

Melting point/freezing point No data available



Diazinon Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 7699414-00009 Date of first issue: 22.12.2020

Initial boiling point and boiling :

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 1,030 - 1,090 g/cm³

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

Section 10: Stability and reactivity

Reactivity : Not classified as a reactivity hazard.





Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 7699414-00009 Date of first issue: 22.12.2020

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac- : Can react with strong oxidizing agents.

tions

Conditions to avoid : None known.
Incompatible materials : Oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known.

products

Section 11: Toxicological information

Information on likely routes of : Inhalation

exposure Skin contact Ingestion Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1,192 mg/kg

Method: Calculation method

Components:

Diazinon:

Acute oral toxicity : LD50 (Rat): 1,139 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.437 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,020 mg/kg

Solvent naphtha (petroleum), light aromatic:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.61 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Nonylphenol, ethoxylated:

Acute oral toxicity : LD50 (Rat): 500 - 2,000 mg/kg

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Acute oral toxicity : LD50 (Rat, male): > 2,959 - 5,000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): >= 5.19 mg/l



Diazinon Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 7699414-00009 Date of first issue: 22.12.2020

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 436

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Causes skin irritation.

Components:

Diazinon:

Species : Rabbit

Result : Mild skin irritation

Solvent naphtha (petroleum), light aromatic:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

Nonylphenol, ethoxylated:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Solvent naphtha (petroleum), light aromatic:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Nonylphenol, ethoxylated:

Species : Rabbit

Result : Irreversible effects on the eye Method : OECD Test Guideline 405



Diazinon Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 7699414-00009 Date of first issue: 22.12.2020

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

Diazinon:

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Solvent naphtha (petroleum), light aromatic:

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Nonylphenol, ethoxylated:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Remarks : Based on data from similar materials

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : positive

Assessment : Probability or evidence of skin sensitisation in humans

Germ cell mutagenicity

May cause genetic defects.

Components:

Diazinon:



Diazinon Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 7699414-00009 Date of first issue: 22.12.2020

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Rat

Application Route: Intraperitoneal injection

Result: positive

Germ cell mutagenicity -

Assessment

Positive result(s) from in vivo mammalian somatic cell muta-

genicity tests.

Solvent naphtha (petroleum), light aromatic:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: positive

Genotoxicity in vivo : Test Type: Sister chromatid exchange analysis in spermato-

gonia

Species: Mouse

Application Route: Intraperitoneal injection

Result: positive

Germ cell mutagenicity -

Assessment

Positive result(s) from in vivo heritable germ cell mutagenicity

tests in mammals

Nonylphenol, ethoxylated:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: positive

Test Type: In vitro mammalian cell gene mutation test

Result: positive

Test Type: In vitro sister chromatid exchange assay in mam-

malian cells Result: positive





Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 7699414-00009 Date of first issue: 22.12.2020

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: positive

Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with

mammalian liver cells in vivo

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 486

Result: negative

Test Type: Micronucleus test

Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Test Type: Transgenic rodent somatic cell gene mutation as-

say

Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 488

Result: positive

Germ cell mutagenicity -

Assessment

Positive result(s) from in vivo mammalian somatic cell muta-

genicity tests.

Carcinogenicity

May cause cancer.

Components:

Diazinon:

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks
Result : negative

Carcinogenicity - Assess-

ment

Sufficient evidence of carcinogenicity in animal experiments

Solvent naphtha (petroleum), light aromatic:

Species : Mouse
Application Route : Skin contact
Exposure time : 2 Years
Result : positive

Carcinogenicity - Assess-

nent

: Sufficient evidence of carcinogenicity in animal experiments

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species : Mouse
Application Route : Skin contact



Diazinon Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 7699414-00009 Date of first issue: 22.12.2020

Exposure time : 29 Months
Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

Diazinon:

Effects on fertility : Test Type: Three-generation study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Solvent naphtha (petroleum), light aromatic:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat

Application Route: inhalation (vapour)

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: inhalation (vapour)

Result: negative

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Effects on foetal develop- : Test Type: Embryo-foetal development

ment Species: Rat

Application Route: Ingestion

Method: OECD Test Guideline 414

Result: negative

STOT - single exposure

May cause drowsiness or dizziness.

Causes damage to organs (Nervous system).

Components:

Diazinon:

Exposure routes : Ingestion
Target Organs : Nervous system

Assessment : Shown to produce significant health effects in animals at con-

centrations of 300 mg/kg bw or less.



Diazinon Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 7699414-00009 Date of first issue: 22.12.2020

Solvent naphtha (petroleum), light aromatic:

Assessment : May cause drowsiness or dizziness.

STOT - repeated exposure

May cause damage to organs (Nervous system) through prolonged or repeated exposure.

Components:

Diazinon:

Exposure routes : Ingestion
Target Organs : Nervous system

Assessment : Shown to produce significant health effects in animals at con-

centrations of >10 to 100 mg/kg bw.

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Exposure routes : Ingestion
Target Organs : nasal cavity

Assessment : Shown to produce significant health effects in animals at con-

centrations of >10 to 100 mg/kg bw.

Repeated dose toxicity

Components:

Diazinon:

Species: RatNOAEL: 0.3 mg/kgLOAEL: 15 mg/kgApplication Route: IngestionExposure time: 90 Days

 Species
 : Rat

 NOAEL
 : 0.1 mg/l

 LOAEL
 : 0.75 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 28 Days

Solvent naphtha (petroleum), light aromatic:

Species: RatLOAEL: 500 mg/kgApplication Route: IngestionExposure time: 28 Days

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species : Rat

NOAEL : 5 mg/kg

LOAEL : 50 mg/kg

Application Route : Ingestion



Diazinon Formulation

Version SDS Number: Date of last issue: 30.09.2023 Revision Date: 3.0 06.04.2024 7699414-00009 Date of first issue: 22.12.2020

Exposure time 90 Days

Method **OECD Test Guideline 408**

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

Solvent naphtha (petroleum), light aromatic:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Experience with human exposure

Components:

Diazinon:

Inhalation Symptoms: carcinogenic effects

Section 12: Ecological information

Toxicity

Components:

Diazinon:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 0.09 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): 0.000164 mg/l

Exposure time: 48 h

M-Factor (Acute aquatic tox- : 1,000

Toxicity to fish (Chronic tox-

NOEC (Pimephales promelas (fathead minnow)): 0.092 mg/l

Exposure time: 34 d

Toxicity to daphnia and other:

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.00017 mg/l

M-Factor (Chronic aquatic

toxicity)

Exposure time: 21 d

100

Solvent naphtha (petroleum), light aromatic:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): 8.2 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

aquatic invertebrates

Toxicity to daphnia and other : EL50 (Daphnia magna (Water flea)): 4.5 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 202





Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 7699414-00009 Date of first issue: 22.12.2020

Toxicity to algae/aquatic : EL50 (Pseudokirchneriella subcapitata (microalgae)): 3.1 mg/l

plants Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

NOELR (Pseudokirchneriella subcapitata (microalgae)): 0.5

mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOELR (Daphnia magna (Water flea)): 2.6 mg/l

Exposure time: 21 d

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 211

Nonylphenol, ethoxylated:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

M-Factor (Acute aquatic tox- :

city

: 1

Toxicity to fish (Chronic tox-

icity)

NOEC (Oryzias latipes (Japanese medaka)): > 0.1 - 1 mg/l

Exposure time: 100 d

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aguatic invertebrates (Chron-

ic toxicity)

NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01

mg/l

Exposure time: 28 d

Remarks: Based on data from similar materials

M-Factor (Chronic aquatic

oxicity)

10

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:



Diazinon Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 7699414-00009 Date of first issue: 22.12.2020

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 24 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 40 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): >

110 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Raphidocelis subcapitata (freshwater green alga)): 30

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC10 (activated sludge): 409 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Persistence and degradability

Components:

Solvent naphtha (petroleum), light aromatic:

Biodegradability : Result: Inherently biodegradable.

Biodegradation: 94 % Exposure time: 25 d

Nonylphenol, ethoxylated:

Biodegradability : Result: Not readily biodegradable.

Remarks: Based on data from similar materials

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 71 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Bioaccumulative potential

Components:

Diazinon:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Bioconcentration factor (BCF): 46.9

Partition coefficient: n- : log Pow: 3.69





Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 7699414-00009 Date of first issue: 22.12.2020

octanol/water

Nonylphenol, ethoxylated:

Partition coefficient: n- : log Pow: 4.48

octanol/water

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Partition coefficient: n- : log Pow: 1.34

octanol/water Method: OECD Test Guideline 107

Mobility in soil

No data available

Other adverse effects

No data available

Section 13: Disposal considerations

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

Section 14: Transport information

International Regulations

UNRTDG

UN number : UN 3082

UN proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

9

(Diazinon)

Transport hazard class(es) :

Packing group : III Labels : 9 Environmental hazards : yes

IATA-DGR

UN/ID No. : UN 3082

UN proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Diazinon)

964

964

Transport hazard class(es) : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen- :

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

19/22





Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 7699414-00009 Date of first issue: 22.12.2020

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Diazinon)

Transport hazard class(es) : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and Environmental Protection and Management (Hazard-

ous Substances) Regulations

Phosphorus compounds used as pesticides (insecticides, acaricides,

etc.

Nonylphenol and nonylphenol eth-

oxylates

Fire Safety (Petroleum and Flammable Materials)

Regulations

: Not applicable

The components of this product are reported in the following inventories:

DSL : not determined

AICS : not determined

IECSC : not determined

Section 16: Other information

Revision Date : 06.04.2024

Further information

Sources of key data used to compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/





Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 7699414-00009 Date of first issue: 22.12.2020

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
SG BTLV : Singapore. Biological Threshold Limit Values

SG OEL : Singapore. Workplace Safety and Health (General Provisions)

Regulations - First Schedule Permissible Exposure Limits of

Toxic Substances.

ACGIH / TWA : 8-hour, time-weighted average

SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text.



Diazinon Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 7699414-00009 Date of first issue: 22.12.2020

Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN