

Diclofenac Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 2.0 06.04.2024 4780245-00010 Date of first issue: 23.08.2019

Section 1: Identification

Product identifier : Diclofenac Formulation

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

Manufacturer or supplier's details

Company : MSD

Address : 50 Tuas West Drive

Singapore - Singapore 638408

Telephone : +1-908-740-4000

Emergency telephone number : 65 6697 2111 (24/7/365)

E-mail address : EHSDATASTEWARD@msd.com

Section 2: Hazard identification

Classification of the substance or mixture

Acute toxicity (Oral) : Category 4

Reproductive toxicity : Category 2

Specific target organ toxicity - :

repeated exposure

Category 2 (Gastrointestinal tract, Blood, lymphatic system,

Liver, Prostate)

GHS Label elements, including precautionary statements

Hazard pictograms :





Signal word : Warning

Hazard statements : H302 Harmful if swallowed.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs (Gastrointestinal tract, Blood, lymphatic system, Liver, Prostate) through prolonged or

repeated exposure.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.





Version Revision Date: SDS Number: Date of last issue: 30.09.2023 2.0 06.04.2024 4780245-00010 Date of first issue: 23.08.2019

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapours. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON

CENTER/ doctor if you feel unwell. Rinse mouth.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	
Sodium [2-[(2,6- dichlorophenyl)amino]phenyl]acetate	15307-79-6	>= 3 -< 10	
dichlorophenyl)amino]phenyl]acetate			
Benzyl alcohol	100-51-6	>= 1 -< 10	

Section 4: First-aid measures

In case of eye contact

Description of necessary first-aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.





SDS Number: Date of last issue: 30.09.2023 Version Revision Date: 2.0 06.04.2024 4780245-00010 Date of first issue: 23.08.2019

Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Risks Harmful if swallowed.

Suspected of damaging the unborn child.

May cause damage to organs through prolonged or repeated

exposure.

Protection of first-aiders First Aid responders should pay attention to self-protection,

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

None known.

Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- :

ucts

Carbon oxides

Chlorine compounds Nitrogen oxides (NOx)

Sodium oxides

Special protective actions for fire-fighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions





Version Revision Date: SDS Number: Date of last issue: 30.09.2023 2.0 06.04.2024 4780245-00010 Date of first issue: 23.08.2019

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

Section 7: Handling and storage

Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation. Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.





Version Revision Date: SDS Number: Date of last issue: 30.09.2023 2.0 06.04.2024 4780245-00010 Date of first issue: 23.08.2019

Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Keep in properly labelled containers.

Store locked up.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Section 8: Exposure controls/personal protection

Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type	Control parame-	Basis	
		(Form of	ters / Permissible		
		exposure)	concentration		
Sodium [2-[(2,6-	15307-79-6	TWA	100 μg/m3 (OEB	Internal	
dichloro-			2)		
phenyl)amino]phenyl]acetate					
	Further information: Skin				

Appropriate engineering control measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Laboratory operations do not require special containment.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin protection : Work uniform or laboratory coat.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type Hand protection

: Combined particulates and organic vapour type

Material : Chemical-resistant gloves

Section 9: Physical and chemical properties

Appearance : liquid

Colour : yellow



Diclofenac Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 2.0 06.04.2024 4780245-00010 Date of first issue: 23.08.2019

Odour : characteristic

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : -54 °C

Initial boiling point and boiling

range

98.5 °C

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : 1.09 - 1.15

Density : No data available

Solubility(ies)

Water solubility : soluble

Solubility in other solvents : soluble

Solvent: Ethanol

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive



Diclofenac Formulation

Version SDS Number: Date of last issue: 30.09.2023 Revision Date: 4780245-00010 2.0 06.04.2024 Date of first issue: 23.08.2019

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle characteristics

Particle size Not applicable

Section 10: Stability and reactivity

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Can react with strong oxidizing agents.

Possibility of hazardous reac-

tions

Conditions to avoid None known.

Incompatible materials Oxidizing agents Hazardous decomposition

products

No hazardous decomposition products are known.

Section 11: Toxicological information

Information on likely routes of: Inhalation

exposure Skin contact

> Ingestion Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1,952 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Components:

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Acute oral toxicity : LD50 (Rat): 55 - 240 mg/kg

LD50 (Mouse): 170 - 389 mg/kg

Acute toxicity (other routes of : LD50 (Rat): 97 - 161 mg/kg

administration)

Application Route: Intravenous

LD50 (Mouse): 92 - 147 mg/kg Application Route: Intravenous



Diclofenac Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 2.0 06.04.2024 4780245-00010 Date of first issue: 23.08.2019

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Skin corrosion/irritation

Not classified based on available information.

Components:

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Result : irritating

Benzyl alcohol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Result : Mild eye irritation

Benzyl alcohol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Benzyl alcohol:

Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative



Diclofenac Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 2.0 06.04.2024 4780245-00010 Date of first issue: 23.08.2019

Germ cell mutagenicity

Not classified based on available information.

Components:

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Mouse Lymphoma

Result: negative

Genotoxicity in vivo : Test Type: Chromosomal aberration

Species: CHO Result: negative

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

Species : Mouse
Application Route : Oral
Exposure time : 2 Years
Result : negative

Benzyl alcohol:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks

Method : OECD Test Guideline 451

Result : negative





Version Revision Date: SDS Number: Date of last issue: 30.09.2023 2.0 06.04.2024 4780245-00010 Date of first issue: 23.08.2019

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Effects on fertility : Test Type: Fertility

Species: Rat, male and female

Application Route: Oral

Fertility: NOAEL: 4 mg/kg body weight

Result: No effects on fertility

Effects on foetal develop-

ment

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 1 mg/kg body weight Result: Embryo-foetal toxicity, No teratogenic effects

Test Type: Development

Species: Rabbit

Application Route: Oral

Developmental Toxicity: LOAEL: 5 mg/kg body weight Result: Embryo-foetal toxicity, No teratogenic effects

Reproductive toxicity - As-

sessment

: Suspected of damaging the unborn child.

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Ingestion

Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs (Gastrointestinal tract, Blood, lymphatic system, Liver, Prostate) through prolonged or repeated exposure.

Components:

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Target Organs : Gastrointestinal tract, Blood, lymphatic system, Liver, Prostate

Assessment : Causes damage to organs through prolonged or repeated

exposure.



Diclofenac Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 2.0 06.04.2024 4780245-00010 Date of first issue: 23.08.2019

Repeated dose toxicity

Components:

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Species : Rat

LOAEL : 0.25 mg/kg

Application Route : Oral Exposure time : 98 w

Target Organs : Gastrointestinal tract, Blood, lymphatic system, Liver, Prostate

Species : Dog
LOAEL : 1 mg/kg
Application Route : Oral
Exposure time : 12 w
Target Organs : Blood

Species : Baboon
NOAEL : 0.5 mg/kg
LOAEL : 5 mg/kg
Application Route : Oral
Exposure time : 52 w

Target Organs : Gastrointestinal tract, Blood Symptoms : constipation, Diarrhoea

Benzyl alcohol:

Species : Rat NOAEL : 1.072 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 28 Days

Method : OECD Test Guideline 412

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Ingestion : Symptoms: Abdominal pain, Diarrhoea, constipation, heart-

burn, Ulceration, Dizziness, Headache, Breathing difficulties,

Rash

Section 12: Ecological information

Toxicity

Components:

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 166.6 mg/l



Diclofenac Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 2.0 06.04.2024 4780245-00010 Date of first issue: 23.08.2019

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 80.1 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 71.9

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 49.2

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.32 mg/l

Exposure time: 32 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 10 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l

Exposure time: 96 h

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 230 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 770

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310

ma/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 51 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Persistence and degradability

Components:

Benzyl alcohol:



Diclofenac Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 2.0 06.04.2024 4780245-00010 Date of first issue: 23.08.2019

Biodegradability : Result: Readily biodegradable.

Biodegradation: 92 - 96 %

Exposure time: 14 d

Bioaccumulative potential

Components:

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Partition coefficient: n- :

octanol/water

log Pow: 4.51

Benzyl alcohol:

Partition coefficient: n-

octanol/water

log Pow: 1.05

Mobility in soil

No data available

Other adverse effects

No data available

Section 13: Disposal considerations

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

Section 14: Transport information

International Regulations

UNRTDG

UN number : Not applicable
UN proper shipping name : Not applicable
Transport hazard class(es) : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Environmentally hazardous : no

IATA-DGR

UN/ID No. : Not applicable
UN proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable



Diclofenac Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 2.0 06.04.2024 4780245-00010 Date of first issue: 23.08.2019

aircraft)

Packing instruction (passen: Not applicable

ger aircraft)

IMDG-Code

UN number Not applicable UN proper shipping name Not applicable Not applicable Class Not applicable Subsidiary risk Not applicable Packing group Not applicable Labels **EmS Code** Not applicable Marine pollutant Not applicable

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

Not applicable

Section 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and

Environmental Protection and Management (Hazard-

ous Substances) Regulations

Not applicable

Fire Safety (Petroleum and Flammable Materials) : Not applicable

Regulations

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

Section 16: Other information

Revision Date : 06.04.2024

Further information

Sources of key data used to compile the Safety Data

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Sheet cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.



Diclofenac Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 2.0 06.04.2024 4780245-00010 Date of first issue: 23.08.2019

Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk, IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN