

Diflubenzuron (25%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 28.09.2024 10877034-00009 Date of first issue: 26.10.2022 3.0

SECTION 1. IDENTIFICATION

Product identifier Diflubenzuron (25%) Formulation

Other means of identification Zenith Concentrate (A006102)

Manufacturer or supplier's details

Company MSD

Address Rua Coronel Bento Soares, 530

Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone 908-740-4000

Emergency telephone 1-908-423-6000

E-mail address EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Veterinary product Recommended use Restrictions on use Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

Skin irritation : Category 3

Skin sensitization Category 1

repeated exposure

Specific target organ toxicity - : Category 2 (Blood, spleen, Liver)

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 1

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms







Signal Word Warning

lazard Statements H316 Causes mild skin irritation.

H317 May cause an allergic skin reaction.



Diflubenzuron (25%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 3.0 28.09.2024 10877034-00009 Date of first issue: 26.10.2022

H373 May cause damage to organs (Blood, spleen, Liver)

through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : Prevention:

P272 Contaminated work clothing should not be allowed out of

the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water. P314 Get medical advice/ attention if you feel unwell.

P333 + P313 If skin irritation or rash occurs: Get medical ad-

vice/ attention.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

P391 Collect spillage.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
N-[[(4- chlorophenyl)amino]carbonyl]- 2,6-difluorobenzamide	35367-38-5	Acute Tox. (Oral), 5 STOT RE, (Blood, spleen, Liver), 2 Aquatic Acute, 1 Aquatic Chronic, 1	>= 25 -< 30
Sulfurous acid, monosodium salt, reaction products with (cresol, formaldehyde, nonylphenol) polymer	115535-44-9	Aquatic Acute, 3 Aquatic Chronic, 3	>= 2,5 -< 5
(R)-p-mentha-1,8-diene	5989-27-5	Flam. Liq., 3 Skin Irrit., 2 Skin Sens., 1B Asp. Tox., 1 Aquatic Acute, 1 Aquatic Chronic, 3	>= 1 -< 2,5
N,N"-methylenebis[N'-[3- (hydroxymethyl)-2,5- dioxoimidazolidin-4-yl]urea]	39236-46-9	Skin Sens., 1B Aquatic Acute, 2 Aquatic Chronic, 3	>= 0,1 -< 0,25

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical



Diflubenzuron (25%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 3.0 28.09.2024 10877034-00009 Date of first issue: 26.10.2022

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

In case of eye contact

delayed

Causes mild skin irritation.

May cause an allergic skin reaction.

May cause damage to organs through prolonged or repeated

exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Chlorine compounds Nitrogen oxides (NOx) Fluorine compounds

Metal oxides Sulfur oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.



Diflubenzuron (25%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 3.0
 28.09.2024
 10877034-00009
 Date of first issue: 26.10.2022

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation Advice on safe handling Use only with adequate ventilation.

Do not get on skin or clothing.

Do not breathe mist or vapors.

Do not swallow.

Avoid contact with eyes.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the



Diflubenzuron (25%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 3.0
 28.09.2024
 10877034-00009
 Date of first issue: 26.10.2022

use of administrative controls.

Conditions for safe storage : Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
N-[[(4- chlorophenyl)amino]carbonyl]- 2,6-difluorobenzamide	35367-38-5	TWA	100 μg/m3 (OEB 2)	Internal

Engineering measures : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face

containment devices).

Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type

Hand protection

Combined particulates and organic vapor type

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets,

disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES



Diflubenzuron (25%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 3.0 28.09.2024 10877034-00009 Date of first issue: 26.10.2022

Physical state : suspension

Color : off-white, to, pink, orange

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : 1,09 - 1,19

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : 1300 - 2400 mm²/s

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available



Diflubenzuron (25%) Formulation

Version **Revision Date:** SDS Number: Date of last issue: 06.07.2024 28.09.2024 10877034-00009 Date of first issue: 26.10.2022 3.0

Particle characteristics

Particle size Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Can react with strong oxidizing agents.

Possibility of hazardous reac-

tions

Conditions to avoid None known. Incompatible materials Oxidizing agents

No hazardous decomposition products are known. Hazardous decomposition

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of: Inhalation

Skin contact exposure Ingestion

Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity Acute toxicity estimate: > 5.000 mg/kg

Method: Calculation method

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Acute oral toxicity : LD50 (Rat): 4.640 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 2,49 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

: LD50 (Rabbit): > 2.000 mg/kg Acute dermal toxicity

Method: OECD Test Guideline 402

(R)-p-mentha-1,8-diene:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 423

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Remarks: Based on data from similar materials

N,N"-methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg



Diflubenzuron (25%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 3.0 28.09.2024 10877034-00009 Date of first issue: 26.10.2022

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l

Exposure time: 1 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 8.000 mg/kg

Skin corrosion/irritation

Causes mild skin irritation.

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

(R)-p-mentha-1,8-diene:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

N,N"-methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

(R)-p-mentha-1,8-diene:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

N, N''-methylenebis [N'-[3-(hydroxymethyl)-2, 5-dioxoimidazolidin-4-yl]urea]:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.



Diflubenzuron (25%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 3.0 28.09.2024 10877034-00009 Date of first issue: 26.10.2022

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

(R)-p-mentha-1,8-diene:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact

Species : Mouse

Method : OECD Test Guideline 429

Result : positive

Assessment : Probability or evidence of low to moderate skin sensitization

rate in humans

N,N"-methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : positive

Assessment : Probability or evidence of low to moderate skin sensitization

rate in humans

Germ cell mutagenicity

Not classified based on available information.

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

(R)-p-mentha-1,8-diene:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials



Diflubenzuron (25%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 3.0 28.09.2024 10877034-00009 Date of first issue: 26.10.2022

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: In vivo mammalian alkaline comet assay

Species: Rat

Application Route: Ingestion

Result: negative

N,N"-methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Test Type: Unscheduled DNA synthesis (UDS) test with

mammalian liver cells in vivo

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 486

Result: negative

Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks
Result : negative

(R)-p-mentha-1,8-diene:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks
Result : negative



Diflubenzuron (25%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 3.0 28.09.2024 10877034-00009 Date of first issue: 26.10.2022

Reproductive toxicity

Not classified based on available information.

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rabbit

Application Route: Ingestion

Result: negative

(R)-p-mentha-1,8-diene:

Effects on fetal development: Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

N,N"-methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse

Application Route: Ingestion

Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Blood, spleen, Liver) through prolonged or repeated exposure.

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Routes of exposure : Ingestion

Target Organs : Blood, spleen, Liver

Assessment : Shown to produce significant health effects in animals at con-

centrations of >10 to 100 mg/kg bw.

Routes of exposure : inhalation (dust/mist/fume)
Target Organs : Blood, spleen, Liver

Assessment : Shown to produce significant health effects in animals at con-

centrations of >0.02 to 0.2 mg/l/6h/d.

Routes of exposure : Skin contact

Target Organs : Blood, spleen, Liver

Assessment : Shown to produce significant health effects in animals at con-

centrations of >20 to 200 mg/kg bw.



Diflubenzuron (25%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 3.0 28.09.2024 10877034-00009 Date of first issue: 26.10.2022

(R)-p-mentha-1,8-diene:

Assessment : No significant health effects observed in animals at concentra-

tions of 100 mg/kg bw or less.

Repeated dose toxicity

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Species: RatLOAEL: 81 mg/kgApplication Route: IngestionExposure time: 28 Days

Species: RabbitNOAEL: > 322 mg/kgApplication Route: Skin contactExposure time: 28 Days

Species : Rat NOAEL : > 0,1 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 28 Days

(R)-p-mentha-1,8-diene:

Species : Rat, male
NOAEL : 5 mg/kg
LOAEL : 30 mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks

N,N"-methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Species : Rat, male
NOAEL : 672 mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks

Aspiration toxicity

Not classified based on available information.

Components:

(R)-p-mentha-1,8-diene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.



Diflubenzuron (25%) Formulation

Version **Revision Date:** SDS Number: Date of last issue: 06.07.2024 10877034-00009 Date of first issue: 26.10.2022 3.0 28.09.2024

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Toxicity to fish LC50 (Cyprinodon variegatus (sheepshead minnow)): > 0,13

mg/l

Exposure time: 96 h

Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other: EC50 (Daphnia magna (Water flea)): 0,00026 mg/l

aquatic invertebrates

Exposure time: 48 h

1.000

1.000

Toxicity to algae/aquatic

plants

EC50 (Selenastrum capricornutum (green algae)): > 0,2 mg/l

Exposure time: 72 h

Remarks: No toxicity at the limit of solubility.

M-Factor (Acute aquatic tox- :

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0,1 mg/l

Exposure time: 35 d

Toxicity to daphnia and other:

aquatic invertebrates (Chron-

ic toxicity)

M-Factor (Chronic aquatic

toxicity)

NOEC (Daphnia magna (Water flea)): 0,00004 mg/l

Exposure time: 21 d

Sulfurous acid, monosodium salt, reaction products with (cresol, formaldehyde, nonylphenol) polymer:

Toxicity to fish LC50 (Danio rerio (zebra fish)): > 10 - 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

(R)-p-mentha-1,8-diene:

LC50 (Pimephales promelas (fathead minnow)): 0,720 mg/l Toxicity to fish

Exposure time: 96 h

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 307 µg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,25

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC10 (Pseudokirchneriella subcapitata (green algae)): 0,14

Exposure time: 72 h

Method: OECD Test Guideline 201



Diflubenzuron (25%) Formulation

Version **Revision Date:** SDS Number: Date of last issue: 06.07.2024 28.09.2024 10877034-00009 Date of first issue: 26.10.2022 3.0

M-Factor (Acute aquatic tox- : 1

icity)

Toxicity to fish (Chronic tox- : EC10 (Pimephales promelas (fathead minnow)): 0,37 mg/l

Exposure time: 8 d

Toxicity to daphnia and other: aquatic invertebrates (Chron-

ic toxicity)

EC10 (Daphnia magna (Water flea)): 0,153 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms EC50: > 100 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

N,N"-methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)): > 220 mg/l

Exposure time: 96 h

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 10 - 100 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1 -

10 mg/l

Exposure time: 72 h

Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): > 1 -

10 mg/l

Exposure time: 72 h

Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materials

Toxicity to microorganisms EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Persistence and degradability

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Biodegradability Result: Not readily biodegradable.

Method: OECD Test Guideline 301

(R)-p-mentha-1,8-diene:

Biodegradability Result: Readily biodegradable.

> Biodegradation: 71,4 % Exposure time: 28 d

Method: OECD Test Guideline 301B



Diflubenzuron (25%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 3.0 28.09.2024 10877034-00009 Date of first issue: 26.10.2022

П

N,N"-methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 37,4 - 42,7 %

Exposure time: 25 d

Bioaccumulative potential

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 78 - 360

Partition coefficient: n-

octanol/water

log Pow: < 4

(R)-p-mentha-1,8-diene:

Partition coefficient: n- : log Pow: 4,38

octanol/water

N,N"-methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Partition coefficient: n- : log Pow: < 4

octanol/water Remarks: Expert judgment

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

NOS

(N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide,

(R)-p-mentha-1,8-diene)

Class : 9
Packing group : III
Labels : 9



Diflubenzuron (25%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 3.0 28.09.2024 10877034-00009 Date of first issue: 26.10.2022

Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide,

(R)-p-mentha-1,8-diene)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo :

aircraft)

Packing instruction (passen: 964

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

(N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide,

(R)-p-mentha-1,8-diene)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

ANTT

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide,

(R)-p-mentha-1,8-diene)

Class : 9
Packing group : III
Labels : 9
Hazard Identification Number : 90

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans - : Not applicable

(LINACH)



Diflubenzuron (25%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 3.0
 28.09.2024
 10877034-00009
 Date of first issue: 26.10.2022

Brazil. List of chemicals controlled by the Federal : Not applicable

Police

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 28.09.2024 Date format : dd.mm.yyyy

Further information

Sources of key data used to : Ir compile the Material Safety e

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transporta-



Diflubenzuron (25%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 3.0 28.09.2024 10877034-00009 Date of first issue: 26.10.2022

tion of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8