

## **Diflubenzuron (25%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
6.0	28.09.2024	10877064-00009	Date of first issue: 26.10.2022

#### **SECTION 1:** Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Diflubenzuron (25%) Formulation

Other means of identification : Zenith Concentrate (A006102)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	: Veterinary product	
Recommended restrictions on use	: Not applicable	

#### 1.3 Details of the supplier of the safety data sheet

Company	:	MSD Walton Manor, Walton MK7 7AJ Milton Keynes - United Kingdom
Telephone	:	+1-908-740-4000
E-mail address of person responsible for the SDS	:	EHSDATASTEWARD@msd.com

#### **1.4 Emergency telephone number**

+1-908-423-6000

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Specific target organ toxicity - repeated	H373: May cause damage to organs through pro-
exposure, Category 2	longed or repeated exposure.
Short-term (acute) aquatic hazard, Cate-	H400: Very toxic to aquatic life.
gory 1 Long-term (chronic) aquatic hazard, Cat- egory 1	H410: Very toxic to aquatic life with long lasting effects.



## **Diflubenzuron (25%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
6.0	28.09.2024	10877064-00009	Date of first issue: 26.10.2022

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :		
Signal word :	Warning	• •
Hazard statements :	H317 H373 H410	May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.
Precautionary statements :	<b>Preventior</b> P273 P280	Avoid release to the environment. Wear protective gloves.
	<b>Response</b> P314 P333 + P3 <sup>2</sup> P362 + P36 P391	Get medical advice/ attention if you feel unwell. I3 If skin irritation or rash occurs: Get medical advice/ attention.

Hazardous components which must be listed on the label:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide

(R)-p-mentha-1,8-diene

N,N"-Methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
N-[[(4-chlorophenyl)amino]carbonyl]- 2,6-difluorobenzamide	35367-38-5 252-529-3	STOT RE 2; H373 (Blood, spleen, Liver) Aquatic Acute 1;	>= 25 - < 30

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **Diflubenzuron (25%) Formulation**

ersion )	Revision Date: 28.09.2024	SDS Numb 10877064-0		Date of last issue: 06.07.2024 Date of first issue: 26.10.2022	
				H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1,000 M-Factor (Chronic	
				aquatic toxicity): 1,000	
reacti	rous acid, monosodiur ion products with (cres ehyde, nonylphenol) p	ol, for-	5535-44-9	Aquatic Chronic 3; H412	>= 2.5 - < 10
(R)-p	-mentha-1,8-diene	227	39-27-5 7-813-5 1-096-00-2	H317 Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute	>= 1 - < 2.5
(hydr	Methylenebis[N'-[3- oxymethyl)-2,5- imidazolidin-4-yl]urea]		236-46-9 4-372-6	aquatic toxicity): 1 Skin Sens. 1B; H317 Aquatic Chronic 3; H412	>= 0.1 - < 0.25
Subst	tances with a workplac	e exposure lim	nit :		
Propy	/lene glycol		-55-6 0-338-0		>= 1 - < 10

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water.



Version 6.0	Revision Date: 28.09.2024		0S Number: 877064-00009	Date of last issue: 06.07.2024 Date of first issue: 26.10.2022
			Get medical attention Wash clothing be	
In cas	se of eye contact	:		water as a precaution. ntion if irritation develops and persists.
lf swa	allowed	:	Get medical atter	NOT induce vomiting. ntion if symptoms occur. roughly with water.
	important symptoms a	nd e		2
Risks	3	:		lergic skin reaction. age to organs through prolonged or repeated
	•	med		d special treatment needed
Treat	ment	:	Treat symptomat	tically and supportively.
Suita	<b>guishing media</b> ble extinguishing media itable extinguishing a	:	Water spray Alcohol-resistant Carbon dioxide ( Dry chemical None known.	
5 2 Spaci	al hazards arising from	the	substance or m	ivturo
•	ific hazards during fire-	:		bustion products may be a hazard to health.
Haza ucts	rdous combustion prod-	:	Carbon oxides Chlorine compou Nitrogen oxides Fluorine compou Metal oxides Sulphur oxides	(NOx)
	e for firefighters			
	ial protective equipment efighters	:		e, wear self-contained breathing apparatus. otective equipment.
Spec ods	ific extinguishing meth-	:		g measures that are appropriate to local cir- the surrounding environment.



## **Diflubenzuron (25%) Formulation**

Version	Revision Date: 28.09.2024	SDS Number:	Date of last issue: 06.07.2024
6.0		10877064-00009	Date of first issue: 26.10.2022
			v to cool unopened containers. aged containers from fire area if it is safe to do

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions	, protective equipment an	d emergency procedures
--------------------------	---------------------------	------------------------

Personal precautions : Use personal protective ec	quipment.
Follow safe handling advic	ce (see section 7) and personal pro-
tective equipment recomm	nendations (see section 8).

#### **6.2 Environmental precautions**

Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. If spillage enters rivers or watercourses, inform the Environ- ment Agency (emergency telephone number 0800 807060).
---------------------------	---	---

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate contain- ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent. Local or national regulations may apply to releases and dis- posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter- mine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Technical measures	:	See Engineering measures under EXPOSURE
		CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Do not get on skin or clothing.
		Do not breathe mist or vapours.
		Do not swallow.
		Avoid contact with eyes.
		Handle in accordance with good industrial hygiene and safety

UK REACH Regulations SI 2019/758



## Diflubenzuron (25%) Formulation

Version 6.0	Revision Date: 28.09.2024	SDS Number 10877064-00	
practice, based on the results of the work sessment   Take care to prevent spills, waste and renvironment.   Hygiene measures : If exposure to chemical is likely during flushing systems and safety showers chemical place. When using do not eat, drink or work clothing should not be allowed ou Wash contaminated clothing before re-The effective operation of a facility shower on the engineering controls, proper personal pappropriate degowning and decontaminated clothang		e to prevent spills, waste and minimize release to the ent. The to chemical is likely during typical use, provide eye ystems and safety showers close to the working hen using do not eat, drink or smoke. Contaminated hing should not be allowed out of the workplace. Ataminated clothing before re-use. Tive operation of a facility should include review of hing controls, proper personal protective equipment, te degowning and decontamination procedures, hygiene monitoring, medical surveillance and the	
7.2 Condit	ions for safe storage,	including any	incompatibilities
	rements for storage and containers		roperly labelled containers. Store in accordance with ular national regulations.
Advic	e on common storage		ore with the following product types: idizing agents
-	<b>ic end use(s)</b> fic use(s)	: No data a	vailable

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
N-[[(4- chloro- phe- nyl)amino]carbonyl ]-2,6- difluorobenzamide	35367-38-5	TWA	100 μg/m3 (OEB 2)	Internal
Propylene glycol	57-55-6	TWA (Total va- pour and parti- cles)	150 ppm 474 mg/m3	GB EH40
		TWA (particles)	10 mg/m3	GB EH40

#### Derived No Effect Level (DNEL)

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Propylene glycol	Workers	Inhalation	Long-term local ef- fects	10 mg/m3
	Workers	Inhalation	Long-term systemic	168 mg/m3

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **Diflubenzuron (25%) Formulation**

ersion .0	Revision Date: 28.09.2024	SDS Nui 1087706		of last issue: 06.07.2024 of first issue: 26.10.2022	
				effects	
		Consumers	Inhalation	Long-term local ef- fects	10 mg/m3
		Consumers	Inhalation	Long-term systemic effects	50 mg/m3
(R)-p- diene	-mentha-1,8-	Workers	Inhalation	Long-term systemic effects	66.7 mg/m3
		Workers	Skin contact	Acute local effects	9.5 mg/kg bw/day
		Consumers	Inhalation	Long-term systemic effects	16.6 mg/m3
		Consumers	Skin contact	Acute local effects	4.8 mg/kg bw/day
		Consumers	Ingestion	Long-term systemic effects	4.8 mg/kg bw/day
[3-(hy	Methylenebis[N'- /droxymethyl)- ioxoimidazolidin- rea]	Workers	Inhalation	Long-term systemic effects	24.5 mg/m3
	-	Workers	Inhalation	Acute systemic ef- fects	45.5 mg/m3
		Workers	Skin contact	Long-term systemic effects	2.8 mg/kg bw/day
		Workers	Skin contact	Acute systemic ef- fects	160 mg/kg bw/day
		Consumers	Ingestion	Long-term systemic effects	1.4 mg/kg bw/day

#### Predicted No Effect Concentration (PNEC)

Substance name	Environmental Compartment	Value
Propylene glycol	Fresh water	260 mg/l
	Freshwater - intermittent	183 mg/l
	Marine water	26 mg/l
	Sewage treatment plant	20000 mg/l
	Fresh water sediment	572 mg/kg dry weight (d.w.)
	Marine sediment	57.2 mg/kg dry weight (d.w.)
	Soil	50 mg/kg dry weight (d.w.)
(R)-p-mentha-1,8-diene	Fresh water	0.014 mg/l
	Marine water	0.0014 mg/l
	Sewage treatment plant	1.8 mg/l
	Fresh water sediment	3.85 mg/kg dry weight (d.w.)
	Marine sediment	0.385 mg/kg dry weight (d.w.)
	Soil	0.763 mg/kg dry weight (d.w.)
	Oral (Secondary Poisoning)	133 mg/kg food
N,N"-Methylenebis[N'-[3- (hydroxymethyl)-2,5-	Fresh water	0.00578 mg/l

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## Diflubenzuron (25%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
6.0	28.09.2024	10877064-00009	Date of first issue: 26.10.2022

dioxoimidazolidin-4-yl]urea]		
	Freshwater - intermittent	0.0578 mg/l
	Marine water	0.00058 mg/l
	Sewage treatment plant	20 mg/l
	Fresh water sediment	0.08878 mg/kg dry weight (d.w.)
	Marine sediment	0.00888 mg/kg dry weight (d.w.)
	Soil	0.01435 mg/kg dry weight (d.w.)

#### 8.2 Exposure controls

#### **Engineering measures**

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

#### Personal protective equipment

Eye/face protection Hand protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
·		
Material	:	Chemical-resistant gloves
Remarks Skin and body protection	:	Consider double gloving. Work uniform or laboratory coat.
Skin and body protection	•	Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
		Use appropriate degowning techniques to remove potentially
Respiratory protection	:	contaminated clothing. If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Equipment should conform to BS EN 14387
Filter type	:	Combined particulates and organic vapour type (A-P)

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Ver 6.0	sion	Revision Date: 28.09.2024		S Number: 377064-00009	Date of last issue: 06.07.2024 Date of first issue: 26.10.2022
	Odour	Threshold	:	No data available	9
	рН		:	No data available	)
	Melting	point/freezing point	:	No data available	)
	Initial b range	oiling point and boiling	:	No data available	9
	Flash p	point	:	No data available	9
	Evapor	ation rate	:	No data available	9
	Flamm	ability (solid, gas)	:	Not applicable	
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	9
	Vapour	pressure	:	No data available	9
	Relativ	e vapour density	:	No data available	9
	Relativ	e density	:	1.09 - 1.19	
	Density	/	:	No data available	)
		er solubility n coefficient: n-	:	No data available Not applicable	
	Auto-ig	nition temperature	:	No data available	
	Decom	position temperature	:	No data available	9
	Viscosi Visc	ty cosity, kinematic	:	1300 - 2400 mm2	2/s
	Explosi	ve properties	:	Not explosive	
	Oxidizi	ng properties	:	The substance o	r mixture is not classified as oxidizing.
9.2		nformation			
		ability (liquids)	:	No data available	
	Molecu	lar weight	:	No data available	9
	Particle	e size	:	Not applicable	



## **Diflubenzuron (25%) Formulation**

Version 6.0	Revision Date: 28.09.2024	SDS Number: 10877064-00009	Date of last issue: 06.07.2024 Date of first issue: 26.10.2022	

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Not classified as a	reactivity hazard.
---------------------	--------------------

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

#### 10.4 Conditions to avoid

Conditions to avoid : None known.

#### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

#### **10.6 Hazardous decomposition products**

No hazardous decomposition products are known.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Information on likely routes of	:	Inhalation
exposure		Skin contact
		Ingestion
		Eye contact

#### Acute toxicity

Not classified based on available information.

#### **Components:**

#### N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Acute oral toxicity	: LD50 (Rat): 4,640 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 2.49 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Method: OECD Test Guideline 402
(R)-p-mentha-1,8-diene:	
Acute oral toxicity	: LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 423



## **Diflubenzuron (25%) Formulation**

Version	Revision Date:	-	OS Number:	Date of last issue: 06.07.2024		
6.0	28.09.2024	10	877064-00009	Date of first issue: 26.10.2022		
Acute	Acute dermal toxicity		LD50 (Rabbit): > 5,000 mg/kg Remarks: Based on data from similar materials			
N,N''·	-Methylenebis[N'-[3-(h	ydro	oxymethyl)-2,5-dio	oxoimidazolidin-4-yl]urea]:		
Acute	e oral toxicity	:	LD50 (Rat): > 5,000 mg/kg			
Acute	Acute inhalation toxicity		LC50 (Rat): > 5 mg/l Exposure time: 1 h Test atmosphere: dust/mist			
Acute	e dermal toxicity	:	LD50 (Rabbit): >	8,000 mg/kg		
Prop	ylene glycol:					
	e oral toxicity	:	LD50 (Rat): 22,000 mg/kg			
Acute	Acute inhalation toxicity		LC50 (Rat): > 44.9 mg/l Exposure time: 4 h Test atmosphere: dust/mist			
Acute	Acute dermal toxicity		LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity			
Skin	corrosion/irritation					
Not c	lassified based on avail	lable	information.			
Com	ponents:					
N-[[(4	1-chlorophenyl)amino	]carl	oonyl]-2,6-difluor	obenzamide:		
Spec	ies	:	Rabbit			
Meth		:	: OECD Test Guideline 404			
Resu	lt	:	No skin irritation			
(R)-p	-mentha-1,8-diene:					
Spec	ies	:	Rabbit			

Species		Rabbit
Method	:	OECD Test Guideline 404
Species Method Result	:	Skin irritation

#### N,N"-Methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Species Result	:	Rabbit
Result	:	No skin irritation

#### Propylene glycol:

Species Method Result	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **Diflubenzuron (25%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
6.0	28.09.2024	10877064-00009	Date of first issue: 26.10.2022

#### Serious eye damage/eye irritation

Not classified based on available information.

#### **Components:**

#### N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Species Method Result	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

#### (R)-p-mentha-1,8-diene:

Species Method Result	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

#### N,N"-Methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Species Result	:	Rabbit
Result	:	No eye irritation

#### Propylene glycol:

Species : Method : Result :	Rabbit
Method :	OECD Test Guideline 405
Result :	No eye irritation

#### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified based on available information.

#### **Components:**

#### N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Test Type Exposure routes Species Method Result	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

#### (R)-p-mentha-1,8-diene:

Species	:	Local lymph node assay (LLNA) Skin contact Mouse OECD Test Guideline 429 positive
Assessment	:	Probability or evidence of low to moderate skin sensitisation rate in humans

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **Diflubenzuron (25%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
6.0	28.09.2024	10877064-00009	Date of first issue: 26.10.2022

#### N,N"-Methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Test Type Exposure routes Species Result		Maximisation Test Skin contact Guinea pig positive
Assessment	:	Probability or evidence of low to moderate skin sensitisation rate in humans

#### Propylene glycol:

:	Maximisation Test
:	Skin contact
:	Guinea pig
:	negative
	:

#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

#### N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

	Juan	bonyi]-z,o-dindolobenzanide.	
Genotoxicity in vitro :		Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative	
		Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative	
Genotoxicity in vivo	:	Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Intraperitoneal injection Result: negative	
(R)-p-mentha-1,8-diene:			
Genotoxicity in vitro :		Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials	
		Test Type: In vitro mammalian cell gene mutation test Result: negative	
		Test Type: Chromosome aberration test in vitro Result: negative	
Genotoxicity in vivo	:	Test Type: In vivo mammalian alkaline comet assay Species: Rat Application Route: Ingestion	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **Diflubenzuron (25%) Formulation**

Version 6.0	Revision Date: 28.09.2024	SDS Number: 10877064-00009	Date of last issue: 06.07.2024 Date of first issue: 26.10.2022
		Result: negative	
N,N''	-Methylenebis[N'-[3-(	hydroxymethyl)-2,5-d	ioxoimidazolidin-4-yl]urea]:
Geno	otoxicity in vitro		erial reverse mutation assay (AMES) Test Guideline 471
		Test Type: Chro Result: negative	emosome aberration test in vitro
Gend	otoxicity in vivo	cytogenetic ass Species: Mouse Application Rou Result: negative Remarks: Based Test Type: Unso mammalian live Species: Rat Application Rou Method: OECD	te: Ingestion d on data from similar materials cheduled DNA synthesis (UDS) test with r cells in vivo te: Ingestion Test Guideline 486
		Result: negative Remarks: Base	d on data from similar materials
Prop	ylene glycol:		
Gend	ptoxicity in vitro	: Test Type: Bact Result: negative	erial reverse mutation assay (AMES)
			omosome aberration test in vitro Test Guideline 473
Gend	otoxicity in vivo	cytogenetic ass Species: Mouse	te: Intraperitoneal injection

#### Carcinogenicity

Not classified based on available information.

**Components:** 

### N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Species Application Route	: Rat
Application Route	: Ingestion
Exposure time Result	: 104 weeks
Result	: negative

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version 6.0	Revision Date: 28.09.2024	SDS Number: 10877064-00009	Date of last issue: 06.07.2024 Date of first issue: 26.10.2022		
(R)-p-ı	mentha-1,8-diene:				
Specie Applica	es ation Route ure time	: Mouse : Ingestion : 103 weeks : negative			
Propy	lene glycol:				
	ation Route ure time	: Rat : Ingestion : 2 Years : negative			
-	ductive toxicity assified based on availa	able information.			
Comp	onents:				
	chlorophenyl)amino]				
Effects	s on fertility	: Test Type: Two- Species: Rat Application Rout Result: negative			
Effects ment	s on foetal develop-	Species: Rabbit Application Rout	Test Type: Embryo-foetal development Species: Rabbit Application Route: Ingestion Result: negative		
•• (R)-р-ı	mentha-1,8-diene:				
Effects ment	s on foetal develop-	: Test Type: Emb Species: Rat Application Rout Result: negative	-		
	Methylenebis[N'-[3-(hy	/droxymethyl)-2,5-di	oxoimidazolidin-4-yl]urea]:		
Effects ment	s on foetal develop-	: Test Type: Emb Species: Mouse Application Rout Result: negative	te: Ingestion		
Propy	lene glycol:				
Effects	s on fertility	: Test Type: Two- Species: Mouse Application Rout Result: negative	te: Ingestion		
Effects ment	s on foetal develop-	: Test Type: Emb Species: Mouse Application Rout			

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **Diflubenzuron (25%) Formulation**

/ersion 6.0	Revision Date: 28.09.2024	SDS Number: 10877064-00009	Date of last issue: 06.07.2024 Date of first issue: 26.10.2022
I		Result: negative	
II STOT	Γ - single exposure		
	lassified based on ava	ailable information.	
STO	Г - repeated exposur	e	
May	cause damage to orga	ans through prolonged o	or repeated exposure.
Com	ponents:		
N-[[(4	4-chlorophenyl)amin	o]carbonyl]-2,6-difluo	robenzamide:
	sure routes	: Ingestion	
	et Organs ssment		Liver ce significant health effects in animals at con- 10 to 100 mg/kg bw.
Expo	sure routes	: inhalation (dust/	/mist/fume)
Targe	et Organs	: Blood, spleen, L	liver
Asse	ssment		ce significant health effects in animals at con- 0.02 to 0.2 mg/l/6h/d.
	sure routes	: Skin contact	•
	et Organs ssment		ce significant health effects in animals at con- 20 to 200 mg/kg bw.
(R)-p	-mentha-1,8-diene:		
Asse	ssment	: No significant he tions of 100 mg,	ealth effects observed in animals at concentra- /kg bw or less.
Repe	ated dose toxicity		
<u>Com</u>	ponents:		
N-[[(4	4-chlorophenyl)amin	o]carbonyl]-2,6-difluo	robenzamide:
Spec		: Rat	
LOAE Appli	L cation Route	: 81 mg/kg : Ingestion	
	sure time	: 28 Days	
Spec	ies	: Rabbit	
NOA	EL	: > 322 mg/kg	
	cation Route sure time	: Skin contact : 28 Days	
		. 20 Days	
Spec		: Rat	
NOAEL		: > 0.1 mg/l	

	•	> 0.1 mg/i
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	28 Days

# (R)-p-mentha-1,8-diene:

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **Diflubenzuron (25%) Formulation**

Version 6.0	Revision Date: 28.09.2024	-	S Number: 877064-00009	Date of last issue: 06.07.2024 Date of first issue: 26.10.2022
Species NOAEL LOAEL Application Route Exposure time		:	Rat, male 5 mg/kg 30 mg/kg Ingestion 13 Weeks	
N,N''-N	lethylenebis[N'-[3-(hy	/dro	xymethyl)-2,5-dio	xoimidazolidin-4-yl]urea]:
		: : :	Rat, male 672 mg/kg Ingestion 13 Weeks	
Propyl	ene glycol:			
		::	Rat, male >= 1,700 mg/kg Ingestion 2 yr	

#### Aspiration toxicity

Not classified based on available information.

#### **Components:**

#### (R)-p-mentha-1,8-diene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Components:**

#### N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Toxicity to fish	:	LC50 (Cyprinodon variegatus (sheepshead minnow)): > 0.13 mg/l Exposure time: 96 h Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.00026 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): > 0.2 mg/l Exposure time: 72 h Remarks: No toxicity at the limit of solubility
M-Factor (Acute aquatic tox- icity)	:	1,000
Toxicity to fish (Chronic tox-	:	NOEC: 0.1 mg/l



Version 6.0	Revision Date: 28.09.2024		0S Number: 877064-00009	Date of last issue: 06.07.2024 Date of first issue: 26.10.2022	
icity)			Exposure time: 35 Species: Pimepha	d ales promelas (fathead minnow)	
	ty to daphnia and other ic invertebrates (Chron- city)		Exposure time: 21		
M-Fac toxicity	ctor (Chronic aquatic y)	:	1,000		
	rous acid, monosodiur phenol) polymer:	n s	alt, reaction produ	icts with (cresol, formaldehyde,	
Toxici	ty to fish	:	Exposure time: 96 Method: OECD Te		
	mentha-1,8-diene:				
	ty to fish	:	LC50 (Pimephales Exposure time: 96	s promelas (fathead minnow)): 0.720 mg/l 5 h	
	ty to daphnia and other ic invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD Te		
Toxici plants	ty to algae/aquatic	:	ErC50 (Pseudokir mg/l Exposure time: 72 Method: OECD Te		
			EC10 (Pseudokiro mg/l Exposure time: 72 Method: OECD To		
M-Fac icity)	ctor (Acute aquatic tox-	:	1		
Toxici	ty to microorganisms	:	EC50 : > 100 mg/ Exposure time: 3 Method: OECD To Remarks: Based of	h	
Toxici icity)	ty to fish (Chronic tox-	:	EC10: 0.37 mg/l Exposure time: 8 Species: Pimepha	d Iles promelas (fathead minnow)	
	ty to daphnia and other ic invertebrates (Chron- city)	:	Exposure time: 21	magna (Water flea)	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version 6.0	Revision Date: 28.09.2024		9S Number: 877064-00009	Date of last issue: 06.07.2024 Date of first issue: 26.10.2022
Ecoto	oxicology Assessment			
		:		tic life with long lasting effects. on national or regional regulation.
•• N,N''·	-Methylenebis[N'-[3-(hy	dro	xymethyl)-2,5-dio	xoimidazolidin-4-yl]urea]:
Toxic	ity to fish	:	LC50 (Lepomis m Exposure time: 96	acrochirus (Bluegill sunfish)): > 220 mg/l Sh
	ity to daphnia and other tic invertebrates	:	Exposure time: 48	agna (Water flea)): > 10 - 100 mg/l 3 h on data from similar materials
Toxic plants	ity to algae/aquatic s	:	10 mg/l Exposure time: 72 Method: Directive	chneriella subcapitata (green algae)): > 1 - 2 h 67/548/EEC, Annex V, C.3. on data from similar materials
			10 mg/l Exposure time: 72 Method: Directive	rchneriella subcapitata (green algae)): > 1 - 2 h 67/548/EEC, Annex V, C.3. on data from similar materials
Toxic	ity to microorganisms	:	Exposure time: 3 Method: OECD Te	
Prop	ylene glycol:			
Toxic	ity to fish	:	LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout)): 40,613 mg/l ≩h
	ity to daphnia and other tic invertebrates	:	EC50 (Ceriodaphi Exposure time: 48	nia dubia (water flea)): 18,340 mg/l 3 h
Toxic plants	ity to algae/aquatic s	:	ErC50 (Skeletone Exposure time: 72 Method: OECD Te	
Тохіс	ity to microorganisms	:	NOEC (Pseudome Exposure time: 18	onas putida): > 20,000 mg/l 3 h
	ity to daphnia and other tic invertebrates (Chron- icity)	:	NOEC: 13,020 mg Exposure time: 7 Species: Ceriodap	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **Diflubenzuron (25%) Formulation**

Version 6.0	Revision Date: 28.09.2024		9S Number: 877064-00009	Date of last issue: 06.07.2024 Date of first issue: 26.10.2022		
12.2 Pers	12.2 Persistence and degradability					
Com	ponents:					
N-[[(	4-chlorophenyl)amino	]carb	onyl]-2,6-difluoro	obenzamide:		
Biode	egradability	:	Result: Not readil Method: OECD T	ly biodegradable. est Guideline 301		
(R)-p	o-mentha-1,8-diene:					
Biode	egradability	:	Result: Readily b Biodegradation: Exposure time: 2 Method: OECD T	71.4 %		
N,N''	-Methylenebis[N'-[3-(h	ydro	xymethyl)-2,5-dic	oxoimidazolidin-4-yl]urea]:		
Biode	egradability	:	Result: Not readil Biodegradation: Exposure time: 2	37.4 - 42.7 %		
Prop	ylene glycol:					
Biode	egradability	:	Result: Readily b Biodegradation: Exposure time: 2 Method: OECD T	98.3 %		
12.3 Bioa	ccumulative potential					
<u>Com</u>	ponents:					
N-[[(	4-chlorophenyl)amino	]carb	onyl]-2,6-difluoro	obenzamide:		
Bioa	ccumulation	:		s macrochirus (Bluegill sunfish) factor (BCF): 78 - 360		
	tion coefficient: n- nol/water	:	log Pow: < 4			
	o-mentha-1,8-diene:					
	tion coefficient: n- nol/water	:	log Pow: 4.38			
		-		oxoimidazolidin-4-yl]urea]:		
	tion coefficient: n- nol/water	:	log Pow: < 4 Remarks: Expert	judgement		

#### Propylene glycol:

Partition coefficient: n-	: log Pow: -1.07
octanol/water	Method: Regulation (EC) No. 440/2008, Annex, A.8

#### 12.4 Mobility in soil

No data available



## **Diflubenzuron (25%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
6.0	28.09.2024	10877064-00009	Date of first issue: 26.10.2022

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
		0.1% or higher.

#### 12.6 Other adverse effects

Product:

Flouuci.		
Endocrine disrupting poten-	:	This substance/mixture does not contain components consid-
tial		ered to have endocrine disrupting properties for environment
		according to UK REACH Article 57(f).

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	:	Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	:	

### **SECTION 14: Transport information**

14.1 UN number		
ADN	:	UN 3082
ADR	:	UN 3082
RID	:	UN 3082
IMDG	:	UN 3082
ΙΑΤΑ	:	UN 3082
14.2 UN proper shipping name		
ADN	:	ENVIRONMEN N.O.S.

ADN	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide, (R)-p-mentha-1,8-diene)
ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide, (R)-p-mentha-1,8-diene)



Version 6.0	Revision Date: 28.09.2024		9S Number: 877064-00009	Date of last issue: 06.07.2024 Date of first issue: 26.10.2022
RID		:	N.O.S.	ALLY HAZARDOUS SUBSTANCE, LIQUID, nyl)amino]carbonyl]-2,6-difluorobenzamide, -diene)
IMC	G	:	N.O.S.	ALLY HAZARDOUS SUBSTANCE, LIQUID, nyl)amino]carbonyl]-2,6-difluorobenzamide, -diene)
ΙΑΤ	A	:		nazardous substance, liquid, n.o.s. nyl)amino]carbonyl]-2,6-difluorobenzamide, -diene)
14.3 Tra	nsport hazard class(es)			
			Class	Subsidiary risks
AD	N	:	9	
AD	र	:	9	
RID		:	9	
IMD	G	:	9	
ΙΑΤ	Α	:	9	
14.4 Pac	king group			
Clas	king group ssification Code ard Identification Number	: : : : : : : : : : : : : : : : : : : :	III M6 90 9	
Cla: Haz Lab	king group ssification Code ard Identification Number	: : : : : : : : : : : : : : : : : : : :	III M6 90 9 (-)	
Clas	king group ssification Code ard Identification Number	: : :	III M6 90 9	
Lab	king group	::	III 9 F-A, S-F	
Pac airc Pac	<b>A (Cargo)</b> king instruction (cargo raft) king instruction (LQ) king group	:	964 Y964 III	



## **Diflubenzuron (25%) Formulation**

Vers 6.0	sion	Revision Date: 28.09.2024		DS Number: 1877064-00009	Date of last issue: 06.07.2024 Date of first issue: 26.10.2022
	Labels		:	Miscellaneous	
		Passenger) g instruction (passen-	:	964	
	Packin	g instruction (LQ) g group	:	Y964 III Miscellaneous	
14.5		onmental hazards	•	Miscellarieous	
	<b>ADN</b> Enviro	nmentally hazardous	:	ves	
	ADR	nmentally hazardous	:	yes	
	RID	nmentally hazardous	:	yes	
	<b>IMDG</b> Marine	pollutant	:	yes	
		Passenger) nmentally hazardous	:	yes	
		Cargo) nmentally hazardous	:	yes	

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks

: Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)

: Conditions of restriction for the following entries should be considered: Number on list 3

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **Diflubenzuron (25%) Formulation**

Version 6.0	Revision Date: 28.09.2024	SDS Number: 10877064-00009		f last issue: 06.07.2 f first issue: 26.10.2		
				not.		
	REACH Candidate list of		gh :	Not applicable		
	cern (SVHC) for Authoris Persistent Organic Pollu		ained :	Not applicable		
Reg ain)	ulation (EU) 2019/1021	as amended for Great	Brit-			
Reg	ulation (EC) on substand	ces that deplete the ozo	one :	Not applicable		
laye UK I	r REACH List of substanc	es subject to authorisat	tion :	Not applicable		
<b>`</b>	nex XIV) Export and import of haz	rardous chemicals - Pri	or :	Not applicable		
Informed Consent (PIC) Regulation						
Con	trol of Major Accident Ha	azards Regulations 201	5 (COM/	,		
				Quantity 1	Quantity 2	
E1		ENVIRONMENT HAZARDS	AL	100 t	200 t	

#### Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

Other information	Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.
Full text of H-Statements	
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H373	May cause damage to organs through prolonged or repeated
	exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Full text of other abbreviation	S

Aquatic Acute :		Short-term (acute	e) aquatic hazard
-----------------	--	-------------------	-------------------

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## Diflubenzuron (25%) Formulation

Version	Revision Date: 28.09.2024	SDS Number:	Date of last issue: 06.07.2024
6.0		10877064-00009	Date of first issue: 26.10.2022
Asp. <sup>-</sup> Flam. Skin I Skin S STOT GB El	Liq. rrit. Sens. RE	: Aspiration haza : Flammable liqu : Skin irritation : Skin sensitisatio : Specific target o : UK. EH40 WEL	ids

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data Sheet		eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/

#### Classification of the mixture:

Skin Sens. 1	H317
STOT RE 2	H373
Aquatic Acute 1	H400

**Classification procedure:** 

Calculation method

Calculation method

Calculation method



## Diflubenzuron (25%) Formulation

Version 6.0	Revision Date: 28.09.2024	SDS Number: 10877064-00009	Date of last issue: 06.07.2024 Date of first issue: 26.10.2022	
Aquatic Chronic 1		H410	Calculation method	

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN