

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
6.0	28.09.2024	10876890-00009	Date of first issue: 26.10.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Trade name : Diflubenzuron (25%) Formulation

Other means of identification : Zenith Concentrate (A006102)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	: Veterinary product	
Recommended restrictions on use	: Not applicable	
1.3 Details of the supplier of the	e safety data sheet	

Company	:	MSD Kilsheelan Clonmel Tipperary, IE
Telephone	:	353-51-601000
E-mail address of person responsible for the SDS	:	EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

	•
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Specific target organ toxicity - repeated	H373: May cause damage to organs through pro-
exposure, Category 2	longed or repeated exposure.
Short-term (acute) aquatic hazard, Cate-	H400: Very toxic to aquatic life.
gory 1	
Long-term (chronic) aquatic hazard, Cat-	H410: Very toxic to aquatic life with long lasting
egory 1	effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

Version 6.0	Revision Date: 28.09.2024	-	SDS Number: 0876890-000	Date of last issue: 06.07.2024 Date of first issue: 26.10.2022
Hazard pictograms		:		!
Sig	nal word	:	Warning	v v
Hazard statements		:	H317 H373	May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure.
			H410	Very toxic to aquatic life with long lasting effects.
Pre	cautionary statements	:	Prevention P273 P280	: Avoid release to the environment. Wear protective gloves.
			Response: P314 P333 + P31 P362 + P36	Get medical advice/ attention if you feel unwell. 3 If skin irritation or rash occurs: Get medical advice/ attention. 4 Take off contaminated clothing and wash it before reuse.
			P391	Collect spillage.

Hazardous components which must be listed on the label:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide (R)-p-mentha-1,8-diene N,N"-Methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components Chemical name

	Chemical name	CAS-No.	Classification	Concentration
		EC-No.		(% w/w)
		Index-No.		
		Registration number		
ĺ	N-[[(4-	35367-38-5	STOT RE 2; H373	>= 25 - < 30

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

Version 6.0	Revision Date: 28.09.2024	SDS Number: 10876890-00009	Date of last issue: 06.07.2024 Date of first issue: 26.10.2023	-
	ophenyl)amino]carbony robenzamide	I]-2,6- 252-529-3	(Blood, spleen, Liver) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1,000 M-Factor (Chronic aquatic toxicity): 1,000	
reacti	rous acid, monosodium on products with (creso Idehyde, nonylphenol)	ol,	Aquatic Chronic 3; H412	>= 2.5 - < 10
	mentha-1,8-diene	5989-27-5 227-813-5 601-096-00-2	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Skin Sens. 1B; H317 Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 3; H412 M-Factor (Acute	>= 1 - < 2.5
N N"-	Methylenebis[N'-[3-	39236-46-9	aquatic toxicity): 1 Skin Sens. 1B; H317	>= 0.1 - < 0.25
(hydro	oxymethyl)-2,5- imidazolidin-4-yl]urea]	254-372-6	Aquatic Chronic 3; H412	

For explanation of abbreviations see section 16.


SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention.



Vers 6.0	ion	Revision Date: 28.09.2024		DS Number: 876890-00009	Date of last issue: 06.07.2024 Date of first issue: 26.10.2022
				Wash clothing be Thoroughly clean	fore reuse. shoes before reuse.
	In case	of eye contact	:		ater as a precaution. ation if irritation develops and persists.
	If swall	owed	:	Get medical atten	NOT induce vomiting. ition if symptoms occur. oughly with water.
4 2 N	Nost im	portant symptoms a	nd e	offects both acute	and delayed
	Risks		:	May cause an alle	ergic skin reaction. ge to organs through prolonged or repeated
431	ndicati	on of any immediate	mo	dical attention and	d special treatment needed
	Treatm	•	:		cally and supportively.
SEC	TION	5: Firefighting mea	sur	es	
5.1 E	Extingu	ishing media			
	-	e extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (C Dry chemical	
	Unsuita media	able extinguishing	:	None known.	
5.2 5	Special	hazards arising from	n the	e substance or mi	xture
	-	c hazards during fire-	:		pustion products may be a hazard to health.
	Hazard ucts	lous combustion prod-	:	Carbon oxides Chlorine compou Nitrogen oxides (I Fluorine compour Metal oxides Sulphur oxides	NOx)
524	\dvice	for firefighters			
		I protective equipment	:		e, wear self-contained breathing apparatus. tective equipment.
	Specifi ods	c extinguishing meth-	:	cumstances and tuse water spray to	g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to do





Version 6.0	Revision Date: 28.09.2024	SDS Number: 10876890-00009	Date of last issue: 06.07.2024 Date of first issue: 26.10.2022
		so. Evacuate area	а.
SECTION	N 6: Accidental rele	ase measures	
6.1 Perso	nal precautions, prot	ective equipment a	nd emergency procedures
Perso	onal precautions	Follow safe ha	protective equipment. andling advice (see section 7) and personal pro- nent recommendations (see section 8).
6.2 Enviro	onmental precautions	5	
Envir	onmental precautions	Prevent furthe Prevent sprea barriers). Retain and dis	to the environment. r leakage or spillage if safe to do so. ding over a wide area (e.g. by containment or oil spose of contaminated wash water. es should be advised if significant spillages tained.
6.3 Metho	ds and material for c	ontainment and cle	aning up
Methods for cleaning up :		: Soak up with i For large spills ment to keep be pumped, si Clean up rema bent. Local or nation posal of this m employed in th mine which re Sections 13 a	nert absorbent material. s, provide dyking or other appropriate contain- material from spreading. If dyked material can core recovered material in appropriate container. aining materials from spill with suitable absor- nal regulations may apply to releases and dis- naterial, as well as those materials and items ne cleanup of releases. You will need to deter- gulations are applicable. nd 15 of this SDS provide information regarding r national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Do not get on skin or clothing.
		Do not breathe mist or vapours.
		Do not swallow.
		Avoid contact with eyes.
		Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

Version 6.0	Revision Date: 28.09.2024		DS Number: 876890-00009	Date of last issue: 06.07.2024 Date of first issue: 26.10.2022			
Hygiene measures		:	 Take care to prevent spills, waste and minimize release to the environment. If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. 				
7.2 Condit	ions for safe storage,	inc	luding any incom	patibilities			
Requirements for storage areas and containers		:	Keep in properly the particular nat	labelled containers. Store in accordance with ional regulations.			
Advice	e on common storage	:	: Do not store with the following product types: Strong oxidizing agents Gases				
7.3 Specific end use(s) Specific use(s)		:	No data available				

SECTION 8: Exposure controls/personal protection


8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
N-[[(4- chloro- phe- nyl)amino]carbonyl]-2,6- difluorobenzamide	35367-38-5	TWA	100 µg/m3 (ОЕВ 2)	Internal
Propylene glycol	57-55-6	OELV - 8 hrs (TWA) (particles)	10 mg/m3	IE OEL
		OELV - 8 hrs (TWA) (total (va- pour and parti- cles))	150 ppm 470 mg/m3	IE OEL

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Propylene glycol	Workers	Inhalation	Long-term local ef- fects	10 mg/m3
	Workers	Inhalation	Long-term systemic	168 mg/m3





Diflubenzuron (25%) Formulation

ersion .0	Revision Date: 28.09.2024			of last issue: 06.07.2024 of first issue: 26.10.2022	
IJ				effects	
		Consumers	Inhalation	Long-term local ef- fects	10 mg/m3
		Consumers	Inhalation	Long-term systemic effects	50 mg/m3
(R)-p- diene	mentha-1,8-	Workers	Inhalation	Long-term systemic effects	66.7 mg/m3
		Workers	Skin contact	Acute local effects	9.5 mg/kg bw/day
		Consumers	Inhalation	Long-term systemic effects	16.6 mg/m3
		Consumers	Skin contact	Acute local effects	4.8 mg/kg bw/day
		Consumers	Ingestion	Long-term systemic effects	4.8 mg/kg bw/day
[3-(hy	Methylenebis[N'- droxymethyl)- oxoimidazolidin- rea]	Workers	Inhalation	Long-term systemic effects	24.5 mg/m3
	-	Workers	Inhalation	Acute systemic ef- fects	45.5 mg/m3
		Workers	Skin contact	Long-term systemic effects	2.8 mg/kg bw/day
		Workers	Skin contact	Acute systemic ef- fects	160 mg/kg bw/day
		Consumers	Ingestion	Long-term systemic effects	1.4 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Propylene glycol	Fresh water	260 mg/l
	Freshwater - intermittent	183 mg/l
	Marine water	26 mg/l
	Sewage treatment plant	20000 mg/l
	Fresh water sediment	572 mg/kg dry weight (d.w.)
	Marine sediment	57.2 mg/kg dry weight (d.w.)
	Soil	50 mg/kg dry weight (d.w.)
(R)-p-mentha-1,8-diene	Fresh water	0.014 mg/l
	Marine water	0.0014 mg/l
	Sewage treatment plant	1.8 mg/l
	Fresh water sediment	3.85 mg/kg dry weight (d.w.)
	Marine sediment	0.385 mg/kg dry weight (d.w.)
	Soil	0.763 mg/kg dry weight (d.w.)
	Oral (Secondary Poisoning)	133 mg/kg food
N,N"-Methylenebis[N'-[3- (hydroxymethyl)-2,5-	Fresh water	0.00578 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
6.0	28.09.2024	10876890-00009	Date of first issue: 26.10.2022

dioxoimidazolidin-4-yl]urea]		
	Freshwater - intermittent	0.0578 mg/l
	Marine water	0.00058 mg/l
	Sewage treatment plant	20 mg/l
	Fresh water sediment	0.08878 mg/kg
		dry weight (d.w.)
	Marine sediment	0.00888 mg/kg
		dry weight (d.w.)
	Soil	0.01435 mg/kg
		dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

Eye/face protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection		
Material	:	Chemical-resistant gloves
Remarks Skin and body protection	:	Consider double gloving. Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis- posable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection Filter type	:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Equipment should conform to I.S. EN 14387 Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: suspension
Colour	: off-white, to, pink, orange

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

Vers 6.0	sion	Revision Date: 28.09.2024		5 Number: 76890-00009	Date of last issue: 06.07.2024 Date of first issue: 26.10.2022
	Odour		:	No data available	
	Odour 7	Fhreshold	:	No data available	
	Melting	point/freezing point	:	No data available	
	Initial boiling point and boiling range		:	No data available	
	Flamma	ability (solid, gas)	:	Not applicable	
	Flamma	ability (liquids)	:	No data available	
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Flash p	oint	:	No data available	
	Auto-ignition temperature		:	No data available	
	Decomposition temperature		:	No data available	
	рН		:	No data available	
	Viscosity Viscosity, kinematic Solubility(ies) Water solubility		:	1300 - 2400 mm2	/s
			:	No data available	
	Partition octanol	n coefficient: n- /water	:	Not applicable	
	Vapour	pressure	:	No data available	
	Relative	e density	:	1.09 - 1.19	
	Density		:	No data available	
	Relative	e vapour density	:	No data available	
		characteristics icle size	:	Not applicable	

9.2 Other information

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Diflubenzuron (25%) Formulation

Version 6.0	Revision Date: 28.09.2024	SDS Number: 10876890-00009	Date of last issue: 06.07.2024 Date of first issue: 26.10.2022
Explosives		: Not explosive	
Oxidizing properties		: The substance of	r mixture is not classified as oxidizing.
Evaporation rate		: No data available)
Molecular weight :		: No data available	9

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid	:	None known.
---------------------	---	-------------

10.5 Incompatible materials

Materials to avoid	: Oxidizing agents
--------------------	--------------------

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Inhalation exposure Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Acute oral toxicity	:	LD50 (Rat): 4,640 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 2.49 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403



rsion)	Revision Date: 28.09.2024	-	DS Number: 9876890-00009	Date of last issue: 06.07.2024 Date of first issue: 26.10.2022
Acute	e dermal toxicity	:	LD50 (Rabbit): > Method: OECD	2,000 mg/kg Test Guideline 402
(R)-p	-mentha-1,8-diene:			
Acute	e oral toxicity	:		000 mg/kg Test Guideline 423 I on data from similar materials
Acute	e dermal toxicity	:	LD50 (Rabbit): > Remarks: Based	5,000 mg/kg I on data from similar materials
N,N"	-Methylenebis[N'-[3-((hydro	oxymethyl)-2,5-di	oxoimidazolidin-4-yl]urea]:
	e oral toxicity	:	LD50 (Rat): > 5,	
Acute	e inhalation toxicity	:	LC50 (Rat): > 5 Exposure time: 7 Test atmosphere	1 h
Acute	e dermal toxicity	:	LD50 (Rabbit): >	• 8,000 mg/kg
_	corrosion/irritation lassified based on ava	ailable	information.	
Not c <u>Com</u>	lassified based on ava ponents: I-chlorophenyl)amin ies od			deline 404
Not c <u>Com</u> N-[[(4 Spec Metho Resu	lassified based on ava ponents: I-chlorophenyl)amin ies od It		o onyl]-2,6-difluor Rabbit OECD Test Guid	deline 404
Not c <u>Com</u> N-[[(4 Spec Metho Resu	lassified based on ava ponents: I-chlorophenyl)amin ies od It -mentha-1,8-diene: ies od		o onyl]-2,6-difluor Rabbit OECD Test Guid	deline 404
Not c <u>Com</u> N-[[(4 Spec Metha Resu (R)-p Spec Metha Resu	lassified based on ava ponents: I-chlorophenyl)amin ies od It -mentha-1,8-diene: ies od It	io]carl : : :	Rabbit OECD Test Guid No skin irritation Rabbit OECD Test Guid Skin irritation	deline 404 deline 404
Not c <u>Com</u> N-[[(4 Spec Methol Resu (R)-p Methol Resu N,N"-	lassified based on ava ponents: 4-chlorophenyl)amin ies od It -mentha-1,8-diene: ies od It -Methylenebis[N'-[3-(ies	io]carl : : :	Rabbit OECD Test Guid No skin irritation Rabbit OECD Test Guid Skin irritation	deline 404
Not c <u>Com</u> N-[[(4 Spec Methor Resu (R)-p Methor Resu N,N"··	lassified based on ava ponents: 4-chlorophenyl)amin ies od It -mentha-1,8-diene: ies od It -Methylenebis[N'-[3-(ies	io]carl : : :	Donyl]-2,6-difluor Rabbit OECD Test Guid No skin irritation Rabbit OECD Test Guid Skin irritation	deline 404 deline 404 oxoimidazolidin-4-yl]urea]:
Not c <u>Com</u> N-[[(4 Spec Metha Resu (R)-p Spec Metha Resu N,N''- Spec Resu Spec Resu	lassified based on ava ponents: 4-chlorophenyl)amin ies od It -mentha-1,8-diene: ies od It -Methylenebis[N'-[3-(ies	o]carl : : : (hydro : : : :	Donyl]-2,6-difluor Rabbit OECD Test Guid No skin irritation Rabbit OECD Test Guid Skin irritation DECD Test Guid Skin irritation DECD Test Guid Skin irritation	deline 404 deline 404 oxoimidazolidin-4-yl]urea]:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
6.0	28.09.2024	10876890-00009	Date of first issue: 26.10.2022

(R)-p-mentha-1,8-diene:

Species Method Result	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation

N,N"-Methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Species Result	:	Rabbit
Result	:	No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Test Type Exposure routes Species Method Result	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

(R)-p-mentha-1,8-diene:

Test Type Exposure routes Species Method Result	 Local lymph node assay (LLNA) Skin contact Mouse OECD Test Guideline 429 positive
Assessment	: Probability or evidence of low to moderate skin sensitisation rate in humans

N,N"-Methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Test Type Exposure routes Species Result	 Maximisation Test Skin contact Guinea pig positive
Assessment	: Probability or evidence of low to moderate skin sensitisation rate in humans

Germ cell mutagenicity

Not classified based on available information.

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



		Date of last issue: 06.07.2024 Date of first issue: 26.10.2022
ritro :	Test Type: Bacter Method: OECD Te Result: negative	ial reverse mutation assay (AMES) est Guideline 471
	Test Type: Chrom Method: OECD Te Result: negative	osome aberration test in vitro est Guideline 473
ivo :	Species: Mouse	t dominant lethal test (germ cell) (in vivo) : Intraperitoneal injection
.8-diene:		
ritro :	Method: OECD Te Result: negative	ial reverse mutation assay (AMES) est Guideline 471 on data from similar materials
		mammalian cell gene mutation test
	Test Type: Chrom Result: negative	osome aberration test in vitro
ivo :	Test Type: In vivo Species: Rat Application Route Result: negative	mammalian alkaline comet assay : Ingestion
bis[N'-[3-(hvdro	oxymethyl)-2 5-dio	xoimidazolidin-4-vl]ureal·
ritro :		ial reverse mutation assay (AMES)
	Test Type: Chrom Result: negative	osome aberration test in vitro
ivo :	cytogenetic assay Species: Mouse Application Route Result: negative	: Ingestion
	Test Type: Unsch mammalian liver of Species: Rat Application Route Method: OECD Te Result: negative	: Ingestion
	224 10 itro : itro : 8-diene: : itro : itro : bis[N'-[3-(hydroc)] itro :	224 10876890-00009 itro : Test Type: Bacter Method: OECD Te Result: negative Test Type: Chrom Method: OECD Te Result: negative ivo : Test Type: Roden Species: Mouse Application Route Result: negative 8-diene: : itro : Test Type: Bacter Method: OECD Te Result: negative 8-diene: : itro : Test Type: Bacter Method: OECD Te Result: negative 8-diene: : itro : Test Type: In vitro Result: negative rest Type: In vitro Result: negative Test Type: In vitro Result: negative ivo : Test Type: In vivo Species: Rat Application Route Result: negative ebis[N'-[3-(hydroxymethyl)-2,5-dio itro : Test Type: Sacter Method: OECD Te Result: negative ivo : Test Type: Sacter Method: OECD Te Result: negative ivo : Test Type: Bacter Method: OECD Te Result: negative ivo : Test Type: Mamm cytogenetic assay Species: Mouse Application Route Result: negative ivo : Test Type: Unsch mammalian liver o Species: Rat Application Route Method: OECD Te Result: negative



Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
6.0	28.09.2024	10876890-00009	Date of first issue: 26.10.2022

II

Carcinogenicity

Not classified based on available information.

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	104 weeks
Result	:	negative

(R)-p-mentha-1,8-diene:

: Mouse
: Ingestion
: 103 weeks
: negative

Reproductive toxicity

Not classified based on available information.

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on foetal develop- ment	:	Test Type: Embryo-foetal development Species: Rabbit Application Route: Ingestion Result: negative
(P) n months 1 8 diano:		

(R)-p-mentha-1,8-diene:

Effects on foetal develop- ment	:	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative
		Result. negative

N,N"-Methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Effects on foetal develop- ment	:	Test Type: Embryo-foetal development Species: Mouse
		Application Route: Ingestion
		Result: negative

STOT - single exposure

Not classified based on available information.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
6.0	28.09.2024	10876890-00009	Date of first issue: 26.10.2022

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Exposure routes Target Organs Assessment	 Ingestion Blood, spleen, Liver Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.
Exposure routes Target Organs Assessment	 inhalation (dust/mist/fume) Blood, spleen, Liver Shown to produce significant health effects in animals at concentrations of >0.02 to 0.2 mg/l/6h/d.
Exposure routes Target Organs Assessment	 Skin contact Blood, spleen, Liver Shown to produce significant health effects in animals at concentrations of >20 to 200 mg/kg bw.
(R)-p-mentha-1,8-diene	9:

Assessment	:	No significant health effects observed in animals at concentra-
		tions of 100 mg/kg bw or less.

Repeated dose toxicity

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Species LOAEL Application Route Exposure time	:	Rat 81 mg/kg Ingestion 28 Days
Species NOAEL Application Route Exposure time	:	Rabbit > 322 mg/kg Skin contact 28 Days
Species NOAEL Application Route Exposure time	:	Rat > 0.1 mg/l inhalation (dust/mist/fume) 28 Days
(R)-p-mentha-1,8-diene:		

Species NOAEL LOAEL Application Route	: Rat, male
NOAEL	: 5 mg/kg
LOAEL	: 30 mg/kg
Application Route	: Ingestion
Exposure time	: 13 Weeks



Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
6.0	28.09.2024	10876890-00009	Date of first issue: 26.10.2022

N,N"-Methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Species NOAEL	:	Rat, male
NOAEL	:	672 mg/kg
Application Route	:	Ingestion
Exposure time	:	13 Weeks

Aspiration toxicity

Not classified based on available information.

Components:

(R)-p-mentha-1,8-diene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Toxicity to fish	:	LC50 (Cyprinodon variegatus (sheepshead minnow)): > 0.13 mg/l Exposure time: 96 h Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.00026 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): > 0.2 mg/l Exposure time: 72 h Remarks: No toxicity at the limit of solubility
M-Factor (Acute aquatic tox- icity)	:	1,000
Toxicity to fish (Chronic tox-	:	NOEC: 0.1 mg/l



ersion)	Revision Date: 28.09.2024		95 Number: 876890-00009	Date of last issue: 06.07.2024 Date of first issue: 26.10.2022
icity)			Exposure time: 35 Species: Pimepha	d Iles promelas (fathead minnow)
	y to daphnia and other c invertebrates (Chron- ity)	:	Exposure time: 21	
M-Fact toxicity	tor (Chronic aquatic ′)	:	1,000	
	ous acid, monosodiur ohenol) polymer:	n sa	alt, reaction produ	icts with (cresol, formaldehyde,
	y to fish	:	Exposure time: 96 Method: OECD Te	
(R)-p-r	nentha-1,8-diene:			
	y to fish	:	LC50 (Pimephales Exposure time: 96	s promelas (fathead minnow)): 0.720 mg/l 3 h
	y to daphnia and other c invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD Te	
Toxicit plants	y to algae/aquatic	:	ErC50 (Pseudokir mg/l Exposure time: 72 Method: OECD Te	
			EC10 (Pseudokiro mg/l Exposure time: 72 Method: OECD Te	
M-Fact icity)	tor (Acute aquatic tox-	:	1	
Toxicit	y to microorganisms	:	EC50 : > 100 mg/ Exposure time: 3 Method: OECD To Remarks: Based of	h
Toxicit icity)	y to fish (Chronic tox-	:	EC10: 0.37 mg/l Exposure time: 8 Species: Pimepha	d Iles promelas (fathead minnow)
	y to daphnia and other c invertebrates (Chron- tity)	:	Exposure time: 21	magna (Water flea)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

Version 6.0	Revision Date: 28.09.2024	-	98 Number: 876890-00009	Date of last issue: 06.07.2024 Date of first issue: 26.10.2022
N,N"	-Methylenebis[N'-[3-(hy	dro	xymethyl)-2,5-dio	xoimidazolidin-4-yl]urea]:
Τοχία	Toxicity to fish		LC50 (Lepomis m Exposure time: 96	acrochirus (Bluegill sunfish)): > 220 mg/l Sh
	city to daphnia and other tic invertebrates	:	Exposure time: 48	agna (Water flea)): > 10 - 100 mg/l 3 h on data from similar materials
Toxic plant	city to algae/aquatic s	:	10 mg/l Exposure time: 72 Method: Directive	chneriella subcapitata (green algae)): > 1 - 2 h 67/548/EEC, Annex V, C.3. on data from similar materials
			10 mg/l Exposure time: 72 Method: Directive	rchneriella subcapitata (green algae)): > 1 - 2 h 67/548/EEC, Annex V, C.3. on data from similar materials
Τοχία	city to microorganisms	:	Exposure time: 3 Method: OECD To	

12.2 Persistence and degradability

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:					
Biodegradability :	Result: Not readily biodegradable. Method: OECD Test Guideline 301				
(R)-p-mentha-1,8-diene:					
Biodegradability :	Result: Readily biodegradable. Biodegradation: 71.4 % Exposure time: 28 d Method: OECD Test Guideline 301B				
N,N"-Methylenebis[N'-[3-(hydro	xymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:				
Biodegradability :	Result: Not readily biodegradable. Biodegradation: 37.4 - 42.7 % Exposure time: 25 d				
.3 Bioaccumulative potential					

12.3 Bioaccumulative potential

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Bioaccumulation:Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 78 - 360

Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

Version 6.0	Revision Date: 28.09.2024	SDS Number: 10876890-00009	Date of last issue: 06.07.2024 Date of first issue: 26.10.2022
	tion coefficient: n- nol/water	: log Pow: < 4	
(R)-p	-mentha-1,8-diene:		
	tion coefficient: n- nol/water	: log Pow: 4.38	
N,N''	-Methylenebis[N'-[3-(hydroxymethyl)-2,5-d	ioxoimidazolidin-4-yl]urea]:
	tion coefficient: n- nol/water	: log Pow: < 4 Remarks: Expe	rt judgement
	ility in soil ata available		
12.5 Resi	ults of PBT and vPvB	assessment	
Prod	luct:		
	ssment	to be either pers	mixture contains no components considered sistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of
12.6 End	ocrine disrupting pro	perties	
Prod	luct:		
Asse	ssment	ered to have en REACH Article	mixture does not contain components consid- docrine disrupting properties according to 57(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at or higher.
	e r adverse effects ata available		
SECTIO	N 13: Disposal con	siderations	
13 1 W2e	te treatment methods		
Prod			ccordance with local regulations.
1100		According to the are not product Waste codes sh	e European Waste Catalogue, Waste Codes specific, but application specific. hould be assigned by the user, preferably in the waste disposal authorities

		discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number or ID number

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version 6.0	Revision Date: 28.09.2024		DS Number: 1876890-00009	Date of last issue: 06.07.2024 Date of first issue: 26.10.2022
ADN		:	UN 3082	
ADR		:	UN 3082	
RID		:	UN 3082	
IMDG	ì	:	UN 3082	
ΙΑΤΑ		:	UN 3082	
14.2 UN p	roper shipping name			
ADN		:	N.O.S.	ALLY HAZARDOUS SUBSTANCE, LIQUID, enyl)amino]carbonyl]-2,6-difluorobenzamide, 8-diene)
ADR		:	N.O.S.	ALLY HAZARDOUS SUBSTANCE, LIQUID, enyl)amino]carbonyl]-2,6-difluorobenzamide, 3-diene)
RID		:	N.O.S.	ALLY HAZARDOUS SUBSTANCE, LIQUID, enyl)amino]carbonyl]-2,6-difluorobenzamide, 3-diene)
IMDG	•	:	N.O.S.	ALLY HAZARDOUS SUBSTANCE, LIQUID, enyl)amino]carbonyl]-2,6-difluorobenzamide, 3-diene)
ΙΑΤΑ		:		hazardous substance, liquid, n.o.s. enyl)amino]carbonyl]-2,6-difluorobenzamide, 3-diene)
14.3 Trans	sport hazard class(es)			
			Class	Subsidiary risks
ADN		:	9	-
ADR		:	9	
RID		:	9	
IMDG	ì	:	9	
ΙΑΤΑ		:	9	
14.4 Pack	ing group			
ADN Packi Class Haza Label ADR Packi	ng group ification Code rd Identification Number		III M6 90 9 III M6	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

Vers 6.0	sion	Revision Date: 28.09.2024		9S Number: 876890-00009	Date of last issue: 06.07.2024 Date of first issue: 26.10.2022
	Labels	Identification Number restriction code	:	90 9 (-)	
		g group cation Code Identification Number	:	III M6 90 9	
	IMDG Packing Labels EmS C		:	III 9 F-A, S-F	
	aircraft	g instruction (cargo) g instruction (LQ)	:	964 Y964 III Miscellaneous	
	Packing ger airc	g instruction (LQ)	:	964 Y964 III Miscellaneous	
14.5	5 Enviro	nmental hazards			
	ADN Enviror	mentally hazardous	:	yes	
	ADR Enviror	mentally hazardous	:	yes	
	RID Enviror	mentally hazardous	:	yes	
	IMDG Marine	pollutant	:	yes	
		Passenger) Imentally hazardous	:	yes	
	IATA ((Enviror	Cargo) Imentally hazardous	:	yes	
14.6	6 Specia	I precautions for use	r		

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.



Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
6.0	28.09.2024	10876890-00009	Date of first issue: 26.10.2022

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture REACH - Restrictions on the manufacture, placing on Conditions of restriction for the fol-: the market and use of certain dangerous substances, lowing entries should be considered: Number on list 3 mixtures and articles (Annex XVII) Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor. REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, Number on list 77: N,N"mixtures and articles (Annex XVII) Methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea] REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not. REACH - Candidate List of Substances of Very High Not applicable 2 Concern for Authorisation (Article 59). Regulation (EC) on substances that deplete the ozone Not applicable : laver Regulation (EU) 2019/1021 on persistent organic pollu-Not applicable : tants (recast) Regulation (EU) No 649/2012 of the European Parlia-: Not applicable ment and the Council concerning the export and import of dangerous chemicals REACH - List of substances subject to authorisation : Not applicable (Annex XIV) Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Quantity 2 Quantity 1 E1 **ENVIRONMENTAL** 100 t 200 t HAZARDS

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

AICS : not determined

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

ersion 0	Revision Date: 28.09.2024		OS Number: 876890-00009	Date of last issue: 06.07.2024 Date of first issue: 26.10.2022	
		_			
DSL		•	not determined		
IECS	C	:	not determined		
	nical safety assessmer al Safety Assessment ha		ot been carried out		
ECTION	16: Other information	on			
Other	information	:		nges have been made to the previous version the body of this document by two vertical	
Full te	ext of H-Statements				
H226		:	Flammable liquid		
H304		÷		allowed and enters airways.	
H315 H317		÷	Causes skin irritation.		
H373		:	May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure.		
H400		:	Very toxic to aqua		
H410		:	Very toxic to aqua	atic life with long lasting effects.	
H412		:	Harmful to aquati	c life with long lasting effects.	
Full te	ext of other abbreviation	ons			
	ic Acute	:	Short-term (acute		
	ic Chronic	:		ic) aquatic hazard	
Asp. 1 Flam.	IOX.	÷	Aspiration hazard		
Skin l		:	Flammable liquids Skin irritation		
Skin S		÷	Skin sensitisation		
STOT		÷	Specific target organ toxicity - repeated exposure		
IE OE		:	Ireland. List of Ch	nemical Agents and Carcinogens with Occu- e Limit Values - Code of Practice, Schedule 1	
IE OE	L / OELV - 8 hrs (TWA)	:		osure limit value (8-hour reference period)	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - Interna-



Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
6.0	28.09.2024	10876890-00009	Date of first issue: 26.10.2022

tional Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data		eChem Portal search results and European Chemicals Agen-
Sheet		cy, http://echa.europa.eu/

Classification of th	Classification procedure:	
Skin Sens. 1	H317	Calculation method
STOT RE 2	H373	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN