according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.0 28.09.2024 10877066-00009 Date of first issue: 26.10.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Diflubenzuron (25%) Formulation

Other means of identification : Zenith Concentrate (A006102)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-

stance/Mixture

: Veterinary product

Recommended restrictions

on use

Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD

Kilsheelan

Clonmel Tipperary, IE

Telephone : 353-51-601000

E-mail address of person

responsible for the SDS

EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Specific target organ toxicity - repeated H373: May cause damage to organs through pro-

exposure, Category 2 longed or repeated exposure.

Short-term (acute) aquatic hazard, Cate- H400: Very toxic to aquatic life.

gory 1

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.0 28.09.2024 10877066-00009 Date of first issue: 26.10.2022

Hazard pictograms :







Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or

repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P273 Avoid release to the environment.

P280 Wear protective gloves.

Response:

P314 Get medical advice/ attention if you feel unwell.
P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P362 + P364 Take off contaminated clothing and wash it

before reuse.

P391 Collect spillage.

Hazardous components which must be listed on the label:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide

(R)-p-mentha-1,8-diene

N,N"-Methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 6.0
 28.09.2024
 10877066-00009
 Date of first issue: 26.10.2022

N-[[(4-chlorophenyl)amino]carbonyl]- 2,6-difluorobenzamide	35367-38-5 252-529-3	STOT RE 2; H373 (Blood, spleen, Liver) Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 25 - < 30
		M-Factor (Acute aquatic toxicity): 1.000 M-Factor (Chronic aquatic toxicity): 1.000	
Sulfurous acid, monosodium salt, reaction products with (cresol, formaldehyde, nonylphenol) polymer	115535-44-9	Aquatic Chronic 3; H412	>= 2,5 - < 10
(R)-p-mentha-1,8-diene	5989-27-5 227-813-5 601-096-00-2	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Skin Sens. 1B; H317 Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 3; H412	>= 1 - < 2,5
		M-Factor (Acute aquatic toxicity): 1	
N,N"-Methylenebis[N'-[3- (hydroxymethyl)-2,5- dioxoimidazolidin-4-yl]urea]	39236-46-9 254-372-6	Skin Sens. 1B; H317 Aquatic Chronic 3; H412	>= 0,1 - < 0,25

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.0 28.09.2024 10877066-00009 Date of first issue: 26.10.2022

In case of skin contact : In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : May cause an allergic skin reaction.

May cause damage to organs through prolonged or repeated

exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides Chlorine compounds

Nitrogen oxides (NOx) Fluorine compounds

Metal oxides Sulphur oxides

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth- : Use extinguishing measures that are appropriate to local cir-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 6.0
 28.09.2024
 10877066-00009
 Date of first issue: 26.10.2022

ods cumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow.

Avoid contact with eyes.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.0 28.09.2024 10877066-00009 Date of first issue: 26.10.2022

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep in properly labelled containers. Store in accordance with

the particular national regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
N-[[(4- chloro- phe- nyl)amino]carbonyl]-2,6- difluorobenzamide	35367-38-5	TWA	100 μg/m3 (OEB 2)	Internal
Propylene glycol	57-55-6	TWA	25 ppm 79 mg/m3	FOR-2011- 12-06-1358
(R)-p-mentha-1,8- diene	5989-27-5	TWA	25 ppm 140 mg/m3	FOR-2011- 12-06-1358
	Further information: Substances considered to evoke allergies when coming into touch with the eyes or airways or evoking allergies after coming into contact with the skin			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.0 28.09.2024 10877066-00009 Date of first issue: 26.10.2022

Substance name	End Use	Exposure routes	fects	
Propylene glycol	Workers	Inhalation	Long-term local ef- fects	10 mg/m3
	Workers	Inhalation	Long-term systemic effects	168 mg/m3
	Consumers	Inhalation	Long-term local effects	10 mg/m3
	Consumers	Inhalation	Long-term systemic effects	50 mg/m3
(R)-p-mentha-1,8- diene	Workers	Inhalation	Long-term systemic effects	66,7 mg/m3
	Workers	Skin contact	Acute local effects	9,5 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	16,6 mg/m3
	Consumers	Skin contact	Acute local effects	4,8 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	4,8 mg/kg bw/day
N,N"-Methylenebis[N'- [3-(hydroxymethyl)- 2,5-dioxoimidazolidin- 4-yl]urea]	Workers	Inhalation	Long-term systemic effects	24,5 mg/m3
	Workers	Inhalation	Acute systemic effects	45,5 mg/m3
	Workers	Skin contact	Long-term systemic effects	2,8 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	160 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	1,4 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Propylene glycol	Fresh water	260 mg/l
	Freshwater - intermittent	183 mg/l
	Marine water	26 mg/l
	Sewage treatment plant	20000 mg/l
	Fresh water sediment	572 mg/kg dry weight (d.w.)
	Marine sediment	57,2 mg/kg dry weight (d.w.)
	Soil	50 mg/kg dry weight (d.w.)
(R)-p-mentha-1,8-diene	Fresh water	0,014 mg/l
	Marine water	0,0014 mg/l
	Sewage treatment plant	1,8 mg/l
	Fresh water sediment	3,85 mg/kg dry
		weight (d.w.)
	Marine sediment	0,385 mg/kg dry weight (d.w.)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 6.0
 28.09.2024
 10877066-00009
 Date of first issue: 26.10.2022

	Soil	0,763 mg/kg dry weight (d.w.)
	Oral (Secondary Poisoning)	133 mg/kg food
N,N"-Methylenebis[N'-[3- (hydroxymethyl)-2,5- dioxoimidazolidin-4-yl]urea]	Fresh water	0,00578 mg/l
	Freshwater - intermittent	0,0578 mg/l
	Marine water	0,00058 mg/l
	Sewage treatment plant	20 mg/l
	Fresh water sediment	0,08878 mg/kg dry weight (d.w.)
	Marine sediment	0,00888 mg/kg dry weight (d.w.)
	Soil	0,01435 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable

suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Equipment should conform to NS EN 14387

Filter type : Combined particulates and organic vapour type (A-P)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.0 28.09.2024 10877066-00009 Date of first issue: 26.10.2022

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : suspension

Colour : off-white, to, pink, orange

Odour : No data available

Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : No data available

Viscosity

Viscosity, kinematic : 1300 - 2400 mm2/s

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Vapour pressure : No data available

Relative density : 1,09 - 1,19

Density : No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.0 28.09.2024 10877066-00009 Date of first issue: 26.10.2022

Relative vapour density : No data available

Particle characteristics

Particle size : Not applicable

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

Molecular weight : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Inhalation

exposure Skin contact Ingestion

Eye contact

Acute toxicity

Not classified based on available information.

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Acute oral toxicity : LD50 (Rat): 4.640 mg/kg

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.0 28.09.2024 10877066-00009 Date of first issue: 26.10.2022

Acute inhalation toxicity : LC50 (Rat): > 2,49 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Method: OECD Test Guideline 402

(R)-p-mentha-1,8-diene:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 423

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Remarks: Based on data from similar materials

N,N"-Methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l

Exposure time: 1 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 8.000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

(R)-p-mentha-1,8-diene:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

N,N"-Methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.0 28.09.2024 10877066-00009 Date of first issue: 26.10.2022

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

(R)-p-mentha-1,8-diene:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

N,N"-Methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Test Type : Buehler Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

(R)-p-mentha-1,8-diene:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : positive

Assessment : Probability or evidence of low to moderate skin sensitisation

rate in humans

N,N"-Methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : positive

Assessment : Probability or evidence of low to moderate skin sensitisation

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 6.0
 28.09.2024
 10877066-00009
 Date of first issue: 26.10.2022

rate in humans

Germ cell mutagenicity

Not classified based on available information.

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

(R)-p-mentha-1,8-diene:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: In vivo mammalian alkaline comet assay

Species: Rat

Application Route: Ingestion

Result: negative

N,N"-Methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.0 28.09.2024 10877066-00009 Date of first issue: 26.10.2022

Remarks: Based on data from similar materials

Test Type: Unscheduled DNA synthesis (UDS) test with

mammalian liver cells in vivo

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 486

Result: negative

Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks
Result : negative

(R)-p-mentha-1,8-diene:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks
Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

ment

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Ingestion

Result: negative

(R)-p-mentha-1,8-diene:

Effects on foetal develop- : Test Type: Embryo-foetal development

ment Species: Rat

Application Route: Ingestion

Result: negative

N,N"-Methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 6.0
 28.09.2024
 10877066-00009
 Date of first issue: 26.10.2022

Effects on foetal develop- : Test Type: Embryo-foetal development

ment Species: Mouse

Application Route: Ingestion

Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Exposure routes : Ingestion

Target Organs : Blood, spleen, Liver

Assessment : Shown to produce significant health effects in animals at con-

centrations of >10 to 100 mg/kg bw.

Exposure routes : inhalation (dust/mist/fume)
Target Organs : Blood, spleen, Liver

Assessment : Shown to produce significant health effects in animals at con-

centrations of >0.02 to 0.2 mg/l/6h/d.

Exposure routes : Skin contact

Target Organs : Blood, spleen, Liver

Assessment : Shown to produce significant health effects in animals at con-

centrations of >20 to 200 mg/kg bw.

(R)-p-mentha-1,8-diene:

Assessment : No significant health effects observed in animals at concentra-

tions of 100 mg/kg bw or less.

Repeated dose toxicity

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Species : Rat
LOAEL : 81 mg/kg
Application Route : Ingestion
Exposure time : 28 Days

Species : Rabbit

NOAEL : > 322 mg/kg

Application Route : Skin contact

Exposure time : 28 Days

Species : Rat NOAEL : > 0,1 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 28 Days

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.0 28.09.2024 10877066-00009 Date of first issue: 26.10.2022

(R)-p-mentha-1,8-diene:

Species Rat, male NOAEL 5 mg/kg LOAEL 30 mg/kg Ingestion Application Route Exposure time 13 Weeks

N,N"-Methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Species Rat, male NOAEL 672 mg/kg Application Route Ingestion Exposure time 13 Weeks

Aspiration toxicity

Not classified based on available information.

Components:

(R)-p-mentha-1,8-diene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment The substance/mixture does not contain components consid-

> ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

LC50 (Cyprinodon variegatus (sheepshead minnow)): > 0,13 Toxicity to fish

mg/l

Exposure time: 96 h

Remarks: No toxicity at the limit of solubility

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0,00026 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (Selenastrum capricornutum (green algae)): > 0,2 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 28.09.2024 10877066-00009 Date of first issue: 26.10.2022 6.0

plants Exposure time: 72 h

Remarks: No toxicity at the limit of solubility

M-Factor (Acute aquatic tox- :

1.000

1.000

Toxicity to fish (Chronic tox-

icity)

NOEC: 0,1 mg/l

Exposure time: 35 d

Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other: aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,00004 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

Sulfurous acid, monosodium salt, reaction products with (cresol, formaldehyde,

nonylphenol) polymer:

Toxicity to fish LC50 (Danio rerio (zebra fish)): > 10 - 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

(R)-p-mentha-1,8-diene:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0,720 mg/l

Exposure time: 96 h

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 307 µg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,25

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC10 (Pseudokirchneriella subcapitata (green algae)): 0,14

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

Toxicity to microorganisms

EC50 : > 100 mg/lExposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

city)

EC10: 0,37 mg/l Exposure time: 8 d

Species: Pimephales promelas (fathead minnow)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 28.09.2024 10877066-00009 Date of first issue: 26.10.2022 6.0

Toxicity to daphnia and other: aquatic invertebrates (Chron-

EC10: 0,153 mg/l Exposure time: 21 d

ic toxicity)

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

N,N"-Methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

: LC50 (Lepomis macrochirus (Bluegill sunfish)): > 220 mg/l Toxicity to fish

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 10 - 100 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1 -10 mg/l

Exposure time: 72 h

Method: Directive 67/548/EEC, Annex V, C.3.

Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): > 1 -

10 mg/l

Exposure time: 72 h

Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materials

Toxicity to microorganisms EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

12.2 Persistence and degradability

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Biodegradability Result: Not readily biodegradable.

Method: OECD Test Guideline 301

(R)-p-mentha-1,8-diene:

Biodegradability Result: Readily biodegradable.

Biodegradation: 71,4 % Exposure time: 28 d

Method: OECD Test Guideline 301B

N,N"-Methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Result: Not readily biodegradable. Biodegradability

Biodegradation: 37,4 - 42,7 %

Exposure time: 25 d

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.0 28.09.2024 10877066-00009 Date of first issue: 26.10.2022

12.3 Bioaccumulative potential

Components:

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 78 - 360

Partition coefficient: n-

octanol/water

log Pow: < 4

(R)-p-mentha-1,8-diene:

Partition coefficient: n- : log Pow: 4,38

octanol/water

N,N"-Methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Partition coefficient: n- : log Pow: < 4

octanol/water Remarks: Expert judgement

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.0 28.09.2024 10877066-00009 Date of first issue: 26.10.2022

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide,

(R)-p-mentha-1,8-diene)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide,

(R)-p-mentha-1,8-diene)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide,

(R)-p-mentha-1,8-diene)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide,

(R)-p-mentha-1,8-diene)

IATA : Environmentally hazardous substance, liquid, n.o.s.

(N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide,

(R)-p-mentha-1,8-diene)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.0 28.09.2024 10877066-00009 Date of first issue: 26.10.2022

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 28.09.2024 10877066-00009 Date of first issue: 26.10.2022 6.0

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered: Number on list 3

Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Number on list 77: N,N"-

Methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

> Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

Not applicable

REACH - List of substances subject to authorisation Not applicable (Annex XIV)

Regulation (EC) on substances that deplete the ozone

Not applicable

laver

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import Not applicable

of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Quantity 1 Quantity 2 E1 **ENVIRONMENTAL** 100 t 200 t

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.0 28.09.2024 10877066-00009 Date of first issue: 26.10.2022

HAZARDS

Other regulations:

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

Full text of H-Statements

H226 : Flammable liquid and vapour.

H304 : May be fatal if swallowed and enters airways.

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.

H373 : May cause damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Asp. Tox. : Aspiration hazard Flam. Liq. : Flammable liquids Skin Irrit. : Skin irritation Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure

FOR-2011-12-06-1358 : Norway. Occupational Exposure limits

FOR-2011-12-06-1358 / : Long term exposure limit

TWA

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 6.0
 28.09.2024
 10877066-00009
 Date of first issue: 26.10.2022

associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Classification of the mixture: Classification procedure:

Skin Sens. 1 H317 Calculation method STOT RE 2 H373 Calculation method Aquatic Acute 1 H400 Calculation method Aquatic Chronic 1 H410 Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diflubenzuron (25%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 6.0
 28.09.2024
 10877066-00009
 Date of first issue: 26.10.2022

NO / EN