

**Diflubenzuron (25%) Formulation**

Version 2.1      Revision Date: 30.09.2023      SDS Number: 10877041-00005      Date of last issue: 24.02.2023  
Date of first issue: 26.10.2022

---

**Section 1: Identification**

Product name : Diflubenzuron (25%) Formulation

**Manufacturer or supplier's details**

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908  
Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON)    0800 243 622 (0800 CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

**Section 2: Hazard identification****GHS Classification**

Skin sensitisation : Category 1

Specific target organ toxicity - repeated exposure : Category 2 (Blood, spleen, Liver)

Hazardous to the aquatic environment - acute hazard : Category 1

Hazardous to the aquatic environment - chronic hazard : Category 1

**GHS label elements**

Hazard pictograms :



Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.  
H373 May cause damage to organs (Blood, spleen, Liver) through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

## Diflubenzuron (25%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2023
2.1	30.09.2023	10877041-00005	Date of first issue: 26.10.2022

### Precautionary statements

:

#### Prevention:

P260 Do not breathe mist or vapours.  
 P272 Contaminated work clothing should not be allowed out of the workplace.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves.

#### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.  
 P314 Get medical advice/ attention if you feel unwell.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
 P362 + P364 Take off contaminated clothing and wash it before reuse.  
 P391 Collect spillage.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
N-[[4-(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide	35367-38-5	>= 25 -< 30
Propylene glycol	57-55-6	>= 1 -< 10
Sulfurous acid, monosodium salt, reaction products with (cresol, formaldehyde, nonylphenol) polymer	115535-44-9	>= 2.5 -< 10
(R)-p-mentha-1,8-diene	5989-27-5	>= 1 -< 2.5
N,N''-Methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]	39236-46-9	>= 0.1 -< 0.25

## Section 4: First-aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
 Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.

## Diflubenzuron (25%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2023
2.1	30.09.2023	10877041-00005	Date of first issue: 26.10.2022

---

		Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

---

### Section 5: Fire-fighting measures

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Chlorine compounds Nitrogen oxides (NO <sub>x</sub> ) Fluorine compounds Metal oxides Sulphur oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Hazchem Code	:	3Z

---

### Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil

## Diflubenzuron (25%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2023
2.1	30.09.2023	10877041-00005	Date of first issue: 26.10.2022

---

barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### Section 7: Handling and storage

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe the mist or vapours.  
Do not swallow.  
Avoid contact with eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Conditions for safe storage : Keep in properly labelled containers.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

## Diflubenzuron (25%) Formulation

Version 2.1      Revision Date: 30.09.2023      SDS Number: 10877041-00005      Date of last issue: 24.02.2023  
 Date of first issue: 26.10.2022

## Section 8: Exposure controls/personal protection

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
N-[[[4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide	35367-38-5	TWA	100 µg/m <sup>3</sup> (OEB 2)	Internal
Propylene glycol	57-55-6	WES-TWA (particulate)	10 mg/m <sup>3</sup>	NZ OEL
		WES-TWA (Vapour and particulates)	150 ppm 474 mg/m <sup>3</sup>	NZ OEL
(R)-p-mentha-1,8-diene	5989-27-5	WES-STEL	10 ppm 56 mg/m <sup>3</sup>	NZ OEL
	Further information: Skin sensitiser, Skin absorption			
		WES-TWA	5 ppm 28 mg/m <sup>3</sup>	NZ OEL
	Further information: Skin sensitiser, Skin absorption			

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
 Minimize open handling.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.  
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

**Diflubenzuron (25%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2023
2.1	30.09.2023	10877041-00005	Date of first issue: 26.10.2022

---

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

---

**Section 9: Physical and chemical properties**

Appearance	:	suspension
Colour	:	off-white
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	1.09 - 1.19
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available

**Diflubenzuron (25%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2023
2.1	30.09.2023	10877041-00005	Date of first issue: 26.10.2022

---

Viscosity  
Viscosity, kinematic : 1300 - 2400 mm<sup>2</sup>/s

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : Not applicable

---

**Section 10: Stability and reactivity**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

**Section 11: Toxicological information**

Exposure routes : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Components:****N-[[4-chlorophenyl]amino]carbonyl]-2,6-difluorobenzamide:**

Acute oral toxicity : LD50 (Rat): 4,640 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 2.49 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: OECD Test Guideline 402

**Propylene glycol:**

Acute oral toxicity : LD50 (Rat): 22,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 44.9 mg/l

---

**Diflubenzuron (25%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2023
2.1	30.09.2023	10877041-00005	Date of first issue: 26.10.2022

---

Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**(R)-p-mentha-1,8-diene:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Remarks: Based on data from similar materials

**N,N"-Methylenebis[N'-(3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl)urea]:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l  
Exposure time: 1 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 8,000 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****N-[[4-(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Propylene glycol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**(R)-p-mentha-1,8-diene:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

**N,N"-Methylenebis[N'-(3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl)urea]:**

Species : Rabbit  
Result : No skin irritation



**Diflubenzuron (25%) Formulation**

Version 2.1      Revision Date: 30.09.2023      SDS Number: 10877041-00005      Date of last issue: 24.02.2023  
Date of first issue: 26.10.2022

---

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****N-[[[4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

**Propylene glycol:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

**(R)-p-mentha-1,8-diene:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

**N,N"-Methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:**

Species : Rabbit  
Result : No eye irritation

**Respiratory or skin sensitisation****Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****N-[[[4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:**

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

**Propylene glycol:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

**(R)-p-mentha-1,8-diene:**

Test Type : Local lymph node assay (LLNA)

## Diflubenzuron (25%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2023
2.1	30.09.2023	10877041-00005	Date of first issue: 26.10.2022

---

Exposure routes : Skin contact  
 Species : Mouse  
 Method : OECD Test Guideline 429  
 Result : positive

Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

### **N,N''-Methylenebis[N'-(3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl)urea]:**

Test Type : Maximisation Test  
 Exposure routes : Skin contact  
 Species : Guinea pig  
 Result : positive

Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

### **Chronic toxicity**

#### **Germ cell mutagenicity**

Not classified based on available information.

#### **Components:**

##### **N-[[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Method: OECD Test Guideline 471  
 Result: negative

Test Type: Chromosome aberration test in vitro  
 Method: OECD Test Guideline 473  
 Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
 Species: Mouse  
 Application Route: Intraperitoneal injection  
 Result: negative

##### **Propylene glycol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative

Test Type: Chromosome aberration test in vitro  
 Method: OECD Test Guideline 473  
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
 Species: Mouse  
 Application Route: Intraperitoneal injection  
 Result: negative

**Diflubenzuron (25%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2023
2.1	30.09.2023	10877041-00005	Date of first issue: 26.10.2022

---

**(R)-p-mentha-1,8-diene:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: In vivo mammalian alkaline comet assay  
Species: Rat  
Application Route: Ingestion  
Result: negative

**N,N"-Methylenebis[N'-(3-(hydroxymethyl)-2,5-dioximidazolidin-4-yl)urea]:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 486  
Result: negative  
Remarks: Based on data from similar materials

**Carcinogenicity**

Not classified based on available information.

**Components:****N-[[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 104 weeks  
Result : negative

## Diflubenzuron (25%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2023
2.1	30.09.2023	10877041-00005	Date of first issue: 26.10.2022

---

### Propylene glycol:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	2 Years
Result	:	negative

### (R)-p-mentha-1,8-diene:

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	103 weeks
Result	:	negative

### Reproductive toxicity

Not classified based on available information.

### Components:

#### N-[[4-chlorophenyl]amino]carbonyl]-2,6-difluorobenzamide:

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
----------------------	---	---

Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rabbit Application Route: Ingestion Result: negative
-------------------------------	---	---

### Propylene glycol:

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Mouse Application Route: Ingestion Result: negative
----------------------	---	---

Effects on foetal development	:	Test Type: Embryo-foetal development Species: Mouse Application Route: Ingestion Result: negative
-------------------------------	---	--

### (R)-p-mentha-1,8-diene:

Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative
-------------------------------	---	--

#### N,N''-Methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:

Effects on foetal development	:	Test Type: Embryo-foetal development
-------------------------------	---	--------------------------------------



**Diflubenzuron (25%) Formulation**

Version 2.1      Revision Date: 30.09.2023      SDS Number: 10877041-00005      Date of last issue: 24.02.2023  
Date of first issue: 26.10.2022

---

**Propylene glycol:**

Species : Rat, male  
NOAEL :  $\geq 1,700$  mg/kg  
Application Route : Ingestion  
Exposure time : 2 yr

**(R)-p-mentha-1,8-diene:**

Species : Rat, male  
NOAEL : 5 mg/kg  
LOAEL : 30 mg/kg  
Application Route : Ingestion  
Exposure time : 13 Weeks

**N,N"-Methylenebis[N'-(3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl)urea]:**

Species : Rat, male  
NOAEL : 672 mg/kg  
Application Route : Ingestion  
Exposure time : 13 Weeks

**Aspiration toxicity**

Not classified based on available information.

**Components:****(R)-p-mentha-1,8-diene:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

---

**Section 12: Ecological information****Ecotoxicity****Components:****N-[[4-chlorophenyl]amino]carbonyl]-2,6-difluorobenzamide:**

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)):  $> 0.13$  mg/l  
Exposure time: 96 h  
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.0026 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (green algae)):  $> 0.2$  mg/l  
Exposure time: 72 h  
Remarks: No toxicity at the limit of solubility

M-Factor (Acute aquatic tox- : 100

---

## Diflubenzuron (25%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2023
2.1	30.09.2023	10877041-00005	Date of first issue: 26.10.2022

---

icity)

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.2 mg/l  
Exposure time: 21 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.00004 mg/l  
Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 1,000

### Propylene glycol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l  
Exposure time: 7 d

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 20,000 mg/l  
Exposure time: 18 h

### Sulfurous acid, monosodium salt, reaction products with (cresol, formaldehyde, nonylphenol) polymer:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10 - 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

### (R)-p-mentha-1,8-diene:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0.720 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 307 µg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.25 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC10 (Pseudokirchneriella subcapitata (green algae)): 0.14 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

## Diflubenzuron (25%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2023
2.1	30.09.2023	10877041-00005	Date of first issue: 26.10.2022

---

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : EC10 (Pimephales promelas (fathead minnow)): 0.37 mg/l  
Exposure time: 8 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): 0.153 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 100 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

### **N,N''-Methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]urea]:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 220 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10 - 100 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1 - 10 mg/l  
Exposure time: 72 h  
Method: Directive 67/548/EEC, Annex V, C.3.  
Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): > 1 - 10 mg/l  
Exposure time: 72 h  
Method: Directive 67/548/EEC, Annex V, C.3.  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

### **Persistence and degradability**

#### **Components:**

#### **N-[[4-chlorophenyl]amino]carbonyl]-2,6-difluorobenzamide:**

Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301

#### **Propylene glycol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 98.3 %



## Diflubenzuron (25%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2023
2.1	30.09.2023	10877041-00005	Date of first issue: 26.10.2022

---

Exposure time: 28 d  
Method: OECD Test Guideline 301F

### (R)-p-mentha-1,8-diene:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 71.4 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

### N,N''-Methylenebis[N'-(3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl)urea]:

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 37.4 - 42.7 %  
Exposure time: 25 d

### Bioaccumulative potential

#### Components:

#### N-[[4-chlorophenyl]amino]carbonyl]-2,6-difluorobenzamide:

Bioaccumulation : Bioconcentration factor (BCF): 320

Partition coefficient: n-octanol/water : log Pow: 3.89

#### Propylene glycol:

Partition coefficient: n-octanol/water : log Pow: -1.07  
Method: Regulation (EC) No. 440/2008, Annex, A.8

### (R)-p-mentha-1,8-diene:

Partition coefficient: n-octanol/water : log Pow: 4.38

### N,N''-Methylenebis[N'-(3-(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl)urea]:

Partition coefficient: n-octanol/water : log Pow: < 4  
Remarks: Expert judgement

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## Section 13: Disposal considerations

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

## Diflubenzuron (25%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2023
2.1	30.09.2023	10877041-00005	Date of first issue: 26.10.2022

If not otherwise specified: Dispose of as unused product.

### Section 14: Transport information

#### International Regulations

##### UNRTDG

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (N-[[[4-chlorophenyl]amino]carbonyl]-2,6-difluorobenzamide, (R)-p-mentha-1,8-diene)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

##### IATA-DGR

UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (N-[[[4-chlorophenyl]amino]carbonyl]-2,6-difluorobenzamide, (R)-p-mentha-1,8-diene)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964
Environmentally hazardous	:	yes

##### IMDG-Code

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (N-[[[4-chlorophenyl]amino]carbonyl]-2,6-difluorobenzamide, (R)-p-mentha-1,8-diene)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

##### NZS 5433

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (N-[[[4-chlorophenyl]amino]carbonyl]-2,6-difluorobenzamide, (R)-p-mentha-1,8-diene)

**Diflubenzuron (25%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2023
2.1	30.09.2023	10877041-00005	Date of first issue: 26.10.2022

---

Class	: 9
Packing group	: III
Labels	: 9
Hazchem Code	: 3Z
Marine pollutant	: no

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

**Section 15: Regulatory information****Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

HSR100759 Veterinary Medicines Non dispersive Open System Application Group Standard

**HSW Controls**

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

---

**Section 16: Other information**

Revision Date : 30.09.2023

**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

**Full text of other abbreviations**

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

NZ OEL / WES-STEL : Workplace Exposure Standard - Short-Term Exposure Limit

---

**Diflubenzuron (25%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2023
2.1	30.09.2023	10877041-00005	Date of first issue: 26.10.2022

---

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN