

Diflubenzuron Formulation

Version 3.2 Revision Date: 2023/11/22 SDS Number: 10808133-00004 Date of last issue: 2023/09/30
Date of first issue: 2022/07/05

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Diflubenzuron Formulation

Other means of identification : Magnum (A007704)

Manufacturer or supplier's details

Company : MSD

Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000

Emergency telephone number : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION**GHS Classification**

Serious eye damage/eye irritation : Category 1

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H318 Causes serious eye damage.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

Diflubenzuron Formulation

Version 3.2 Revision Date: 2023/11/22 SDS Number: 10808133-00004 Date of last issue: 2023/09/30
 Date of first issue: 2022/07/05

P273 Avoid release to the environment.
 P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Nonylphenol, ethoxylated	9016-45-9	>= 3 -< 10
N-[[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide	35367-38-5	>= 2.5 -< 10

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.

Get medical attention if symptoms occur.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention immediately.

If swallowed :

If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed

: Causes serious eye damage.

Protection of first-aiders

: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

Diflubenzuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
3.2	2023/11/22	10808133-00004	Date of first issue: 2022/07/05

Notes to physician : when the potential for exposure exists (see section 8).
: Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Chlorine compounds
Nitrogen oxides (NO_x)
Fluorine compounds
Metal oxides
Phosphorus compounds

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Diflubenzuron Formulation

Version 3.2 Revision Date: 2023/11/22 SDS Number: 10808133-00004 Date of last issue: 2023/09/30
 Date of first issue: 2022/07/05

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe mist or vapours.
 Do not swallow.
 Do not get in eyes.
 Avoid prolonged or repeated contact with skin.
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
 Keep container tightly closed.
 Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.
 Keep tightly closed.
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
 Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
N-[[[4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide	35367-38-5	TWA	100 µg/m ³ (OEB 2)	Internal

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
 Minimize open handling.

Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the rec-

Diflubenzuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
3.2	2023/11/22	10808133-00004	Date of first issue: 2022/07/05

Filter type	:	ommended guidelines, use respiratory protection.
Hand protection	:	Particulates type
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Aqueous solution, suspension
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable

Diflubenzuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
3.2	2023/11/22	10808133-00004	Date of first issue: 2022/07/05

Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	Not applicable

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of	:	Inhalation
---------------------------------	---	------------

Diflubenzuron Formulation

Version 3.2	Revision Date: 2023/11/22	SDS Number: 10808133-00004	Date of last issue: 2023/09/30 Date of first issue: 2022/07/05
----------------	------------------------------	-------------------------------	---

exposure

Skin contact
Ingestion
Eye contact

Acute toxicity

|| Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

Nonylphenol, ethoxylated:

|| Acute oral toxicity : LD50 (Rat): 500 - 2,000 mg/kg

N-[[4-chlorophenyl]amino]carbonyl]-2,6-difluorobenzamide:

|| Acute oral toxicity : LD50 (Rat): 4,640 mg/kg

|| Acute inhalation toxicity : LC50 (Rat): > 2.49 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

|| Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

|| Not classified based on available information.

Components:

Nonylphenol, ethoxylated:

|| Species : Rabbit
|| Method : OECD Test Guideline 404
|| Result : No skin irritation

N-[[4-chlorophenyl]amino]carbonyl]-2,6-difluorobenzamide:

|| Species : Rabbit
|| Method : OECD Test Guideline 404
|| Result : No skin irritation

Serious eye damage/eye irritation

|| Causes serious eye damage.

Components:

Nonylphenol, ethoxylated:

|| Species : Rabbit
|| Result : Irreversible effects on the eye

Diflubenzuron Formulation

Version 3.2 Revision Date: 2023/11/22 SDS Number: 10808133-00004 Date of last issue: 2023/09/30
Date of first issue: 2022/07/05

|| Method : OECD Test Guideline 405

N-[[[4-chlorophenyl]amino]carbonyl]-2,6-difluorobenzamide:

|| Species : Rabbit
|| Result : No eye irritation
|| Method : OECD Test Guideline 405

Respiratory or skin sensitisation**Skin sensitisation**

|| Not classified based on available information.

Respiratory sensitisation

|| Not classified based on available information.

Components:**Nonylphenol, ethoxylated:**

|| Test Type : Maximisation Test
|| Exposure routes : Skin contact
|| Species : Guinea pig
|| Result : negative
|| Remarks : Based on data from similar materials

N-[[[4-chlorophenyl]amino]carbonyl]-2,6-difluorobenzamide:

|| Test Type : Buehler Test
|| Exposure routes : Skin contact
|| Species : Guinea pig
|| Method : OECD Test Guideline 406
|| Result : negative

Germ cell mutagenicity

|| Not classified based on available information.

Components:**Nonylphenol, ethoxylated:**

|| Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
Remarks: Based on data from similar materials

N-[[[4-chlorophenyl]amino]carbonyl]-2,6-difluorobenzamide:

|| Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Diflubenzuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
3.2	2023/11/22	10808133-00004	Date of first issue: 2022/07/05

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)
 Species: Mouse
 Application Route: Intraperitoneal injection
 Result: negative

Carcinogenicity

Not classified based on available information.

Components:**N-[[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:**

Species : Rat
 Application Route : Ingestion
 Exposure time : 104 weeks
 Result : negative

Reproductive toxicity

Not classified based on available information.

Components:**N-[[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Application Route: Ingestion
 Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rabbit
 Application Route: Ingestion
 Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:**N-[[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:**

Exposure routes : Ingestion
 Target Organs : Blood, spleen, Liver
 Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

Exposure routes : inhalation (dust/mist/fume)
 Target Organs : Blood, spleen, Liver
 Assessment : Shown to produce significant health effects in animals at concentrations of >0.02 to 0.2 mg/l/6h/d.

Exposure routes : Skin contact

Diflubenzuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
3.2	2023/11/22	10808133-00004	Date of first issue: 2022/07/05

Target Organs	:	Blood, spleen, Liver
Assessment	:	Shown to produce significant health effects in animals at concentrations of >20 to 200 mg/kg bw.

Repeated dose toxicity**Components:****N-[[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:**

Species	:	Rat
LOAEL	:	81 mg/kg
Application Route	:	Ingestion
Exposure time	:	28 Days

Species	:	Rabbit
NOAEL	:	> 322 mg/kg
Application Route	:	Skin contact
Exposure time	:	28 Days

Species	:	Rat
NOAEL	:	> 0.1 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	28 Days

Aspiration toxicity

|| Not classified based on available information.

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Nonylphenol, ethoxylated:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
		EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

Diflubenzuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
3.2	2023/11/22	10808133-00004	Date of first issue: 2022/07/05

Remarks: Based on data from similar materials

M-Factor (Acute aquatic toxicity)	:	1
Toxicity to fish (Chronic toxicity)	:	NOEC (Oryzias latipes (Japanese medaka)): > 0.1 - 1 mg/l Exposure time: 100 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01 mg/l Exposure time: 28 d Remarks: Based on data from similar materials
M-Factor (Chronic aquatic toxicity)	:	10

N-[[4-chlorophenyl]amino]carbonyl]-2,6-difluorobenzamide:

Toxicity to fish	:	LC50 (Cyprinodon variegatus (sheepshead minnow)): > 0.13 mg/l Exposure time: 96 h Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.0026 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): > 0.2 mg/l Exposure time: 72 h Remarks: No toxicity at the limit of solubility
M-Factor (Acute aquatic toxicity)	:	100
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 0.2 mg/l Exposure time: 21 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.00004 mg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	:	1,000

Persistence and degradability**Components:****Nonylphenol, ethoxylated:**

Biodegradability	:	Result: Not readily biodegradable. Remarks: Based on data from similar materials
------------------	---	---

N-[[4-chlorophenyl]amino]carbonyl]-2,6-difluorobenzamide:

Biodegradability	:	Result: Not readily biodegradable. Method: OECD Test Guideline 301
------------------	---	---

Diflubenzuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
3.2	2023/11/22	10808133-00004	Date of first issue: 2022/07/05

Bioaccumulative potential

Components:

Nonylphenol, ethoxylated:

Partition coefficient: n-octanol/water : log Pow: 4.48

N-[[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Bioaccumulation : Bioconcentration factor (BCF): 320

Partition coefficient: n-octanol/water : log Pow: 3.89

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(N-[[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(N-[[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 964

Packing instruction (passenger aircraft) : 964

Diflubenzuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
3.2	2023/11/22	10808133-00004	Date of first issue: 2022/07/05

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(N-[[[4-chlorophenyl]amino]carbonyl]-2,6-difluorobenzamide)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Not applicable

Prohibited substances : Not applicable

Restricted substances : Not applicable

Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

Diflubenzuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
3.2	2023/11/22	10808133-00004	Date of first issue: 2022/07/05

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

16. OTHER INFORMATION

Revision Date : 2023/11/22

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-

Diflubenzuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
3.2	2023/11/22	10808133-00004	Date of first issue: 2022/07/05

recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN