

# **Diflubenzuron Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/01/25 6.0 2024/09/28 10808121-00007 Date of first issue: 2022/07/05

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Diflubenzuron Formulation

Other means of identification : Magnum (A007704)

Supplier's company name, address and phone number

Company name of supplier : MSD

Address : Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd.

Menuma factory

Telephone : 048-588-8411

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number: +1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

#### 2. HAZARDS IDENTIFICATION

GHS classification of chemical product

Serious eye damage/eye irri-

tation

Category 1

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 1

**GHS** label elements

Hazard pictograms

**\*** 

Signal word : Danger

Hazard statements : H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:



# **Diflubenzuron Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/01/25 6.0 2024/09/28 10808121-00007 Date of first issue: 2022/07/05

P273 Avoid release to the environment. P280 Wear eye protection/ face protection.

#### Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P391 Collect spillage.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards which do not result in classification

None known.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

## Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Propylene glycol	57-55-6	>= 1 - < 10	2-234
Nonylphenol, ethoxylated	9016-45-9	3	7-172
N-[[(4- chlorophenyl)amino]carbonyl]-2,6- difluorobenzamide	35367-38-5	2.5	
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	68585-34-2	>= 0.25 - < 1	7-120 / 7-155
Dipropylene glycol	25265-71-8	< 0.1	2-413

#### 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Get medical attention if symptoms occur.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention immediately.

If swallowed, DO NOT induce vomiting.



# **Diflubenzuron Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/01/25 6.0 2024/09/28 10808121-00007 Date of first issue: 2022/07/05

Get medical attention if symptoms occur.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

: Causes serious eye damage.

delayed

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Chlorine compounds Nitrogen oxides (NOx) Fluorine compounds

Metal oxides

Phosphorus compounds

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

**6. ACCIDENTAL RELEASE MEASURES** 

Personal precautions, protec- :

tive equipment and emergency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

arriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages



# **Diflubenzuron Formulation**

Version Revision Date: 6.0 2024/09/28

SDS Number: 10808121-00007 Date of last issue: 2024/01/25 Date of first issue: 2022/07/05

cannot be contained.

Methods and materials for containment and cleaning up Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### 7. HANDLING AND STORAGE

Handling

Technical measures See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation Use only with adequate ventilation. Advice on safe handling Do not breathe mist or vapours.

> Do not swallow. Do not get in eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Take care to prevent spills, waste and minimize release to the

environment.

Avoidance of contact

Oxidizing agents Hygiene measures

If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Storage

Conditions for safe storage Keep in properly labelled containers.

Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid Do not store with the following product types:

Strong oxidizing agents



# **Diflubenzuron Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/01/25 6.0 2024/09/28 10808121-00007 Date of first issue: 2022/07/05

: Unsuitable material: None known. Packaging material

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Concentration standard / Permissible concentration	Basis
N-[[(4- chlorophenyl)amino]carbonyl]- 2,6-difluorobenzamide	35367-38-5	TWA	100 μg/m3 (OEB 2)	Internal

**Engineering measures** Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con-

tainment devices).

Minimize open handling.

### Personal protective equipment

Respiratory protection If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type

Hand protection

Particulates type

Material Chemical-resistant gloves

Remarks Consider double gloving.

Wear safety glasses with side shields or goggles. Eye protection

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection Work uniform or laboratory coat.

> Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES



# **Diflubenzuron Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/01/25 6.0 2024/09/28 10808121-00007 Date of first issue: 2022/07/05

Physical state : Aqueous solution, suspension

Colour : No data available

Odour : No data available

Odour Threshold : No data available

Melting point/freezing point : No data available

Boiling point, initial boiling

point and boiling range

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Lower explosion limit and upper explosion limit / flammability limit

Upper explosion limit / Up- :

per flammability limit

No data available

No data available

Lower explosion limit / Lower flammability limit

No data available

Flash point : No data available

Decomposition temperature : No data available

pH : No data available

Evaporation rate : No data available

Auto-ignition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Vapour pressure : No data available

Density and / or relative density

Relative density : No data available

Density : No data available

Relative vapour density : No data available



# **Diflubenzuron Formulation**

Version SDS Number: Date of last issue: 2024/01/25 **Revision Date:** 6.0 2024/09/28 10808121-00007 Date of first issue: 2022/07/05

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle characteristics

Particle size Not applicable

#### 10. STABILITY AND REACTIVITY

Not classified as a reactivity hazard. Reactivity Chemical stability Stable under normal conditions. Can react with strong oxidizing agents.

Possibility of hazardous reac-

tions

Conditions to avoid None known. Incompatible materials Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

## 11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

exposure

Inhalation Skin contact Ingestion Eye contact

#### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute toxicity estimate: > 2,000 mg/kg Acute oral toxicity

Method: Calculation method

## **Components:**

Propylene glycol:

Acute oral toxicity : LD50 (Rat): 22,000 mg/kg

: LC50 (Rat): > 44.9 mg/l Acute inhalation toxicity

Exposure time: 4 h

Test atmosphere: dust/mist

LD50 (Rabbit): > 2,000 mg/kg Acute dermal toxicity

Assessment: The substance or mixture has no acute dermal

toxicity

#### Nonylphenol, ethoxylated:



# **Diflubenzuron Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/01/25 6.0 2024/09/28 10808121-00007 Date of first issue: 2022/07/05

Acute oral toxicity : LD50 (Rat): 500 - 2,000 mg/kg

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Acute oral toxicity : LD50 (Rat): 4,640 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 2.49 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 402

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Acute oral toxicity : LD50 (Rat): > 2,000 - 5,000 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Remarks: Based on data from similar materials

Dipropylene glycol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 2.34 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Propylene glycol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Nonylphenol, ethoxylated:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Species : Rabbit



# **Diflubenzuron Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/01/25 6.0 2024/09/28 10808121-00007 Date of first issue: 2022/07/05

Method : OECD Test Guideline 404

Result : No skin irritation

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

Remarks : Based on data from similar materials

Dipropylene glycol:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

**Components:** 

Propylene glycol:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Nonylphenol, ethoxylated:

Species : Rabbit

Result : Irreversible effects on the eye
Method : OECD Test Guideline 405

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Species : Rabbit

Result : Irreversible effects on the eye
Remarks : Based on data from similar materials

Dipropylene glycol:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.



# **Diflubenzuron Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/01/25 6.0 2024/09/28 10808121-00007 Date of first issue: 2022/07/05

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

## Propylene glycol:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

## Nonylphenol, ethoxylated:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Remarks : Based on data from similar materials

#### N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Test Type : Buehler Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

## Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

#### Dipropylene glycol:

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

## Germ cell mutagenicity

Not classified based on available information.

## Components:

#### Propylene glycol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro



# **Diflubenzuron Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/01/25 6.0 2024/09/28 10808121-00007 Date of first issue: 2022/07/05

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Nonylphenol, ethoxylated:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Remarks: Based on data from similar materials

Dipropylene glycol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Method: OECD Test Guideline 474

Result: negative



# **Diflubenzuron Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/01/25 6.0 2024/09/28 10808121-00007 Date of first issue: 2022/07/05

#### Carcinogenicity

Not classified based on available information.

## Components:

## Propylene glycol:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

## N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks
Result : negative

#### Dipropylene glycol:

Species : Mouse
Application Route : Ingestion
Exposure time : 104 weeks
Result : negative

### Reproductive toxicity

Not classified based on available information.

#### Components:

# Propylene glycol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion

Result: negative

Effects on foetal develop- : Test Type: Embryo-foetal development

ment Species: Mouse

**Application Route: Ingestion** 

Result: negative

## N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

: Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Ingestion

Result: negative



# **Diflubenzuron Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/01/25 6.0 2024/09/28 10808121-00007 Date of first issue: 2022/07/05

Dipropylene glycol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Mouse

**Application Route: Ingestion** 

Result: negative

Effects on foetal develop- : Test Type: Embryo-foetal development

ment Species: Rabbit

Application Route: Ingestion

Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

**Components:** 

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Exposure routes : Ingestion

Target Organs : Blood, spleen, Liver

Assessment : Shown to produce significant health effects in animals at con-

centrations of >10 to 100 mg/kg bw.

Exposure routes : inhalation (dust/mist/fume)
Target Organs : Blood, spleen, Liver

Assessment : Shown to produce significant health effects in animals at con-

centrations of >0.02 to 0.2 mg/l/6h/d.

Exposure routes : Skin contact

Target Organs : Blood, spleen, Liver

Assessment : Shown to produce significant health effects in animals at con-

centrations of >20 to 200 mg/kg bw.

Repeated dose toxicity

Components:

Propylene glycol:

Species: Rat, maleNOAEL: >= 1,700 mg/kgApplication Route: Ingestion

Exposure time : 2 yr

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Species : Rat
LOAEL : 81 mg/kg
Application Route : Ingestion
Exposure time : 28 Days



# **Diflubenzuron Formulation**

Version Date of last issue: 2024/01/25 Revision Date: SDS Number: 6.0 2024/09/28 10808121-00007 Date of first issue: 2022/07/05

Species : Rabbit NOAEL > 322 mg/kgApplication Route : Skin contact Exposure time : 28 Days

Species : Rat NOAEL > 0.1 mg/l

Application Route inhalation (dust/mist/fume)

Exposure time 28 Days

Dipropylene glycol:

Species Rat NOAEL 470 mg/kg Application Route Ingestion

**Aspiration toxicity** 

Exposure time

Not classified based on available information.

#### 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

#### **Components:**

Propylene glycol:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l

Exposure time: 96 h

105 Weeks

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other:

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l

Exposure time: 7 d

Toxicity to microorganisms NOEC (Pseudomonas putida): > 20,000 mg/l

Exposure time: 18 h

Nonylphenol, ethoxylated:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials



# **Diflubenzuron Formulation**

Date of last issue: 2024/01/25 Version Revision Date: SDS Number: 6.0 2024/09/28 10808121-00007 Date of first issue: 2022/07/05

Toxicity to algae/aguatic

ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10

ma/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

M-Factor (Acute aquatic tox-

plants

Toxicity to fish (Chronic tox-

icity)

NOEC (Oryzias latipes (Japanese medaka)): > 0.1 - 1 mg/l

Exposure time: 100 d

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01

Exposure time: 28 d

Remarks: Based on data from similar materials

M-Factor (Chronic aquatic

toxicity)

10

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Toxicity to fish LC50 (Cyprinodon variegatus (sheepshead minnow)): > 0.13

mg/l

Exposure time: 96 h

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.00026 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Selenastrum capricornutum (green algae)): > 0.2 mg/l

Exposure time: 72 h

Remarks: No toxicity at the limit of solubility

M-Factor (Acute aquatic tox-

1,000

Toxicity to fish (Chronic tox-

NOEC (Pimephales promelas (fathead minnow)): 0.1 mg/l

Exposure time: 35 d

Toxicity to daphnia and other:

aguatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.00004 mg/l

Exposure time: 21 d

M-Factor (Chronic aquatic

toxicity)

1.000

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Toxicity to fish LC50 (Danio rerio (zebra fish)): > 1 - 10 mg/l

Exposure time: 96 h



# **Diflubenzuron Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/01/25 6.0 2024/09/28 10808121-00007 Date of first issue: 2022/07/05

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 10 - 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

NOEC (Desmodesmus subspicatus (green algae)): > 0.10 - 1

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): > 0.1 - 1 mg/l

Exposure time: 28 d

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 10,000 mg/l

Exposure time: 16 h Method: DIN 38 412 Part 8

Remarks: Based on data from similar materials

Dipropylene glycol:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC10 (Pseudomonas putida): >= 1,000 mg/l

Exposure time: 18 h



# **Diflubenzuron Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/01/25 6.0 2024/09/28 10808121-00007 Date of first issue: 2022/07/05

## Persistence and degradability

## **Components:**

Propylene glycol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 98.3 % Exposure time: 28 d

Method: OECD Test Guideline 301F

Nonylphenol, ethoxylated:

Biodegradability : Result: Not readily biodegradable.

Remarks: Based on data from similar materials

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Biodegradability : Result: Not readily biodegradable.

Method: OECD Test Guideline 301

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Biodegradability : Result: Readily biodegradable.

Remarks: Based on data from similar materials

Dipropylene glycol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 84.4 % Exposure time: 28 d

Method: OECD Test Guideline 301F

Bioaccumulative potential

**Components:** 

Propylene glycol:

Partition coefficient: n- : log Pow: -1.07

octanol/water Method: Regulation (EC) No. 440/2008, Annex, A.8

Nonylphenol, ethoxylated:

Partition coefficient: n- : log Pow: 4.48

octanol/water

N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 78 - 360

Partition coefficient: n-

octanol/water

: log Pow: < 4

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Partition coefficient: n- : log Pow: < 3



# **Diflubenzuron Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/01/25 6.0 2024/09/28 10808121-00007 Date of first issue: 2022/07/05

octanol/water

Dipropylene glycol:

Partition coefficient: n- : Ic

octanol/water

: log Pow: -0.462

Mobility in soil

No data available

Hazardous to the ozone layer

Not applicable

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues : Dispose of in accordance with local regulations.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

**UNRTDG** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

(N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen: 964

ger aircraft)

Environmentally hazardous : yes

**IMDG-Code** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,



# **Diflubenzuron Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/01/25 6.0 2024/09/28 10808121-00007 Date of first issue: 2022/07/05

N.O.S.

(N-[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A

EmS Code : F-A, S-F Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **National Regulations**

Refer to section 15 for specific national regulation.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code : 171

#### 15. REGULATORY INFORMATION

# **Related Regulations**

# Fire Service Law

Not applicable to dangerous materials / designated flammables.

#### **Chemical Substance Control Law**

Priority Assessment Chemical Substance

Chemical name	Number
Propane-1,2-diol	106
alpha-(Nonylphenyl)-omega-hydroxypoly(oxyethylene)	86
Salts of alpha-(alkyl(C=10-16))-omega-(sulfoxy)poly[(oxyethylene)(or	223
oxyethylene/oxy(methylethylene))] (It is limited that the average of re-	
peating number of the repeating unit is 1-4.)	
1,1'-Oxydi(propan-2-ol)	240

#### **Industrial Safety and Health Law**

## **Harmful Substances Prohibited from Manufacture**

Not applicable

#### **Harmful Substances Required Permission for Manufacture**

Not applicable

#### **Substances Prevented From Impairment of Health**

Not applicable

# Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable



# **Diflubenzuron Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/01/25 6.0 2024/09/28 10808121-00007 Date of first issue: 2022/07/05

# Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

## **Substances Subject to be Notified Names**

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
Propylene glycol	>=1 - <10	From April 1st, 2025
Nonylphenol, ethoxylated	>=1 - <10	From April 1st, 2026

## Substances Subject to be Indicated Names

Article 57 (Enforcement Order Article 18)

Chemical name	Remarks
Propylene glycol	From April 1st, 2025
Nonylphenol, ethoxylated	From April 1st, 2026

## Skin and Eye Damage Substances for PPE Requirements (ISHL MO Art. 594-2)

Not applicable

# Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

#### Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

#### **Ordinance on Prevention of Lead Poisoning**

Not applicable

## Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

#### **Ordinance on Prevention of Organic Solvent Poisoning**

Not applicable

# Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

#### **Poisonous and Deleterious Substances Control Law**

Not applicable

# Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

## Class I Designated Chemical Substances

Chemical name	Administration number	Concentration (%)
Poly(oxyethylene) alkylphenyl ether (lim-	410	3.0
ited to those the alkyl group is C=9)		

#### **Class II Designated Chemical Substances**

Chemical name	Administration number	Concentration (%)
1-(4-Chlorophenyl)-3-(2,6-	768	2.5
difluorobenzoyl)urea		



# **Diflubenzuron Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/01/25 6.0 2024/09/28 10808121-00007 Date of first issue: 2022/07/05

#### **High Pressure Gas Safety Act**

Not applicable

#### **Explosive Control Law**

Not applicable

#### **Vessel Safety Law**

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

#### Aviation I aw

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

#### Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Not classified as noxious liquid substance

Pack transportation : Classified as marine pollutant

#### **Narcotics and Psychotropics Control Act**

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

#### Waste Disposal and Public Cleansing Law

Industrial waste

#### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### 16. OTHER INFORMATION

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

## **Further information**

Sheet

Sources of key data used to compile the Safety Data

: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

## Full text of other abbreviations



## **Diflubenzuron Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/01/25 6.0 2024/09/28 10808121-00007 Date of first issue: 2022/07/05

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship: REACH - Regulation (EC) No. 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN