

Dihydrostreptomycin Sulfate Formulation

Version 1.8 Revision Date: 30.09.2023 SDS Number: 5918689-00009 Date of last issue: 04.04.2023
Date of first issue: 20.05.2020

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Dihydrostreptomycin Sulfate Formulation

Manufacturer or supplier's details

Company : MSD
Address : 50 Tuas West Drive
Singapore - Singapore 638408
Telephone : +1-908-740-4000
Emergency telephone number : 65 6697 2111 (24/7/365)
E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use


Recommended use : Veterinary product
Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

GHS Classification

Serious eye damage/eye irritation : Category 2
Specific target organ toxicity - repeated exposure (Oral) : Category 1 (ear, Kidney, inner ear)

GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H319 Causes serious eye irritation.
H372 Causes damage to organs (ear, Kidney, inner ear) through prolonged or repeated exposure if swallowed.

Precautionary statements : **Prevention:**
P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear eye protection/ face protection.

Dihydrostreptomycin Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.8	30.09.2023	5918689-00009	Date of first issue: 20.05.2020

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P314 Get medical advice/ attention if you feel unwell.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Dihydrostreptomycin sulphate	5490-27-7	>= 30 -< 50
Sodium metabisulphite	7681-57-4	>= 1 -< 3

4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
- In case of skin contact : Wash with water and soap as a precaution.
Get medical attention if symptoms occur.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.
Causes damage to organs through prolonged or repeated exposure if swallowed.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Dihydrostreptomycin Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.8	30.09.2023	5918689-00009	Date of first issue: 20.05.2020

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Sulphur oxides
Metal oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
-

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
-

7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Dihydrostreptomycin Sulfate Formulation

Version 1.8 Revision Date: 30.09.2023 SDS Number: 5918689-00009 Date of last issue: 04.04.2023
 Date of first issue: 20.05.2020

Local/Total ventilation : Use only with adequate ventilation.
 Advice on safe handling : Do not breathe mist or vapours.
 Do not swallow.
 Do not get in eyes.
 Avoid prolonged or repeated contact with skin.
 Wash skin thoroughly after handling.
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
 Do not eat, drink or smoke when using this product.
 Take care to prevent spills, waste and minimize release to the environment.
 Do not breathe decomposition products.
 Conditions for safe storage : Keep in properly labelled containers.
 Store in accordance with the particular national regulations.
 Materials to avoid : Do not store with the following product types:
 Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Dihydrostreptomycin sulphate	5490-27-7	TWA	0.4 mg/m ³ (OEB 2)	
Further information: OTO				
		Wipe limit	Not required	
Sodium metabisulphite	7681-57-4	PEL (long term)	5 mg/m ³	SG OEL
		TWA	5 mg/m ³	ACGIH

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Sulphur dioxide	7446-09-5	PEL (long term)	2 ppm 5.2 mg/m ³	SG OEL
		PEL (short term)	5 ppm 13 mg/m ³	SG OEL
		STEL	0.25 ppm	ACGIH

Engineering measures : Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace.
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 No open handling permitted.
 Totally enclosed processes and materials transport systems

Dihydrostreptomycin Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.8	30.09.2023	5918689-00009	Date of first issue: 20.05.2020

are required.

Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace.

Personal protective equipment

- | | | |
|--------------------------|---|--|
| Respiratory protection | : | If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. |
| Filter type | : | Combined particulates and inorganic gas/vapour type |
| Hand protection | : | |
| Material | : | Chemical-resistant gloves |
| Remarks | : | Consider double gloving. |
| Eye protection | : | Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. |
| Skin and body protection | : | Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing. |
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

9. PHYSICAL AND CHEMICAL PROPERTIES

- | | | |
|------------------------------|---|-------------------|
| Appearance | : | No data available |
| Colour | : | No data available |
| Odour | : | No data available |
| Odour Threshold | : | No data available |
| pH | : | No data available |
| Melting point/freezing point | : | No data available |

Dihydrostreptomycin Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.8	30.09.2023	5918689-00009	Date of first issue: 20.05.2020

Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	Not applicable

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	Can react with strong oxidizing agents.

Dihydrostreptomycin Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.8	30.09.2023	5918689-00009	Date of first issue: 20.05.2020

tions Hazardous decomposition products will be formed at elevated temperatures.

Conditions to avoid : None known.
Incompatible materials : Oxidizing agents

Hazardous decomposition products

Thermal decomposition : Sulphur dioxide

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:**Dihydrostreptomycin sulphate:**

Acute oral toxicity : LD50 (Rat): 9,000 - 25,000 mg/kg
LD50 Oral (Mouse): 30,000 mg/kg

Sodium metabisulphite:

Acute oral toxicity : LD50 (Rat): 1,540 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5.5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:**Sodium metabisulphite:**

Species : Rabbit
Result : No skin irritation

Dihydrostreptomycin Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.8	30.09.2023	5918689-00009	Date of first issue: 20.05.2020

Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:**Sodium metabisulphite:**

Species : Rabbit
Result : Irreversible effects on the eye
Method : OECD Test Guideline 405

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**Sodium metabisulphite:**

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:**Dihydrostreptomycin sulphate:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Test system: Human lymphocytes
Result: negative

Sodium metabisulphite:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Subcutaneous

Dihydrostreptomycin Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.8	30.09.2023	5918689-00009	Date of first issue: 20.05.2020

Method: OECD Test Guideline 474
Result: negative
Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:**Dihydrostreptomycin sulphate:**

Species : Rat
Application Route : Oral
Exposure time : 2 Years
NOAEL : 5 mg/kg body weight
Result : negative

Sodium metabisulphite:

Species : Mouse
Application Route : Ingestion
Exposure time : 24 Months
Result : negative
Remarks : Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:**Dihydrostreptomycin sulphate:**

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 5 mg/kg body weight

Test Type: Embryo-foetal development
Species: Guinea pig
Application Route: Intramuscular
General Toxicity Maternal: LOAEL: 100 - 200 mg/kg body weight
Developmental Toxicity: NOAEL: 10 mg/kg body weight
Result: Maternal toxicity observed., Embryotoxic effects and adverse effects on the offspring were detected.

Sodium metabisulphite:

Effects on fertility : Test Type: Three-generation study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development

Dihydrostreptomycin Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.8	30.09.2023	5918689-00009	Date of first issue: 20.05.2020

ment

Species: Rabbit
 Application Route: Ingestion
 Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs (ear, Kidney, inner ear) through prolonged or repeated exposure if swallowed.

Components:

Dihydrostreptomycin sulphate:

Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Dihydrostreptomycin sulphate:

Species : Guinea pig
 LOAEL : 40 mg/kg
 Application Route : Oral
 Exposure time : 90 d
 Target Organs : ear
 Symptoms : hearing loss

Species : Cat
 LOAEL : 100 mg/kg
 Application Route : Oral
 Exposure time : 60 d
 Target Organs : ear
 Symptoms : ataxia, hearing loss, Reduced body weight

Species : Cat
 LOAEL : 300 mg/kg
 Application Route : Oral
 Exposure time : 21 d
 Target Organs : ear
 Symptoms : ataxia, hearing loss, Reduced body weight

Sodium metabisulphite:

Species : Rat
 NOAEL : 110 mg/kg
 LOAEL : 220 mg/kg
 Application Route : Ingestion
 Exposure time : 104 Weeks

Dihydrostreptomycin Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.8	30.09.2023	5918689-00009	Date of first issue: 20.05.2020

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Dihydrostreptomycin sulphate:**

General Information : Symptoms: Erythema, hearing loss, Nausea, Rash, Vomiting, Headache, hypotension

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Sodium metabisulphite:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 178 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 89 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): 43.8 mg/l Exposure time: 72 h EC10 (Desmodesmus subspicatus (green algae)): 33.3 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	:	NOEC (Danio rerio (zebra fish)): >= 316 mg/l Exposure time: 34 d Method: OECD Test Guideline 210 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): >= 10 mg/l Exposure time: 21 d
Toxicity to microorganisms	:	EC10 (Pseudomonas putida): 30.8 mg/l Exposure time: 17 h

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

Dihydrostreptomycin Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.8	30.09.2023	5918689-00009	Date of first issue: 20.05.2020

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable

IATA-DGR

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passenger aircraft)	:	Not applicable

IMDG-Code

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

Dihydrostreptomycin Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.8	30.09.2023	5918689-00009	Date of first issue: 20.05.2020

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable
Environmental Protection and Management (Hazardous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) : Not applicable
Regulations

The components of this product are reported in the following inventories:

DSL : not determined

AICS : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 30.09.2023

Further information

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD
compile the Safety Data eChem Portal search results and European Chemicals Agen-
Sheet cy, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
SG OEL : Singapore. Workplace Safety and Health (General Provisions)
Regulations - First Schedule Permissible Exposure Limits of
Toxic Substances.

ACGIH / TWA : 8-hour, time-weighted average
ACGIH / STEL : Short-term exposure limit
SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term
SG OEL / PEL (short term) : Permissible Exposure Level (PEL) Short Term

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule;

Dihydrostreptomycin Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.8	30.09.2023	5918689-00009	Date of first issue: 20.05.2020

ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN