

Diminazene / Phenazone Formulation

Version 3.2 Revision Date: 14.08.2024 SDS Number: 4834920-00010 Date of last issue: 30.09.2023
Date of first issue: 10.09.2019

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Diminazene / Phenazone Formulation

Manufacturer or supplier's details

Company name of supplier : MSD
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Skin corrosion/irritation : Category 2
Specific target organ toxicity - single exposure (Oral) : Category 1 (Brain)
Specific target organ toxicity - repeated exposure (Oral) : Category 1 (Brain)

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H315 Causes skin irritation.
H370 Causes damage to organs (Brain) if swallowed.
H372 Causes damage to organs (Brain) through prolonged or repeated exposure if swallowed.

Precautionary Statements : **Prevention:**
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.

Diminazene / Phenazone Formulation

Version 3.2 Revision Date: 14.08.2024 SDS Number: 4834920-00010 Date of last issue: 30.09.2023
Date of first issue: 10.09.2019

P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Diminazene	536-71-0	>= 30 -< 50
Phenazone	60-80-0	>= 5 -< 10

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Causes skin irritation.
Causes damage to organs if swallowed.
Causes damage to organs through prolonged or repeated exposure if swallowed.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Diminazene / Phenazone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.2	14.08.2024	4834920-00010	Date of first issue: 10.09.2019

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
-

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
-

Diminazene / Phenazone Formulation

Version 3.2 Revision Date: 14.08.2024 SDS Number: 4834920-00010 Date of last issue: 30.09.2023
Date of first issue: 10.09.2019

- Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapors.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Diminazene	536-71-0	TWA	150 µg/m ³ (OEB 2)	Internal

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Laboratory operations do not require special containment.

Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Particulates type

Diminazene / Phenazone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.2	14.08.2024	4834920-00010	Date of first issue: 10.09.2019

Hand protection
Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : yellow-orange

Odor : No data available

Odor Threshold : No data available

pH : 5.0 - 7.0

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Diminazene / Phenazone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.2	14.08.2024	4834920-00010	Date of first issue: 10.09.2019

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics
Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:**Diminazene:**

Acute toxicity (other routes of administration) : LD50 (Rat): 663 mg/kg
Application Route: Subcutaneous

LD50 (Mouse): 258 mg/kg
Application Route: Subcutaneous

Diminazene / Phenazone Formulation

Version 3.2 Revision Date: 14.08.2024 SDS Number: 4834920-00010 Date of last issue: 30.09.2023
Date of first issue: 10.09.2019

LDLo (Dog): 20 mg/kg
Application Route: Intramuscular

Phenazone:

Acute oral toxicity : LD50 (Cat): 1,250 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Components:

Diminazene:

Species : Rabbit
Result : Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Components:

Diminazene:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)
Test system: Salmonella typhimurium
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Result: negative

Test Type: Micronucleus test
Test system: Mouse
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster cells
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Phenazone:

Diminazene / Phenazone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.2	14.08.2024	4834920-00010	Date of first issue: 10.09.2019

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 474
Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Rat
Application Route: Ingestion
Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:**Diminazene:**

Effects on fetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
General Toxicity Maternal: LOAEL: 800 mg/kg body weight
Developmental Toxicity: LOAEL: 800 mg/kg body weight
Symptoms: Skeletal malformations., Embryo-fetal toxicity.

Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 400 mg/kg body weight
Developmental Toxicity: NOAEL: 400 mg/kg body weight

Reproductive toxicity - Assessment : Experiments have shown reproductive toxicity effects on laboratory animals.

Phenazone:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

STOT-single exposure

Causes damage to organs (Brain) if swallowed.

Components:**Diminazene:**

Routes of exposure : Oral

Diminazene / Phenazone Formulation

Version 3.2 Revision Date: 14.08.2024 SDS Number: 4834920-00010 Date of last issue: 30.09.2023
Date of first issue: 10.09.2019

Target Organs : Brain
Assessment : Shown to produce significant health effects in animals at concentrations of 1000 mg/kg bw or less.

STOT-repeated exposure

Causes damage to organs (Brain) through prolonged or repeated exposure if swallowed.

Components:

Diminazene:

Routes of exposure : Oral
Target Organs : Brain
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Diminazene:

Species : Rat
NOAEL : 63 mg/kg
Application Route : Oral
Exposure time : 3 Months

Species : Rat
NOAEL : 300 mg/kg
Application Route : Oral
Exposure time : 9 Months

Species : Dog
LOAEL : 60 mg/kg
Application Route : Oral
Exposure time : 9 Months
Target Organs : Brain, Testis
Symptoms : Disorder

Phenazone:

Species : Dog
NOAEL : 63 mg/kg
Application Route : Ingestion
Exposure time : 6 Months

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Diminazene:

Ingestion : Target Organs: Stomach
Symptoms: Vomiting

Diminazene / Phenazone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.2	14.08.2024	4834920-00010	Date of first issue: 10.09.2019

Target Organs: Central nervous system
 Symptoms: paralysis
 Target Organs: Immune system
 Symptoms: Fever

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Phenazone:**

- Toxicity to fish : LC50 (*Oryzias latipes* (Japanese medaka)): > 100 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): >= 1,000 mg/l
 Exposure time: 48 h
 Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : ErC50 (*Selenastrum capricornutum* (green algae)): > 1,000 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201
- NOEC (*Selenastrum capricornutum* (green algae)): 10 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 100 mg/l
 Exposure time: 21 d
 Method: OECD Test Guideline 211
- Toxicity to microorganisms : EC50: 16,900 mg/l
 Exposure time: 48 h

Persistence and degradability**Components:****Phenazone:**

- Biodegradability : Result: Not inherently biodegradable.
 Biodegradation: 50 %
 Exposure time: 20 d

Bioaccumulative potential**Components:****Phenazone:**

- Partition coefficient: n-octanol/water : log Pow: 0.38

Diminazene / Phenazone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.2	14.08.2024	4834920-00010	Date of first issue: 10.09.2019

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

NOM-002-SCT

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, essential chemical products and machinery for producing capsules, tablets and pills. : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

Diminazene / Phenazone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.2	14.08.2024	4834920-00010	Date of first issue: 10.09.2019

SECTION 16. OTHER INFORMATION

Revision Date : 14.08.2024
Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8