

Doramectin Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 30.09.2023 5191201-00013 Date of first issue: 22.10.2019 5.8

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Doramectin Formulation

Manufacturer or supplier's details

: MSD Company

: Rua Coronel Bento Soares, 530 Address

Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone 908-740-4000

1-908-423-6000 Emergency telephone

E-mail address EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

Acute toxicity (Oral) Category 5

Reproductive toxicity Category 1B

single exposure (Oral)

Specific target organ toxicity - : Category 2 (Central nervous system)

repeated exposure (Oral)

Specific target organ toxicity - : Category 2 (Central nervous system, Liver, Kidney)

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

: Category 1

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms

Signal Word Danger

Hazard Statements H303 May be harmful if swallowed.



Doramectin Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 5.8 30.09.2023 5191201-00013 Date of first issue: 22.10.2019

H360D May damage the unborn child.

H371 May cause damage to organs (Central nervous system) if

swallowed.

H373 May cause damage to organs (Central nervous system, Liver, Kidney) through prolonged or repeated exposure if swal-

lowed.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention:

P201 Obtain special instructions before use. P264 Wash skin thoroughly after handling. P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P308 + P311 IF exposed or concerned: Call a POISON

CENTER/ doctor. P391 Collect spillage.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Doramectin	117704-25-3	Acute toxicity (Oral), Category 2 Reproductive toxicity, Category 1B Specific target organ toxicity - single expo- sure (Oral) (Central nervous system), Cat- egory 1 Specific target organ toxicity - repeated exposure (Oral) (Cen- tral nervous system, Liver, Kidney), Cate- gory 1 Short-term (acute) aquatic hazard, Category 1 Long-term (chronic) aquatic hazard, Category 1	>= 1 -< 2,5

SECTION 4. FIRST AID MEASURES



Doramectin Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 5.8 30.09.2023 5191201-00013 Date of first issue: 22.10.2019

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

May be harmful if swallowed.

May damage the unborn child.

May cause damage to organs if swallowed.

May cause damage to organs through prolonged or repeated

exposure if swallowed.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fiahtina

THORIO TUTOWITE

Hazardous combustion prod- :

ucts

Exposure to combustion products may be a hazard to health.

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec: :

: Use personal protective equipment.

tive equipment and emer-

Follow safe handling advice (see section 7) and personal



Doramectin Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 5.8 30.09.2023 5191201-00013 Date of first issue: 22.10.2019

gency procedures protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material

can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapors.

Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up.



Doramectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 5.8
 30.09.2023
 5191201-00013
 Date of first issue: 22.10.2019

Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
Doramectin	117704-25-3	TWA	25 μg/m3 (OEB 3)	Internal	
	Further information: Skin				
		Wipe limit	250 µg/100 cm2	Internal	

Engineering measures: Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of

the compound to uncontrolled areas (e.g., open-face

containment devices). Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type
Hand protection

Particulates type

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.



Doramectin Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 5.8 30.09.2023 5191201-00013 Date of first issue: 22.10.2019

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : oily

Color : light yellow

Odor : characteristic

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : -7 °C

Initial boiling point and boiling

range

270 °C

Flash point : 215,7 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : 0,89 - 91

Density : No data available

Solubility(ies)

Water solubility : practically insoluble

Partition coefficient: n-

octanol/water

: Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : 31,7 - 32,1 m²/s (25 °C)

Explosive properties : Not explosive



Doramectin Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 30.09.2023 5191201-00013 Date of first issue: 22.10.2019 5.8

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle size Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Stable under normal conditions. Chemical stability Can react with strong oxidizing agents.

Possibility of hazardous reac- :

tions

Conditions to avoid None known. Incompatible materials Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of: Inhalation

exposure Skin contact

Inaestion Eye contact

Acute toxicity

May be harmful if swallowed.

Product:

Acute oral toxicity Acute toxicity estimate: 5.000 mg/kg

Method: Calculation method

Components:

Doramectin:

Acute oral toxicity LD50 (Rat): 500 mg/kg

Target Organs: Central nervous system

LD50 (Mouse): > 2.000 mg/kg

Target Organs: Central nervous system

LD50 (Rat): 50 mg/kg

Target Organs: Central nervous system

LD50 (Mouse): 75 mg/kg

Target Organs: Central nervous system

Acute toxicity (other routes of :

administration)

LD50 (Rat): > 300 mg/kg

Application Route: Intraperitoneal

Target Organs: Central nervous system

Skin corrosion/irritation

Not classified based on available information.



Doramectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 5.8
 30.09.2023
 5191201-00013
 Date of first issue: 22.10.2019

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Components:

Doramectin:

Genotoxicity in vitro : Test Type: Ames test

Result: negative

Test Type: Mouse Lymphoma

Result: negative

Test Type: unscheduled DNA synthesis assay

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Result: negative

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

Doramectin:

ment

Carcinogenicity - Assess-

Weight of evidence does not support classification as a car-

cinogen

Reproductive toxicity

May damage the unborn child.

Components:

Doramectin:

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Oral

Embryo-fetal toxicity.: NOAEL: 0,3 mg/kg body weight

Symptoms: Reduced body weight

Test Type: Embryo-fetal development

Species: Mouse



Doramectin Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 5.8 30.09.2023 5191201-00013 Date of first issue: 22.10.2019

Application Route: Oral

Embryo-fetal toxicity.: NOAEL: 3 mg/kg body weight

Symptoms: Embryolethal effects.

Test Type: Embryo-fetal development

Species: Rabbit Application Route: Oral

General Toxicity Maternal: NOAEL: 0,75 mg/kg body weight

Symptoms: Maternal effects., Embryotoxic effects.

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on development, based on

animal experiments.

STOT-single exposure

May cause damage to organs (Central nervous system) if swallowed.

Components:

Doramectin:

Routes of exposure : Oral

Target Organs : Central nervous system

Assessment : Shown to produce significant health effects in animals at con-

centrations of 300 mg/kg bw or less.

STOT-repeated exposure

May cause damage to organs (Central nervous system, Liver, Kidney) through prolonged or repeated exposure if swallowed.

Components:

Doramectin:

Routes of exposure : Oral

Target Organs : Central nervous system, Liver, Kidney

Assessment : Shown to produce significant health effects in animals at con-

centrations of 10 mg/kg bw or less.

Repeated dose toxicity

Components:

Doramectin:

Species : Rat
LOAEL : 30 mg/kg
Application Route : Oral
Exposure time : 3 Months

Target Organs : Central nervous system

Species : Rat

NOAEL : 2 mg/kg

Application Route : Oral

Exposure time : 3 Months

Target Organs : Central nervous system, Liver, Kidney

Species : Dog



Doramectin Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 5.8 30.09.2023 5191201-00013 Date of first issue: 22.10.2019

NOAEL : 2 mg/kg
Application Route : Oral
Exposure time : 36 d
Target Organs : Eye

Symptoms : Dilatation of the pupil

Species : Dog
NOAEL : 0,1 mg/kg
Application Route : Oral
Exposure time : 92 d

Target Organs : Central nervous system, Eye

Symptoms : Dilatation of the pupil

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Doramectin:

Skin contact : Target Organs: Gastro-intestinal system

Symptoms: Nausea, Diarrhea

Target Organs: Central nervous system Symptoms: Dizziness, Headache

Target Organs: Eye Symptoms: Irritation Target Organs: Skin Symptoms: Irritation

Target Organs: Respiratory system Symptoms: Breathing difficulties

Ingestion : Target Organs: Gastro-intestinal system

Symptoms: Nausea, Abdominal pain, Diarrhea

Target Organs: Central nervous system

Symptoms: Dizziness

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Doramectin:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 11 μg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

LC50 (Oncorhynchus mykiss (rainbow trout)): 5,1 µg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,1 µg/l

Exposure time: 48 h

Method: OECD Test Guideline 202



Doramectin Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 5.8 30.09.2023 5191201-00013 Date of first issue: 22.10.2019

: 10.000

M-Factor (Chronic aquatic

toxicity)

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Persistence and degradability

No data available

Bioaccumulative potential

Components:

Doramectin:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 71 Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

log Pow: 4,5

pH: 7

Mobility in soil

Components:

Doramectin:

Distribution among environ-

mental compartments

log Koc: 4,94

Other adverse effects

Components:

Doramectin:

Results of PBT and vPvB

assessment

This substance is not considered to be very persistent and

very bioaccumulating (vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.



Doramectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 5.8
 30.09.2023
 5191201-00013
 Date of first issue: 22.10.2019

(Doramectin)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Doramectin)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 964

aircraft)

Packing instruction (passen- : 964

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Doramectin)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

ANTT

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Doramectin)

Class : 9
Packing group : III
Labels : 9
Hazard Identification Number : 90

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans - : Not applicable

(LINACH)



Doramectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 5.8
 30.09.2023
 5191201-00013
 Date of first issue: 22.10.2019

Brazil. List of chemicals controlled by the Federal : Not applicable

Police

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 30.09.2023 Date format : dd.mm.yyyy

Further information

Sources of key data used to

compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized Svstem; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Sub-



Doramectin Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 5.8 30.09.2023 5191201-00013 Date of first issue: 22.10.2019

stances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8