According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



### **Emamectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.2 28.09.2024 9371371-00011 Date of first issue: 27.08.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name **Emamectin Formulation** 

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-: Veterinary product

stance/Mixture

Recommended restrictions Not applicable

on use

1.3 Details of the supplier of the safety data sheet

Company **MSD** 

Walton Manor, Walton

MK7 7AJ Milton Keynes - United Kingdom

Telephone +1-908-740-4000

E-mail address of person

responsible for the SDS

: EHSDATASTEWARD@msd.com

### 1.4 Emergency telephone number

+1-908-423-6000

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Short-term (acute) aquatic hazard, Cate-H400: Very toxic to aquatic life.

gory 1

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting

effects.

# 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **Emamectin Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.2
 28.09.2024
 9371371-00011
 Date of first issue: 27.08.2021

Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)	
Emamectin	137512-74-4	Acute Tox. 3; H301 Acute Tox. 3; H331 Eye Dam. 1; H318 STOT SE 1; H370 (Peripheral nervous system, Central nervous system) STOT RE 1; H372 (Peripheral nervous system, Central nervous system) Aquatic Acute 1; H400 Aquatic Acute 1; H410 ————————————————————————————————————	>= 0.1 - < 0.25	
Substances with a workplace exposure limit :				
Starch	9005-25-8		>= 30 - < 50	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **Emamectin Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.2
 28.09.2024
 9371371-00011
 Date of first issue: 27.08.2021

	232-679-6	
Propylene glycol	57-55-6	>= 1 - < 10
	200-338-0	

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : No special precautions are necessary for first aid responders.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.

Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

### **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: None known.

3/21

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **Emamectin Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.2
 28.09.2024
 9371371-00011
 Date of first issue: 27.08.2021

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

#### 5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary. Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

#### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



### **Emamectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 28.09.2024 9371371-00011 Date of first issue: 27.08.2021 6.2

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

**SECTION 7: Handling and storage** 

7.1 Precautions for safe handling

Technical measures Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation Use only with adequate ventilation.

Advice on safe handling Do not breathe dust.

Handle in accordance with good industrial hygiene and safety

practice, based on the results of the workplace exposure as-

sessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures If exposure to chemical is likely during typical use, provide eye

> flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

nated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep in properly labelled containers. Store in accordance with

the particular national regulations.

Do not store with the following product types: Advice on common storage

Strong oxidizing agents

7.3 Specific end use(s)

Specific use(s) No data available

**SECTION 8: Exposure controls/personal protection** 

8.1 Control parameters

**Occupational Exposure Limits** 

dust of any kind 10 mg/m3

Value type (Form of exposure): TWA (Inhalable)

Basis: GB EH40

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



### **Emamectin Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.2
 28.09.2024
 9371371-00011
 Date of first issue: 27.08.2021

4 mg/m3

Value type (Form of exposure): TWA (Respirable fraction)

Basis: GB EH40

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Starch	9005-25-8	TWA (inhalable dust)	10 mg/m3	GB EH40
		TWA (Respirable dust)	4 mg/m3	GB EH40
Propylene glycol	57-55-6	TWA (Total va- pour and parti- cles)	150 ppm 474 mg/m3	GB EH40
		TWA (particles)	10 mg/m3	GB EH40
Emamectin	137512-74- 4	TWA	15 μg/m3 (OEB 3)	Internal
	Further information: Skin			
		Wipe limit	150 μg/100 cm2	Internal

### **Derived No Effect Level (DNEL)**

Substance name	End Use	Exposure routes	Potential health effects	Value
Propylene glycol	Workers	Inhalation	Long-term local ef- fects	10 mg/m3
	Workers	Inhalation	Long-term systemic effects	168 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	10 mg/m3
	Consumers	Inhalation	Long-term systemic effects	50 mg/m3

### **Predicted No Effect Concentration (PNEC)**

Substance name	Environmental Compartment	Value
Propylene glycol	Fresh water	260 mg/l
	Freshwater - intermittent	183 mg/l
	Marine water	26 mg/l
	Sewage treatment plant	20000 mg/l
	Fresh water sediment	572 mg/kg dry weight (d.w.)
	Marine sediment	57.2 mg/kg dry weight (d.w.)
	Soil	50 mg/kg dry weight (d.w.)

### 8.2 Exposure controls

### **Engineering measures**

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



### **Emamectin Formulation**

Version **Revision Date:** SDS Number: Date of last issue: 06.04.2024 6.2 28.09.2024 9371371-00011 Date of first issue: 27.08.2021

Minimize open handling.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Hand protection

Material Chemical-resistant gloves

Remarks Consider double gloving.

Skin and body protection Work uniform or laboratory coat.

Additional body garments should be used based upon the task

being performed (e.g., sleevelets, apron, gauntlets, disposable

suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Respiratory protection If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Equipment should conform to BS EN 143

Particulates type (P) Filter type

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

powder Appearance Colour white

Odour No data available Odour Threshold No data available

pΗ No data available

Melting point/freezing point No data available

Initial boiling point and boiling

range

No data available

Flash point No data available

No data available **Evaporation rate** 

Flammability (solid, gas) May form explosive dust-air mixture during processing, han-

dling or other means.

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **Emamectin Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.2
 28.09.2024
 9371371-00011
 Date of first issue: 27.08.2021

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Solubility(ies)

Water solubility : soluble

Partition coefficient: n- : No data available

octanol/water

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Flammability (liquids) : No data available

Molecular weight : No data available

Particle size : No data available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Not classified as a reactivity hazard.

#### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



### **Emamectin Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.2
 28.09.2024
 9371371-00011
 Date of first issue: 27.08.2021

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Information on likely routes of : Inhalation

exposure Skin contact

Ingestion Eye contact

**Acute toxicity** 

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Components:

**Emamectin:** 

Acute oral toxicity : LD50 (Rat): 76 - 78 mg/kg

Symptoms: Irritability, Salivation, Lachrymation, Tremors

LD50 (Mouse): 22 - 31 mg/kg

Symptoms: Tremors

TDLo (Rat): 0.5 - 25 mg/kg

Target Organs: Central nervous system, Peripheral nervous

system

Acute inhalation toxicity : LC50 (Rat, male and female): > 0.663 - 1.049 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

LD0 (Rabbit): 500 - 1,000 mg/kg

Target Organs: Peripheral nervous system, Central nervous

system

Symptoms: Tremors, Dilatation of the pupil

Starch:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **Emamectin Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.2
 28.09.2024
 9371371-00011
 Date of first issue: 27.08.2021

Propylene glycol:

Acute oral toxicity : LD50 (Rat): 22,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 44.9 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Not classified based on available information.

**Components:** 

**Emamectin:** 

Species : Rabbit

Result : Mild skin irritation

Propylene glycol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

**Components:** 

**Emamectin:** 

Species : Rabbit

Result : Irreversible effects on the eye

Starch:

Species : Rabbit

Result : No eye irritation

Propylene glycol:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **Emamectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.2 28.09.2024 9371371-00011 Date of first issue: 27.08.2021

#### Respiratory sensitisation

Not classified based on available information.

#### **Components:**

**Emamectin:** 

Test Type Local lymph node assay (LLNA)

Exposure routes Skin contact Species Mouse

Does not cause skin sensitisation. Assessment

Result negative

Starch:

Test Type **Maximisation Test** Exposure routes Skin contact **Species** Guinea pig Result negative

Propylene glycol:

Test Type **Maximisation Test** Exposure routes Skin contact **Species** Guinea pig Result negative

# Germ cell mutagenicity

Not classified based on available information.

## **Components:**

**Emamectin:** 

Genotoxicity in vitro Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster lung cells

Result: negative

Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells

Result: negative

Test Type: Alkaline elution assay Test system: rat hepatocytes

Result: negative

Genotoxicity in vivo Test Type: in vivo assay

Species: Mouse

Cell type: Bone marrow

Result: negative

### Starch:

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **Emamectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.2 28.09.2024 9371371-00011 Date of first issue: 27.08.2021

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Propylene glycol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

#### Carcinogenicity

Not classified based on available information.

#### Components:

#### **Emamectin:**

Species : Mouse
Application Route : Oral
Exposure time : 79 weeks

Dose : 0.5 - 7.5 mg/kg body weight

Result : negative

Species : Rat Application Route : Oral

Exposure time : 105 weeks

Dose : 0.25 - 2.5 mg/kg body weight

Result : negative

# Propylene glycol:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

### Reproductive toxicity

Not classified based on available information.

### Components:

### **Emamectin:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat, male and female Application Route: oral (feed)

General Toxicity - Parent: NOAEL: 0.6 mg/kg body weight

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **Emamectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.2 28.09.2024 9371371-00011 Date of first issue: 27.08.2021

Fertility: NOAEL Parent: 0.6 mg/kg body weight

Early Embryonic Development: LOAEL F1: 0.6 mg/kg body

weight

Symptoms: Effect on reproduction capacity, Effects on fertility,

Effects on F1 offspring

Result: positive

Effects on foetal develop-

ment

Test Type: Development

Species: Rabbit

Application Route: Oral

Duration of Single Treatment: 12 d

General Toxicity Maternal: NOAEL: 3 mg/kg body weight Developmental Toxicity: NOAEL F1: 6 mg/kg body weight Result: No teratogenic effects, Embryotoxic effects and adverse effects on the offspring were detected only at high ma-

ternally toxic doses

Test Type: Development

Species: Rat

Application Route: Oral

Duration of Single Treatment: 13 d

Developmental Toxicity: NOAEL F1: 4 mg/kg body weight Result: No teratogenic effects, Embryotoxic effects and adverse effects on the offspring were detected only at high ma-

ternally toxic doses

Propylene glycol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Ingestion

Result: negative

#### STOT - single exposure

Not classified based on available information.

### **Components:**

#### **Emamectin:**

Exposure routes : Ingestion, Skin contact

Target Organs : Peripheral nervous system, Central nervous system

Assessment : Causes damage to organs.

#### STOT - repeated exposure

Not classified based on available information.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



### **Emamectin Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.2
 28.09.2024
 9371371-00011
 Date of first issue: 27.08.2021

**Components:** 

**Emamectin:** 

Target Organs : Peripheral nervous system, Central nervous system
Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

**Components:** 

**Emamectin:** 

Species : Rat

NOAEL : 0.25 mg/kg LOAEL : 1 mg/kg Application Route : Oral Exposure time : 105 Weeks

Target Organs : Central nervous system

Species : Mouse
NOAEL : 2.5 mg/kg
LOAEL : 12.5 mg/kg

Application Route : Oral Exposure time : 79 Weeks

Target Organs : Peripheral nervous system

Symptoms : Tremors, Fatality

Species : Dog
NOAEL : 0.25 mg/kg
LOAEL : 0.5 mg/kg
Application Route : Oral
Exposure time : 53 Weeks

Target Organs : Peripheral nervous system, Central nervous system

Symptoms : Tremors, Dilatation of the pupil

Starch:

Species : Rat

NOAEL : >= 2,000 mg/kg
Application Route : Skin contact
Exposure time : 28 Days

Method : OECD Test Guideline 410

Propylene glycol:

Species : Rat, male

NOAEL : >= 1,700 mg/kg

Application Route : Ingestion

Exposure time : 2 yr

**Aspiration toxicity** 

Not classified based on available information.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



### **Emamectin Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.2
 28.09.2024
 9371371-00011
 Date of first issue: 27.08.2021

### **Experience with human exposure**

**Components:** 

**Emamectin:** 

Eye contact : Symptoms: Severe irritation

Remarks: Based on Animal Evidence

Ingestion : Target Organs: Gastro-intestinal system

Symptoms: Nausea, Vomiting, Abdominal pain, confusion

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### Components:

**Emamectin:** 

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.174 mg/l

Exposure time: 96 h

LC50 (Cyprinodon variegatus (sheepshead minnow)): 1.34

mg/l

Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.18 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.00099 mg/l

Exposure time: 48 h

EC50 (Americamysis): 0.000043 mg/l

Exposure time: 48 h

M-Factor (Acute aquatic tox-

icity)

10,000

M-Factor (Chronic aquatic

toxicity)

10,000

Propylene glycol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 20,000 mg/l

Exposure time: 18 h

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **Emamectin Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.2
 28.09.2024
 9371371-00011
 Date of first issue: 27.08.2021

Toxicity to daphnia and other : NOEC: 13,020 mg/l aquatic invertebrates (Chron- Exposure time: 7 d

ic toxicity) Species: Ceriodaphnia dubia (water flea)

### 12.2 Persistence and degradability

**Components:** 

Propylene glycol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 98.3 % Exposure time: 28 d

Method: OECD Test Guideline 301F

12.3 Bioaccumulative potential

**Components:** 

**Emamectin:** 

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 80

Partition coefficient: n-

octanol/water

log Pow: 5

Propylene glycol:

Partition coefficient: n-

octanol/water

log Pow: -1.07

Method: Regulation (EC) No. 440/2008, Annex, A.8

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Other adverse effects

**Product:** 

Endocrine disrupting poten-

tial

This substance/mixture does not contain components considered to have endocrine disrupting properties for environment

according to UK REACH Article 57(f).

**SECTION 13: Disposal considerations** 

13.1 Waste treatment methods

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **Emamectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.2 28.09.2024 9371371-00011 Date of first issue: 27.08.2021

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

### **SECTION 14: Transport information**

### 14.1 UN number

ADN : UN 3077
ADR : UN 3077
RID : UN 3077
IMDG : UN 3077
IATA : UN 3077

### 14.2 UN proper shipping name

**ADN** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Emamectin)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Emamectin)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Emamectin)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Emamectin)

IATA : Environmentally hazardous substance, solid, n.o.s.

(Emamectin)

#### 14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

### 14.4 Packing group

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **Emamectin Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.2
 28.09.2024
 9371371-00011
 Date of first issue: 27.08.2021

**ADN** 

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

**ADR** 

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

**RID** 

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

**IMDG** 

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 956

aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 956

ger aircraft)

Packing instruction (LQ) : Y956 Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

**IMDG** 

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



### **Emamectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 28.09.2024 9371371-00011 Date of first issue: 27.08.2021 6.2

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Not applicable

UK REACH Candidate list of substances of very high Not applicable

concern (SVHC) for Authorisation

The Persistent Organic Pollutants Regulations (retained Not applicable

Regulation (EU) 2019/1021 as amended for Great Brit-

Regulation (EC) on substances that deplete the ozone

Not applicable layer

UK REACH List of substances subject to authorisation

(Annex XIV)

GB Export and import of hazardous chemicals - Prior

Informed Consent (PIC) Regulation

Control of Major Accident Hazards Regulations 2015 (COMAH)

Quantity 1 Quantity 2

E1 **ENVIRONMENTAL** 100 t 200 t

**HAZARDS** 

The components of this product are reported in the following inventories:

**AICS** not determined

DSL not determined

**IECSC** not determined

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

Other information Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

Not applicable

Not applicable

lines.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **Emamectin Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.2 28.09.2024 9371371-00011 Date of first issue: 27.08.2021

#### **Full text of H-Statements**

H301 : Toxic if swallowed.

H318 : Causes serious eye damage.

H331 : Toxic if inhaled.

H370 : Causes damage to organs if swallowed.

H372 : Causes damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage

STOT RE : Specific target organ toxicity - repeated exposure STOT SE : Specific target organ toxicity - single exposure GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **Emamectin Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.2
 28.09.2024
 9371371-00011
 Date of first issue: 27.08.2021

**Further information** 

Sources of key data used to compile the Safety Data

eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Internal technical data, data from raw material SDSs, OECD

Sheet cy, http://e

Classification of the mixture: Classification procedure:

Aquatic Acute 1 H400 Calculation method
Aquatic Chronic 1 H410 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN