

Emamectin Formulation

Version 6.0 Revision Date: 05.10.2023 SDS Number: 24928-00026 Date of last issue: 21.09.2023
Date of first issue: 23.10.2014

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Emamectin Formulation

Manufacturer or supplier's details

Company name of supplier : MSD
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Other hazards

Dust contact with the eyes can lead to mechanical irritation.
Contact with dust can cause mechanical irritation or drying of the skin.
May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Starch	9005-25-8	>= 30 -< 50
Emamectin	137512-74-4	>= 0.1 -< 1

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.
Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Emamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2023
6.0	05.10.2023	24928-00026	Date of first issue: 23.10.2014

	Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation.
Protection of first-aiders	: No special precautions are necessary for first aid responders.
Notes to physician	: Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

Emamectin Formulation

Version 6.0 Revision Date: 05.10.2023 SDS Number: 24928-00026 Date of last issue: 21.09.2023
 Date of first issue: 23.10.2014

employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
 Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe dust.
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
 Minimize dust generation and accumulation.
 Keep container closed when not in use.
 Keep away from heat and sources of ignition.
 Take precautionary measures against static discharges.
 Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
 When using do not eat, drink or smoke.
 Wash contaminated clothing before re-use.
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labeled containers.
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
 Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Starch	9005-25-8	VLE-PPT	10 mg/m ³	NOM-010-STPS-2014
		TWA	10 mg/m ³	ACGIH
Emamectin	137512-74-4	TWA	15 µg/m ³ (OEB 3)	Internal
		Further information: Skin		
		Wipe limit	150 µg/100 cm ²	Internal

- Engineering measures : All engineering controls should be implemented by facility

Emamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2023
6.0	05.10.2023	24928-00026	Date of first issue: 23.10.2014

design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	:	Particulates type
Hand protection	:	
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Color	:	white
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.

Emamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2023
6.0	05.10.2023	24928-00026	Date of first issue: 23.10.2014

Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Solubility(ies)	:	
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

Emamectin Formulation

Version 6.0 Revision Date: 05.10.2023 SDS Number: 24928-00026 Date of last issue: 21.09.2023
Date of first issue: 23.10.2014

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Components:**Starch:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Emamectin:

Acute oral toxicity : LD50 (Rat): 76 - 78 mg/kg
Symptoms: Irritability, Salivation, Lachrymation, Tremors

LD50 (Mouse): 22 - 31 mg/kg
Symptoms: Tremors

TDL₀ (Rat): 0.5 - 25 mg/kg
Target Organs: Central nervous system, Peripheral nervous system

Acute inhalation toxicity : LC50 (Rat, male and female): > 0.663 - 1.049 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

LD₀ (Rabbit): 500 - 1,000 mg/kg
Target Organs: Peripheral nervous system, Central nervous system
Symptoms: Tremors, Dilatation of the pupil

Skin corrosion/irritation

Not classified based on available information.

Emamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2023
6.0	05.10.2023	24928-00026	Date of first issue: 23.10.2014

Components:**Emamectin:**

Species	:	Rabbit
Result	:	Mild skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Starch:**

Species	:	Rabbit
Result	:	No eye irritation

Emamectin:

Species	:	Rabbit
Result	:	Irreversible effects on the eye

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:**Starch:**

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	negative

Emamectin:

Test Type	:	Local lymph node assay (LLNA)
Routes of exposure	:	Skin contact
Species	:	Mouse
Assessment	:	Does not cause skin sensitization.
Result	:	negative

Germ cell mutagenicity

Not classified based on available information.

Components:**Starch:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
		Result: negative

Emamectin:

Emamectin Formulation

Version 6.0 Revision Date: 05.10.2023 SDS Number: 24928-00026 Date of last issue: 21.09.2023
Date of first issue: 23.10.2014

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster lung cells
Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells
Result: negative

Test Type: Alkaline elution assay
Test system: rat hepatocytes
Result: negative

Genotoxicity in vivo : Test Type: in vivo assay
Species: Mouse
Cell type: Bone marrow
Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Emamectin:**

Species : Mouse
Application Route : Oral
Exposure time : 79 weeks
Dose : 0.5 - 7.5 mg/kg body weight
Result : negative

Species : Rat
Application Route : Oral
Exposure time : 105 weeks
Dose : 0.25 - 2.5 mg/kg body weight
Result : negative

Reproductive toxicity

Not classified based on available information.

Components:**Emamectin:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat, male and female
Application Route: oral (feed)
General Toxicity Parent: NOAEL: 0.6 mg/kg body weight
Fertility: NOAEL Parent: 0.6 mg/kg body weight
Early Embryonic Development: LOAEL F1: 0.6 mg/kg body weight
Symptoms: Effect on reproduction capacity., Effects on fertility., Effects on F1 offspring.
Result: positive

Emamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2023
6.0	05.10.2023	24928-00026	Date of first issue: 23.10.2014

Effects on fetal development : Test Type: Development
Species: Rabbit
Application Route: Oral
Duration of Single Treatment: 12 d
General Toxicity Maternal: NOAEL: 3 mg/kg body weight
Developmental Toxicity: NOAEL F1: 6 mg/kg body weight
Result: No teratogenic effects., Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Test Type: Development
Species: Rat
Application Route: Oral
Duration of Single Treatment: 13 d
Developmental Toxicity: NOAEL F1: 4 mg/kg body weight
Result: No teratogenic effects., Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

STOT-single exposure

Not classified based on available information.

Components:**Emamectin:**

Routes of exposure : Ingestion, Skin contact
Target Organs : Peripheral nervous system, Central nervous system
Assessment : Causes damage to organs.

STOT-repeated exposure

Not classified based on available information.

Components:**Emamectin:**

Target Organs : Peripheral nervous system, Central nervous system
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Starch:**

Species : Rat
NOAEL : $\geq 2,000$ mg/kg
Application Route : Skin contact
Exposure time : 28 Days
Method : OECD Test Guideline 410

Emamectin:

Species : Rat

Emamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2023
6.0	05.10.2023	24928-00026	Date of first issue: 23.10.2014

NOAEL : 0.25 mg/kg
 LOAEL : 1 mg/kg
 Application Route : Oral
 Exposure time : 105 Weeks
 Target Organs : Central nervous system

Species : Mouse
 NOAEL : 2.5 mg/kg
 LOAEL : 12.5 mg/kg
 Application Route : Oral
 Exposure time : 79 Weeks
 Target Organs : Peripheral nervous system
 Symptoms : Tremors, Fatality

Species : Dog
 NOAEL : 0.25 mg/kg
 LOAEL : 0.5 mg/kg
 Application Route : Oral
 Exposure time : 53 Weeks
 Target Organs : Peripheral nervous system, Central nervous system
 Symptoms : Tremors, Dilatation of the pupil

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Emamectin:**

Eye contact : Symptoms: Severe irritation
 Remarks: Based on Animal Evidence
 Ingestion : Target Organs: Gastro-intestinal system
 Symptoms: Nausea, Vomiting, Abdominal pain, confusion

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Emamectin:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.174 mg/l
 Exposure time: 96 h
 LC50 (Cyprinodon variegatus (sheepshead minnow)): 1.34 mg/l
 Exposure time: 96 h
 LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.18 mg/l
 Exposure time: 96 h
 Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.00099 mg/l
 Exposure time: 48 h

Emamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2023
6.0	05.10.2023	24928-00026	Date of first issue: 23.10.2014

EC50 (Americamysis): 0.000043 mg/l
Exposure time: 48 h

Persistence and degradability

No data available

Bioaccumulative potential**Components:****Emamectin:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 80

Partition coefficient: n-octanol/water : log Pow: 5

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(Emamectin)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Emamectin)

Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956

Emamectin Formulation

Version 6.0 Revision Date: 05.10.2023 SDS Number: 24928-00026 Date of last issue: 21.09.2023
Date of first issue: 23.10.2014

Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Emamectin)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**NOM-002-SCT**

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Emamectin)
Class : 9
Packing group : III
Labels : 9

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Federal Law for the control of chemical precursors, essential chemical products and machinery for producing capsules, tablets and pills. : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 05.10.2023

Emamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2023
6.0	05.10.2023	24928-00026	Date of first issue: 23.10.2014

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NOM-010-STPS-2014 : Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting the Work Environment - Identification, Assessment and Control - Appendix 1 Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average
NOM-010-STPS-2014 / VLE- : Time weighted average limit value
PPT

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

SAFETY DATA SHEET



Emamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2023
6.0	05.10.2023	24928-00026	Date of first issue: 23.10.2014

MX / Z8