

Emamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 21.09.2023

 5.0
 05.10.2023
 24939-00027
 Date of first issue: 23.10.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Emamectin Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Veterinary product

stance/Mixture

Recommended restrictions

on use

Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD

20 Spartan Road

1619 Spartan, South Africa

Telephone : +27119239300

E-mail address of person

responsible for the SDS

: EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Short-term (acute) aquatic hazard, Cate-

gory 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :

Warning

Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:



Emamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 21.09.2023 5.0 05.10.2023 24939-00027 Date of first issue: 23.10.2014

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Emamectin	137512-74-4	Acute Tox. 3; H301 Acute Tox. 3; H331 Eye Dam. 1; H318 STOT SE 1; H370 (Peripheral nervous system, Central nervous system) STOT RE 1; H372 (Peripheral nervous system, Central nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 ——— M-Factor (Acute aquatic toxicity): 10.000 M-Factor (Chronic aquatic toxicity): 10.000	>= 0,1 - < 0,25

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.



Emamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 21.09.2023 5.0 05.10.2023 24939-00027 Date of first issue: 23.10.2014

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : No special precautions are necessary for first aid responders.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.

Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary. Use personal protective equipment.



Emamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 21.09.2023 5.0 05.10.2023 24939-00027 Date of first issue: 23.10.2014

Specific extinguishing meth-

ods

: Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe dust.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Minimize dust generation and accumulation.



Emamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 21.09.2023 5.0 05.10.2023 24939-00027 Date of first issue: 23.10.2014

Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

nated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep in properly labelled containers. Store in accordance with

the particular national regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
Starch	9005-25-8	OEL-RL	10 mg/m3	ZA OEL	
	Further information: Occupational Exposure Limits - Restricted Limits For Hazardous Chemical Agents				
Emamectin	137512-74- 4	TWA	15 μg/m3 (OEB 3)	Internal	
	Further information: Skin				
		Wipe limit	150 μg/100 cm2	Internal	

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Propylene glycol	Workers	Inhalation	Long-term local ef- fects	10 mg/m3
	Workers	Inhalation	Long-term systemic effects	168 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	10 mg/m3
	Consumers	Inhalation	Long-term systemic effects	50 mg/m3



Emamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 21.09.2023 5.0 05.10.2023 24939-00027 Date of first issue: 23.10.2014

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Propylene glycol	Fresh water	260 mg/l
	Freshwater - intermittent	183 mg/l
	Marine water	26 mg/l
	Sewage treatment plant	20000 mg/l
	Fresh water sediment	572 mg/kg dry
		weight (d.w.)
	Marine sediment	57,2 mg/kg dry
		weight (d.w.)
	Soil	50 mg/kg dry
		weight (d.w.)

8.2 Exposure controls

Engineering measures

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable

suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type : Particulates type (P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : powder Colour : white

Odour : No data available Odour Threshold : No data available



Emamectin Formulation

Version **Revision Date:** SDS Number: Date of last issue: 21.09.2023 05.10.2023 24939-00027 Date of first issue: 23.10.2014 5.0

No data available pН

Melting point/freezing point No data available

Initial boiling point and boiling

range

Flash point No data available

Evaporation rate No data available

Flammability (solid, gas) May form explosive dust-air mixture during processing, han-

dling or other means.

Upper explosion limit / Upper

flammability limit

No data available

No data available

Lower explosion limit / Lower

flammability limit

No data available

No data available Vapour pressure

Relative vapour density No data available

Relative density No data available

Solubility(ies)

Water solubility soluble

Partition coefficient: n-No data available

octanol/water

No data available Auto-ignition temperature

Decomposition temperature No data available

Viscosity

Viscosity, kinematic No data available

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

9.2 Other information

Flammability (liquids) No data available

Molecular weight No data available

Particle size No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.



Emamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 21.09.2023

 5.0
 05.10.2023
 24939-00027
 Date of first issue: 23.10.2014

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of : Inhalation

exposure Skin contact

Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Components:

Emamectin:

Acute oral toxicity : LD50 (Rat): 76 - 78 mg/kg

Symptoms: Irritability, Salivation, Lachrymation, Tremors

LD50 (Mouse): 22 - 31 mg/kg

Symptoms: Tremors

TDLo (Rat): 0,5 - 25 mg/kg

Target Organs: Central nervous system, Peripheral nervous

system

Acute inhalation toxicity : LC50 (Rat, male and female): > 0,663 - 1,049 mg/l

Exposure time: 4 h



Emamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 21.09.2023

 5.0
 05.10.2023
 24939-00027
 Date of first issue: 23.10.2014

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

LD0 (Rabbit): 500 - 1.000 mg/kg

Target Organs: Peripheral nervous system, Central nervous

system

Symptoms: Tremors, Dilatation of the pupil

Skin corrosion/irritation

Not classified based on available information.

Components:

Emamectin:

Species : Rabbit

Result : Mild skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Emamectin:

Species : Rabbit

Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Emamectin:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact Species : Mouse

Assessment : Does not cause skin sensitisation.

Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Emamectin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test



Emamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 21.09.2023 5.0 05.10.2023 24939-00027 Date of first issue: 23.10.2014

Test system: Chinese hamster lung cells

Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells

Result: negative

Test Type: Alkaline elution assay Test system: rat hepatocytes

Result: negative

Genotoxicity in vivo : Test Type: in vivo assay

Species: Mouse

Cell type: Bone marrow

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Emamectin:

Species : Mouse
Application Route : Oral
Exposure time : 79 weeks

Dose : 0.5 - 7.5 mg/kg body weight

Result : negative

Species : Rat
Application Route : Oral
Exposure time : 105 weeks

Dose : 0.25 - 2.5 mg/kg body weight

Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

Emamectin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat, male and female Application Route: oral (feed)

General Toxicity - Parent: NOAEL: 0,6 mg/kg body weight

Fertility: NOAEL Parent: 0.6 mg/kg body weight

Early Embryonic Development: LOAEL F1: 0,6 mg/kg body

weiaht

Symptoms: Effect on reproduction capacity, Effects on fertility,

Effects on F1 offspring

Result: positive

Effects on foetal develop-

ment

Test Type: Development

Species: Rabbit

Application Route: Oral



Emamectin Formulation

Version **Revision Date:** SDS Number: Date of last issue: 21.09.2023 05.10.2023 24939-00027 Date of first issue: 23.10.2014 5.0

Duration of Single Treatment: 12 d

General Toxicity Maternal: NOAEL: 3 mg/kg body weight Developmental Toxicity: NOAEL F1: 6 mg/kg body weight Result: No teratogenic effects, Embryotoxic effects and adverse effects on the offspring were detected only at high ma-

ternally toxic doses

Test Type: Development

Species: Rat

Application Route: Oral

Duration of Single Treatment: 13 d

Developmental Toxicity: NOAEL F1: 4 mg/kg body weight Result: No teratogenic effects, Embryotoxic effects and adverse effects on the offspring were detected only at high ma-

ternally toxic doses

STOT - single exposure

Not classified based on available information.

Components:

Emamectin:

Exposure routes Ingestion, Skin contact

Target Organs Peripheral nervous system, Central nervous system

Assessment Causes damage to organs.

STOT - repeated exposure

Not classified based on available information.

Components:

Emamectin:

Target Organs Peripheral nervous system, Central nervous system Causes damage to organs through prolonged or repeated Assessment

exposure.

Repeated dose toxicity

Components:

Emamectin:

Species Rat

NOAEL 0,25 mg/kg LOAEL 1 mg/kg Oral Application Route Exposure time 105 Weeks

Target Organs Central nervous system

Species Mouse 2,5 mg/kg **NOAEL** LOAEL 12,5 mg/kg Oral

Application Route Exposure time 79 Weeks

Target Organs Peripheral nervous system



Emamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 21.09.2023 5.0 05.10.2023 24939-00027 Date of first issue: 23.10.2014

Symptoms : Tremors, Fatality

Species : Dog

NOAEL : 0,25 mg/kg LOAEL : 0,5 mg/kg Application Route : Oral Exposure time : 53 Weeks

Target Organs : Peripheral nervous system, Central nervous system

Symptoms : Tremors, Dilatation of the pupil

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Emamectin:

Ingestion

Eye contact : Symptoms: Severe irritation

Remarks: Based on Animal Evidence
Target Organs: Gastro-intestinal system

Symptoms: Nausea, Vomiting, Abdominal pain, confusion

SECTION 12: Ecological information

12.1 Toxicity

Components:

Emamectin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,174 mg/l

Exposure time: 96 h

LC50 (Cyprinodon variegatus (sheepshead minnow)): 1,34

mg/l

Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,18 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,00099 mg/l

Exposure time: 48 h

EC50 (Americamysis): 0,000043 mg/l

Exposure time: 48 h

M-Factor (Acute aquatic tox- :

icity)

10.000

M-Factor (Chronic aquatic

toxicity)

10.000

12.2 Persistence and degradability

No data available



Emamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 21.09.2023 5.0 05.10.2023 24939-00027 Date of first issue: 23.10.2014

12.3 Bioaccumulative potential

Components:

Emamectin:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 80

Partition coefficient: n-

octanol/water

: log Pow: 5

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting poten-

tial

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADN : UN 3077
ADR : UN 3077
RID : UN 3077
IMDG : UN 3077



Emamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 21.09.2023 5.0 05.10.2023 24939-00027 Date of first issue: 23.10.2014

IATA : UN 3077

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Emamectin)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Emamectin)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Emamectin)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Emamectin)

IATA : Environmentally hazardous substance, solid, n.o.s.

(Emamectin)

14.3 Transport hazard class(es)

Class Subsidiary risks

 ADN
 :
 9

 ADR
 :
 9

 RID
 :
 9

 IMDG
 :
 9

 IATA
 :
 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III Labels : 9

EmS Code : F-A, S-F



Emamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 21.09.2023 5.0 05.10.2023 24939-00027 Date of first issue: 23.10.2014

956

IATA (Cargo)

Packing instruction (cargo

aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen: 956

ger aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined



Emamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 21.09.2023 5.0 05.10.2023 24939-00027 Date of first issue: 23.10.2014

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

Full text of H-Statements

H301 : Toxic if swallowed.

H318 : Causes serious eye damage.

H331 : Toxic if inhaled.

H370 : Causes damage to organs if swallowed.

H372 : Causes damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage

STOT RE : Specific target organ toxicity - repeated exposure STOT SE : Specific target organ toxicity - single exposure

ZA OEL : South Africa. The Regulations for Hazardous Chemical

Agents, Occupational Exposure Limits

ZA OEL / OEL-RL : Occupational Exposure Limit Restricted limit - 8- hour expo-

sure or equivalent (12 hour shifts)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quanti-



Emamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 21.09.2023 5.0 05.10.2023 24939-00027 Date of first issue: 23.10.2014

tative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data

compile the Safety Data
Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Classification of the mixture: Classification procedure:

Aquatic Acute 1 H400 Calculation method
Aquatic Chronic 1 H410 Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN