

## Enilconazole Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
7.0	30.09.2023	906827-00019	Date of first issue: 22.09.2016

---

### SECTION 1. IDENTIFICATION

Product name : Enilconazole Liquid Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma  
Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 3

Acute toxicity (Inhalation) : Category 4

Serious eye damage/eye  
irritation : Category 2A

Carcinogenicity : Category 2

Specific target organ toxicity -  
repeated exposure : Category 2 (Liver)

Short-term (acute) aquatic  
hazard : Category 2

Long-term (chronic) aquatic  
hazard : Category 1

#### GHS label elements

## Enilconazole Liquid Formulation

Version 7.0      Revision Date: 30.09.2023      SDS Number: 906827-00019      Date of last issue: 04.04.2023  
Date of first issue: 22.09.2016

---

Hazard pictograms



Signal Word

: Danger

Hazard Statements

: H226 Flammable liquid and vapor.  
H301 Toxic if swallowed.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H351 Suspected of causing cancer.  
H373 May cause damage to organs (Liver) through prolonged or repeated exposure.  
H401 Toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

: **Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P260 Do not breathe mist or vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P391 Collect spillage.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

## Enilconazole Liquid Formulation

Version 7.0      Revision Date: 30.09.2023      SDS Number: 906827-00019      Date of last issue: 04.04.2023  
 Date of first issue: 22.09.2016

### Other hazards which do not result in classification

Vapors may form explosive mixture with air.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Sodium bis(2-ethylhexyl)sulfosuccinate	577-11-7	>= 30 -< 50
Enilconazole	35554-44-0	>= 10 -< 20
Benzyl alcohol	100-51-6	>= 5 -< 10
Ethanol#	64-17-5	>= 1 -< 5

# Voluntarily-disclosed substance

### SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
 If not breathing, give artificial respiration.  
 If breathing is difficult, give oxygen.  
 Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
 If easy to do, remove contact lens, if worn.  
 Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.  
 Call a physician or poison control center immediately.  
 Rinse mouth thoroughly with water.  
 Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Gastrointestinal disturbance  
 Toxic if swallowed.  
 Causes serious eye irritation.  
 Harmful if inhaled.  
 Suspected of causing cancer.  
 May cause damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

## Enilconazole Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
7.0	30.09.2023	906827-00019	Date of first issue: 22.09.2016

---

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not use a solid water stream as it may scatter and spread fire.  
Flash back possible over considerable distance.  
Vapors may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Sulfur oxides  
Metal oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapors/mists with a water spray jet.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding

## Enilconazole Liquid Formulation

Version 7.0      Revision Date: 30.09.2023      SDS Number: 906827-00019      Date of last issue: 04.04.2023  
 Date of first issue: 22.09.2016

certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.  
 Use explosion-proof electrical, ventilating and lighting equipment.
- Advice on safe handling : Do not breathe mist or vapors.  
 Do not swallow.  
 Do not get in eyes.  
 Avoid prolonged or repeated contact with skin.  
 Wash skin thoroughly after handling.  
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
 Non-sparking tools should be used.  
 Keep container tightly closed.  
 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 Take precautionary measures against static discharges.  
 Do not eat, drink or smoke when using this product.  
 Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
 Store locked up.  
 Keep tightly closed.  
 Keep in a cool, well-ventilated place.  
 Store in accordance with the particular national regulations.  
 Keep away from heat and sources of ignition.
- Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents  
 Self-reactive substances and mixtures  
 Organic peroxides  
 Flammable solids  
 Pyrophoric liquids  
 Pyrophoric solids  
 Self-heating substances and mixtures  
 Substances and mixtures which in contact with water emit flammable gases  
 Explosives  
 Gases  
 Very acutely toxic substances and mixtures

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis

## Enilconazole Liquid Formulation

Version 7.0      Revision Date: 30.09.2023      SDS Number: 906827-00019      Date of last issue: 04.04.2023  
 Date of first issue: 22.09.2016

Enilconazole	35554-44-0	TWA	0.3 mg/m <sup>3</sup> (OEB 2)	Internal
	Further information: Skin			
Ethanol	64-17-5	CMP	1.000 ppm	AR OEL
	Further information: A4 - Not classifiable as a human carcinogen			
		STEL	1.000 ppm	ACGIH

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Laboratory operations do not require special containment.  
 Use explosion-proof electrical, ventilating and lighting equipment.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type

Hand protection

Material : Chemical-resistant gloves

Remarks : Take note that the product is flammable, which may impact the selection of hand protection.

Eye protection : Wear safety glasses with side shields or goggles.  
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
 When using do not eat, drink or smoke.  
 Wash contaminated clothing before re-use.  
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : light yellow

Odor : musty

**Enilconazole Liquid Formulation**

Version 7.0      Revision Date: 30.09.2023      SDS Number: 906827-00019      Date of last issue: 04.04.2023  
Date of first issue: 22.09.2016

---

Odor Threshold	:	No data available
pH	:	9,5
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	45 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	1,094
Solubility(ies) Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

---

**SECTION 10. STABILITY AND REACTIVITY**

## Enilconazole Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
7.0	30.09.2023	906827-00019	Date of first issue: 22.09.2016

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents Acids
Hazardous decomposition products	:	No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure :

- Inhalation
- Skin contact
- Ingestion
- Eye contact

#### Acute toxicity

Toxic if swallowed.  
Harmful if inhaled.

#### Product:

Acute oral toxicity	:	LD50 (Rat): 192 - 309 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 3,1 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 900 mg/kg

#### Components:

##### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

Acute oral toxicity	:	LD50 (Rat): 3.080 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 5.000 mg/kg

##### **Enilconazole:**

Acute oral toxicity	:	LD50 (Rat): 227 mg/kg Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI  LD50 (Mouse): 390 - 620 mg/kg  LD50 (Dog): > 640 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 1,84 - 2,88 mg/l Exposure time: 4 h Test atmosphere: dust/mist Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI



## Enilconazole Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
7.0	30.09.2023	906827-00019	Date of first issue: 22.09.2016

---

Acute dermal toxicity	:	LD50 (Rat): 4.200 - 4.800 mg/kg
		LD50 (Rabbit): 4.200 mg/kg
Acute toxicity (other routes of administration)	:	LD50 (Rat): 155 mg/kg
		Application Route: Intraperitoneal

**Benzyl alcohol:**

Acute oral toxicity	:	LD50 (Rat): 1.620 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 4,178 mg/l
		Exposure time: 4 h
		Test atmosphere: dust/mist
		Method: OECD Test Guideline 403

**Ethanol:**

Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg
		Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): 124,7 mg/l
		Exposure time: 4 h
		Test atmosphere: vapor

**Skin corrosion/irritation**

Not classified based on available information.

**Product:**

Species	:	Rabbit
Result	:	Mild skin irritation

**Components:****Sodium bis(2-ethylhexyl)sulfosuccinate:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Skin irritation

**Enilconazole:**

Species	:	Rabbit
Result	:	Mild skin irritation

**Benzyl alcohol:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

**Ethanol:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

**Enilconazole Liquid Formulation**

Version 7.0      Revision Date: 30.09.2023      SDS Number: 906827-00019      Date of last issue: 04.04.2023  
Date of first issue: 22.09.2016

---

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Product:**

Species : Rabbit  
Result : Moderate eye irritation

**Components:****Sodium bis(2-ethylhexyl)sulfosuccinate:**

Species : Rabbit  
Result : Irreversible effects on the eye  
Method : OECD Test Guideline 405

**Enilconazole:**

Species : Rabbit  
Result : Irreversible effects on the eye  
Remarks : Based on harmonised classification in EU regulation 1272/2008, Annex VI

Species : Rabbit  
Result : Moderate eye irritation  
Remarks : Based on harmonised classification in EU regulation 1272/2008, Annex VI

**Benzyl alcohol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405

**Ethanol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Product:**

Species : Guinea pig  
Result : Not a skin sensitizer.

## Enilconazole Liquid Formulation

Version 7.0      Revision Date: 30.09.2023      SDS Number: 906827-00019      Date of last issue: 04.04.2023  
 Date of first issue: 22.09.2016

### Components:

#### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

Test Type	: Human repeat insult patch test (HRIPT)
Routes of exposure	: Skin contact
Species	: Humans
Result	: negative

#### **Enilconazole:**

Test Type	: Maximization Test
Routes of exposure	: Dermal
Species	: Guinea pig
Result	: equivocal

Routes of exposure	: Dermal
Species	: Humans
Result	: Not a skin sensitizer.

#### **Benzyl alcohol:**

Test Type	: Maximization Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

#### **Ethanol:**

Test Type	: Local lymph node assay (LLNA)
Routes of exposure	: Skin contact
Species	: Mouse
Result	: negative

### **Germ cell mutagenicity**

Not classified based on available information.

### Components:

#### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
	: Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: equivocal
	: Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: Based on data from similar materials

#### **Enilconazole:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
-----------------------	------------------------------------------------------

## Enilconazole Liquid Formulation

Version 7.0      Revision Date: 30.09.2023      SDS Number: 906827-00019      Date of last issue: 04.04.2023  
 Date of first issue: 22.09.2016

Result: negative

Test Type: Chromosomal aberration  
 Test system: Human lymphocytes  
 Result: negative

Test Type: gene mutation test  
 Test system: Chinese hamster fibroblasts  
 Result: negative

Test Type: unscheduled DNA synthesis assay  
 Test system: rat hepatocytes  
 Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
 Species: Rat  
 Application Route: Oral  
 Result: negative

Test Type: Micronucleus test  
 Species: Mouse  
 Application Route: Oral  
 Result: negative

Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
 Species: Mouse  
 Result: negative

**Benzyl alcohol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
 cytogenetic assay)  
 Species: Mouse  
 Application Route: Intraperitoneal injection  
 Result: negative

**Ethanol:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
 Result: negative

Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
 Species: Mouse  
 Application Route: Ingestion  
 Result: equivocal

**Carcinogenicity**

Suspected of causing cancer.

## Enilconazole Liquid Formulation

Version 7.0      Revision Date: 30.09.2023      SDS Number: 906827-00019      Date of last issue: 04.04.2023  
 Date of first issue: 22.09.2016

### Components:

#### **Enilconazole:**

Species : Rat  
 Application Route : Oral  
 Exposure time : 2 Years  
 NOAEL : 40 mg/kg body weight  
 Result : negative

Species : Mouse  
 Application Route : Oral  
 Exposure time : 2 Years  
 LOAEL : 33 mg/kg body weight  
 Result : positive  
 Target Organs : Liver

Species : Mouse  
 Application Route : oral (feed)  
 Exposure time : 23 Months  
 NOAEL : 8 mg/kg body weight  
 LOAEL : 105 mg/kg body weight  
 Result : positive  
 Target Organs : Liver  
 Remarks : Based on harmonised classification in EU regulation 1272/2008, Annex VI

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

#### **Benzyl alcohol:**

Species : Mouse  
 Application Route : Ingestion  
 Exposure time : 103 weeks  
 Method : OECD Test Guideline 451  
 Result : negative

#### **Reproductive toxicity**

Not classified based on available information.

### Components:

#### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

#### **Enilconazole:**

Effects on fertility : Test Type: Multi-generation study

## Enilconazole Liquid Formulation

Version 7.0      Revision Date: 30.09.2023      SDS Number: 906827-00019      Date of last issue: 04.04.2023  
 Date of first issue: 22.09.2016

Species: Rat  
 Application Route: Oral  
 General Toxicity Parent: NOAEL: 20 mg/kg body weight  
 Result: Maternal toxicity observed., Embryotoxic effects and adverse effects on the offspring were detected.  
 Remarks: Not classified due to data which are conclusive although insufficient for classification.

Effects on fetal development : Test Type: Development  
 Species: Rat  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 80 mg/kg body weight  
 Result: Reduced fetal weight., Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses  
 Remarks: The effects were seen only at maternally toxic doses.

Test Type: Development  
 Species: Rabbit  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 10 mg/kg body weight  
 Result: Maternal toxicity observed., No teratogenic effects., Postimplantation loss.  
 Remarks: The effects were seen only at maternally toxic doses.

**Benzyl alcohol:**

Effects on fertility : Test Type: Fertility/early embryonic development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative  
 Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Mouse  
 Application Route: Ingestion  
 Result: negative

**Ethanol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
 Species: Mouse  
 Application Route: Ingestion  
 Result: negative

**STOT-single exposure**

Not classified based on available information.

**STOT-repeated exposure**

May cause damage to organs (Liver) through prolonged or repeated exposure.

**Enilconazole Liquid Formulation**

Version 7.0      Revision Date: 30.09.2023      SDS Number: 906827-00019      Date of last issue: 04.04.2023  
Date of first issue: 22.09.2016

---

**Components:****Enilconazole:**

Target Organs : Liver  
Assessment : May cause damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Product:**

Species : Rabbit  
NOAEL : 1 mg/kg  
Application Route : Dermal  
Exposure time : 21 d  
Symptoms : No adverse effects.

**Components:****Sodium bis(2-ethylhexyl)sulfosuccinate:**

Species : Rat  
NOAEL : 750 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

**Enilconazole:**

Species : Rat  
NOAEL : 5 mg/kg  
LOAEL : 20 mg/kg  
Application Route : Oral  
Exposure time : 3 - 24 Months  
Target Organs : Liver  
Symptoms : decrease in appetite

Species : Dog  
NOAEL : 2,5 mg/kg  
LOAEL : 20 mg/kg  
Application Route : Oral  
Exposure time : 12 Months  
Symptoms : Salivation, Vomiting

Species : Mouse  
NOAEL : 12 mg/kg  
LOAEL : 140 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Target Organs : Liver

**Benzyl alcohol:**

Species : Rat  
NOAEL : 1,072 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 28 Days

## Enilconazole Liquid Formulation

Version 7.0      Revision Date: 30.09.2023      SDS Number: 906827-00019      Date of last issue: 04.04.2023  
 Date of first issue: 22.09.2016

**Method** : OECD Test Guideline 412

**Ethanol:**

**Species** : Rat  
**NOAEL** : 1.280 mg/kg  
**LOAEL** : 3.156 mg/kg  
**Application Route** : Ingestion  
**Exposure time** : 90 Days

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Product:**

**Inhalation** : Remarks: May cause respiratory tract irritation.  
**Skin contact** : Remarks: May irritate skin.  
**Eye contact** : Remarks: May irritate eyes.  
**Ingestion** : Symptoms: Gastrointestinal disturbance, central nervous system effects

**Components:****Enilconazole:**

**Skin contact** : Symptoms: pruritis, skin rash, Skin irritation  
**Eye contact** : Symptoms: Eye irritation  
**Ingestion** : Symptoms: Nausea

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Sodium bis(2-ethylhexyl)sulfosuccinate:**

**Toxicity to fish** : LC50 (Danio rerio (zebra fish)): 49 mg/l  
 Exposure time: 96 h  
 Method: Directive 67/548/EEC, Annex V, C.1.

**Toxicity to daphnia and other aquatic invertebrates** : EC50 (Daphnia magna (Water flea)): 6,6 mg/l  
 Exposure time: 48 h

**Toxicity to algae/aquatic plants** : ErC50 (Desmodesmus subspicatus (green algae)): 82,5 mg/l  
 Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 22 mg/l  
 Exposure time: 72 h

**Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)** : EC10 (Daphnia magna (Water flea)): 9 mg/l  
 Exposure time: 21 d  
 Method: OECD Test Guideline 211

**Toxicity to microorganisms** : EC50 (Pseudomonas putida): 164 mg/l  
 Exposure time: 16 h



## Enilconazole Liquid Formulation

Version 7.0      Revision Date: 30.09.2023      SDS Number: 906827-00019      Date of last issue: 04.04.2023  
 Date of first issue: 22.09.2016

## II

**Enilconazole:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1,48 mg/l  
 Exposure time: 96 h  
 Method: OECD Test Guideline 203
- LC50 (Lepomis macrochirus (Bluegill sunfish)): 3,99 mg/l  
 Exposure time: 96 h  
 Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3,54 mg/l  
 Exposure time: 48 h  
 Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 1,2 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 0,457 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): < 0,007 mg/l  
 Exposure time: 21 d  
 Method: OECD Test Guideline 211
- M-Factor (Chronic aquatic toxicity) : 10

**Benzyl alcohol:**

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l  
 Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l  
 Exposure time: 48 h  
 Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l  
 Exposure time: 21 d  
 Method: OECD Test Guideline 211

**Ethanol:**

## Enilconazole Liquid Formulation

Version 7.0      Revision Date: 30.09.2023      SDS Number: 906827-00019      Date of last issue: 04.04.2023  
 Date of first issue: 22.09.2016

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 1.000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia (water flea)): > 1.000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h
		EC10 (Chlorella vulgaris (Fresh water algae)): 11,5 mg/l Exposure time: 72 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 9,6 mg/l Exposure time: 9 d
Toxicity to microorganisms	:	EC50 (Pseudomonas putida): 6.500 mg/l Exposure time: 16 h

**Persistence and degradability****Components:****Sodium bis(2-ethylhexyl)sulfosuccinate:**

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 91,2 % Exposure time: 28 d
------------------	---	---------------------------------------------------------------------------------

**Enilconazole:**

Biodegradability	:	Result: not rapidly degradable Biodegradation: 50 % Exposure time: 166 d
------------------	---	--------------------------------------------------------------------------------

**Benzyl alcohol:**

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 92 - 96 % Exposure time: 14 d
------------------	---	------------------------------------------------------------------------------------

**Ethanol:**

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d
------------------	---	-------------------------------------------------------------------------------

**Bioaccumulative potential****Components:****Sodium bis(2-ethylhexyl)sulfosuccinate:**

Partition coefficient: n-octanol/water	:	log Pow: 1,998 Remarks: Calculation
----------------------------------------	---	----------------------------------------

**Enilconazole:**

## Enilconazole Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
7.0	30.09.2023	906827-00019	Date of first issue: 22.09.2016

---

|| Partition coefficient: n-octanol/water : log Pow: 3,82

**Benzyl alcohol:**

|| Partition coefficient: n-octanol/water : log Pow: 1,05

**Ethanol:**

|| Partition coefficient: n-octanol/water : log Pow: -0,35

**Mobility in soil****Components:****Enilconazole:**

|| Distribution among environmental compartments : log Koc: 3,82

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

|| Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous.  
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.  
If not otherwise specified: Dispose of as unused product.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number : UN 1992

Proper shipping name : FLAMMABLE LIQUID, TOXIC, N.O.S.  
(Ethanol, 1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole)

Class : 3

Subsidiary risk : 6.1

Packing group : III

Labels : 3 (6.1)

Environmentally hazardous : yes

**IATA-DGR**

UN/ID No. : UN 1992

Proper shipping name : Flammable liquid, toxic, n.o.s.  
(Ethanol, Enilconazole)

Class : 3

**Enilconazole Liquid Formulation**

Version 7.0      Revision Date: 30.09.2023      SDS Number: 906827-00019      Date of last issue: 04.04.2023  
Date of first issue: 22.09.2016

---

Subsidiary risk : 6.1  
Packing group : III  
Labels : Flammable Liquids, Toxic  
Packing instruction (cargo aircraft) : 366  
Packing instruction (passenger aircraft) : 355

**IMDG-Code**

UN number : UN 1992  
Proper shipping name : FLAMMABLE LIQUID, TOXIC, N.O.S.  
(Ethanol, Enilconazole)  
Class : 3  
Subsidiary risk : 6.1  
Packing group : III  
Labels : 3 (6.1)  
EmS Code : F-E, S-D  
Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

Argentina. Carcinogenic Substances and Agents Registry. : Not applicable

Control of precursors and essential chemicals for the preparation of drugs. : Ethanol

**The ingredients of this product are reported in the following inventories:**

AICS : not determined  
DSL : not determined  
IECSC : not determined

---

**SECTION 16. OTHER INFORMATION**

Revision Date : 30.09.2023  
Date format : dd.mm.yyyy

**Further information**

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD

---

**Enilconazole Liquid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
7.0	30.09.2023	906827-00019	Date of first issue: 22.09.2016

compile the Material Safety Data Sheet eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

**Full text of other abbreviations**

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
AR OEL	:	Argentina. Occupational Exposure Limits
ACGIH / STEL	:	Short-term exposure limit
AR OEL / CMP	:	TLV (Threshold Limit Value)

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

# SAFETY DATA SHEET



## Enilconazole Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
7.0	30.09.2023	906827-00019	Date of first issue: 22.09.2016

---

AR / Z8