

Enilconazole Liquid Formulation

Version 6.0 Revision Date: 30.09.2023 SDS Number: 906751-00019 Date of last issue: 04.04.2023
Date of first issue: 22.09.2016

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Enilconazole Liquid Formulation

Manufacturer or supplier's details

Company : MSD

Address : Rua Coronel Bento Soares, 530
Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 3

Acute toxicity (Inhalation) : Category 4

Eye irritation : Category 2A

Carcinogenicity : Category 2

Specific target organ toxicity -
repeated exposure : Category 2 (Liver)

Short-term (acute) aquatic
hazard : Category 2

Long-term (chronic) aquatic
hazard : Category 1

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms :



Enilconazole Liquid Formulation

Version 6.0 Revision Date: 30.09.2023 SDS Number: 906751-00019 Date of last issue: 04.04.2023
 Date of first issue: 22.09.2016

Signal Word : Danger

Hazard Statements : H226 Flammable liquid and vapor.
 H301 Toxic if swallowed.
 H319 Causes serious eye irritation.
 H332 Harmful if inhaled.
 H351 Suspected of causing cancer.
 H373 May cause damage to organs (Liver) through prolonged or repeated exposure.
 H401 Toxic to aquatic life.
 H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
 P201 Obtain special instructions before use.
 P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
 P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.
 P391 Collect spillage.

Other hazards which do not result in classification

Vapors may form explosive mixture with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Sodium bis(2-ethylhexyl)sulfosuccinate	577-11-7	Acute toxicity (Oral), Category 5 Skin irritation, Category 2 Serious eye damage, Category 1 Short-term (acute) aquatic hazard, Category 2	>= 30 -< 50
Enilconazole	35554-44-0	Acute toxicity (Oral), Category 3 Acute toxicity (Inhalation), Category 4 Acute toxicity (Dermal), Category 5 Serious eye damage, Category 1 Carcinogenicity, Category 2	>= 10 -< 20

Enilconazole Liquid Formulation

Version 6.0 Revision Date: 30.09.2023 SDS Number: 906751-00019 Date of last issue: 04.04.2023
 Date of first issue: 22.09.2016

		Specific target organ toxicity - repeated exposure (Liver), Category 2 Short-term (acute) aquatic hazard, Category 2 Long-term (chronic) aquatic hazard, Category 1	
Benzyl alcohol	100-51-6	Acute toxicity (Oral), Category 4 Acute toxicity (Inhalation), Category 4 Eye irritation, Category 2A	≥ 5 - < 10
Ethanol#	64-17-5	Flammable liquids, Category 2 Eye irritation, Category 2A	≥ 1 - < 5

Voluntarily-disclosed substance

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.
Call a physician or poison control center immediately.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Gastrointestinal disturbance
Toxic if swallowed.
Causes serious eye irritation.
Harmful if inhaled.

Enilconazole Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.0	30.09.2023	906751-00019	Date of first issue: 22.09.2016

Suspected of causing cancer.
May cause damage to organs through prolonged or repeated exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire fighting : Do not use a solid water stream as it may scatter and spread fire.
Flash back possible over considerable distance.
Vapors may form explosive mixtures with air.
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Sulfur oxides
Metal oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.
Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Non-sparking tools should be used.
Soak up with inert absorbent material.
Suppress (knock down) gases/vapors/mists with a water spray jet.
For large spills, provide diking or other appropriate

Enilconazole Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.0	30.09.2023	906751-00019	Date of first issue: 22.09.2016

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.

Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- | | | |
|-----------------------------|---|--|
| Technical measures | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. |
| Local/Total ventilation | : | If sufficient ventilation is unavailable, use with local exhaust ventilation.
Use explosion-proof electrical, ventilating and lighting equipment. |
| Advice on safe handling | : | Do not breathe mist or vapors.
Do not swallow.
Do not get in eyes.
Avoid prolonged or repeated contact with skin.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Non-sparking tools should be used.
Keep container tightly closed.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |
| Conditions for safe storage | : | Keep in properly labeled containers.
Store locked up.
Keep tightly closed.
Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations.
Keep away from heat and sources of ignition. |
| Materials to avoid | : | Do not store with the following product types:
Strong oxidizing agents |

Enilconazole Liquid Formulation

Version 6.0 Revision Date: 30.09.2023 SDS Number: 906751-00019 Date of last issue: 04.04.2023
 Date of first issue: 22.09.2016

Self-reactive substances and mixtures
 Organic peroxides
 Flammable solids
 Pyrophoric liquids
 Pyrophoric solids
 Self-heating substances and mixtures
 Substances and mixtures which in contact with water emit flammable gases
 Explosives
 Gases
 Very acutely toxic substances and mixtures

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Enilconazole	35554-44-0	TWA	0.3 mg/m ³ (OEB 2)	Internal
	Further information: Skin			
Ethanol	64-17-5	LT	780 ppm 1.480 mg/m ³	BR OEL
	Further information: Degree of harmfulness: minimum			
		STEL	1.000 ppm	ACGIH

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 Laboratory operations do not require special containment.
 Use explosion-proof electrical, ventilating and lighting equipment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
 Filter type : Combined particulates and organic vapor type
 Hand protection
 Material : Chemical-resistant gloves
 Remarks : Take note that the product is flammable, which may impact the selection of hand protection.
 Eye protection : Wear safety glasses with side shields or goggles.
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

Enilconazole Liquid Formulation

Version 6.0 Revision Date: 30.09.2023 SDS Number: 906751-00019 Date of last issue: 04.04.2023
Date of first issue: 22.09.2016

Skin and body protection : aerosols.
: Work uniform or laboratory coat.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : light yellow

Odor : musty

Odor Threshold : No data available

pH : 9,5

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : 45 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Not applicable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : 1,094

Solubility(ies)
Water solubility : soluble

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Enilconazole Liquid Formulation

Version 6.0 Revision Date: 30.09.2023 SDS Number: 906751-00019 Date of last issue: 04.04.2023
 Date of first issue: 22.09.2016

Oxidizing properties : The substance or mixture is not classified as oxidizing.
 Molecular weight : No data available
 Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
 Chemical stability : Stable under normal conditions.
 Possibility of hazardous reactions : Flammable liquid and vapor.
 Vapors may form explosive mixture with air.
 Can react with strong oxidizing agents.
 Conditions to avoid : Heat, flames and sparks.
 Incompatible materials : Oxidizing agents
 Acids
 Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
 Skin contact
 Ingestion
 Eye contact

Acute toxicity

Toxic if swallowed.
 Harmful if inhaled.

Product:

Acute oral toxicity : LD50 (Rat): 192 - 309 mg/kg
 Acute inhalation toxicity : LC50 (Rat): 3,1 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Acute dermal toxicity : LD50 (Rabbit): > 900 mg/kg

Components:

Sodium bis(2-ethylhexyl)sulfosuccinate:

Acute oral toxicity : LD50 (Rat): 3.080 mg/kg
 Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Enilconazole:

Acute oral toxicity : LD50 (Rat): 227 mg/kg
 Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Enilconazole Liquid Formulation

Version 6.0 Revision Date: 30.09.2023 SDS Number: 906751-00019 Date of last issue: 04.04.2023
 Date of first issue: 22.09.2016

LD50 (Mouse): 390 - 620 mg/kg
 LD50 (Dog): > 640 mg/kg
 Acute inhalation toxicity : LC50 (Rat): 1,84 - 2,88 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI
 Acute dermal toxicity : LD50 (Rat): 4.200 - 4.800 mg/kg
 LD50 (Rabbit): 4.200 mg/kg
 Acute toxicity (other routes of administration) : LD50 (Rat): 155 mg/kg
 Application Route: Intraperitoneal

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1.620 mg/kg
 Acute inhalation toxicity : LC50 (Rat): > 4,178 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Method: OECD Test Guideline 403

Ethanol:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
 Method: OECD Test Guideline 401
 Acute inhalation toxicity : LC50 (Rat): 124,7 mg/l
 Exposure time: 4 h
 Test atmosphere: vapor

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
 Result : Mild skin irritation

Components:**Sodium bis(2-ethylhexyl)sulfosuccinate:**

Species : Rabbit
 Method : OECD Test Guideline 404
 Result : Skin irritation

Enilconazole:

Species : Rabbit
 Result : Mild skin irritation

Enilconazole Liquid Formulation

Version 6.0 Revision Date: 30.09.2023 SDS Number: 906751-00019 Date of last issue: 04.04.2023
Date of first issue: 22.09.2016

Benzyl alcohol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Ethanol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Species : Rabbit
Result : Moderate eye irritation

Components:**Sodium bis(2-ethylhexyl)sulfosuccinate:**

Species : Rabbit
Result : Irreversible effects on the eye
Method : OECD Test Guideline 405

Enilconazole:

Species : Rabbit
Result : Irreversible effects on the eye
Remarks : Based on harmonised classification in EU regulation 1272/2008, Annex VI

Species : Rabbit
Result : Moderate eye irritation
Remarks : Based on harmonised classification in EU regulation 1272/2008, Annex VI

Benzyl alcohol:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

Ethanol:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Enilconazole Liquid Formulation

Version 6.0 Revision Date: 30.09.2023 SDS Number: 906751-00019 Date of last issue: 04.04.2023
 Date of first issue: 22.09.2016

Respiratory sensitization

Not classified based on available information.

Product:

Species : Guinea pig
 Result : Not a skin sensitizer.

Components:

Sodium bis(2-ethylhexyl)sulfosuccinate:

Test Type	:	Human repeat insult patch test (HRIPT)
Routes of exposure	:	Skin contact
Species	:	Humans
Result	:	negative

Enilconazole:

Test Type	:	Maximization Test
Routes of exposure	:	Dermal
Species	:	Guinea pig
Result	:	equivocal

Routes of exposure	:	Dermal
Species	:	Humans
Result	:	Not a skin sensitizer.

Benzyl alcohol:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

Ethanol:

Test Type	:	Local lymph node assay (LLNA)
Routes of exposure	:	Skin contact
Species	:	Mouse
Result	:	negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Sodium bis(2-ethylhexyl)sulfosuccinate:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
	:	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: equivocal

Enilconazole Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.0	30.09.2023	906751-00019	Date of first issue: 22.09.2016

Test Type: In vitro mammalian cell gene mutation test
 Method: OECD Test Guideline 476
 Result: negative
 Remarks: Based on data from similar materials

Enilconazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Test Type: Chromosomal aberration
 Test system: Human lymphocytes
 Result: negative

Test Type: gene mutation test
 Test system: Chinese hamster fibroblasts
 Result: negative

Test Type: unscheduled DNA synthesis assay
 Test system: rat hepatocytes
 Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
 Species: Rat
 Application Route: Oral
 Result: negative

Test Type: Micronucleus test
 Species: Mouse
 Application Route: Oral
 Result: negative

Test Type: Rodent dominant lethal test (germ cell) (in vivo)
 Species: Mouse
 Result: negative

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
 cytogenetic assay)
 Species: Mouse
 Application Route: Intraperitoneal injection
 Result: negative

Ethanol:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
 Result: negative

Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Enilconazole Liquid Formulation

Version 6.0 Revision Date: 30.09.2023 SDS Number: 906751-00019 Date of last issue: 04.04.2023
 Date of first issue: 22.09.2016

Species: Mouse
 Application Route: Ingestion
 Result: equivocal

Carcinogenicity

Suspected of causing cancer.

Components:**Enilconazole:**

Species : Rat
 Application Route : Oral
 Exposure time : 2 Years
 NOAEL : 40 mg/kg body weight
 Result : negative

Species : Mouse
 Application Route : Oral
 Exposure time : 2 Years
 LOAEL : 33 mg/kg body weight
 Result : positive
 Target Organs : Liver

Species : Mouse
 Application Route : oral (feed)
 Exposure time : 23 Months
 NOAEL : 8 mg/kg body weight
 LOAEL : 105 mg/kg body weight
 Result : positive
 Target Organs : Liver
 Remarks : Based on harmonised classification in EU regulation 1272/2008, Annex VI

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

Benzyl alcohol:

Species : Mouse
 Application Route : Ingestion
 Exposure time : 103 weeks
 Method : OECD Test Guideline 451
 Result : negative

Reproductive toxicity

Not classified based on available information.

Components:**Sodium bis(2-ethylhexyl)sulfosuccinate:**

Effects on fertility : Test Type: Three-generation reproduction toxicity study
 Species: Rat
 Application Route: Ingestion
 Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Enilconazole Liquid Formulation

Version 6.0 Revision Date: 30.09.2023 SDS Number: 906751-00019 Date of last issue: 04.04.2023
 Date of first issue: 22.09.2016

Species: Rat
 Application Route: Ingestion
 Result: negative

Enilconazole:

Effects on fertility : Test Type: Multi-generation study
 Species: Rat
 Application Route: Oral
 General Toxicity Parent: NOAEL: 20 mg/kg body weight
 Result: Maternal toxicity observed., Embryotoxic effects and adverse effects on the offspring were detected.
 Remarks: Not classified due to data which are conclusive although insufficient for classification.

Effects on fetal development : Test Type: Development
 Species: Rat
 Application Route: Oral
 Developmental Toxicity: LOAEL: 80 mg/kg body weight
 Result: Reduced fetal weight., Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses
 Remarks: The effects were seen only at maternally toxic doses.

Test Type: Development
 Species: Rabbit
 Application Route: Oral
 Developmental Toxicity: LOAEL: 10 mg/kg body weight
 Result: Maternal toxicity observed., No teratogenic effects., Postimplantation loss.
 Remarks: The effects were seen only at maternally toxic doses.

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development
 Species: Rat
 Application Route: Ingestion
 Result: negative
 Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
 Species: Mouse
 Application Route: Ingestion
 Result: negative

Ethanol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
 Species: Mouse
 Application Route: Ingestion
 Result: negative

Enilconazole Liquid Formulation

Version 6.0 Revision Date: 30.09.2023 SDS Number: 906751-00019 Date of last issue: 04.04.2023
 Date of first issue: 22.09.2016

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Liver) through prolonged or repeated exposure.

Components:

Enilconazole:

Target Organs	:	Liver
Assessment	:	May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Product:

Species	:	Rabbit
NOAEL	:	1 mg/kg
Application Route	:	Dermal
Exposure time	:	21 d
Symptoms	:	No adverse effects.

Components:

Sodium bis(2-ethylhexyl)sulfosuccinate:

Species	:	Rat
NOAEL	:	750 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

Enilconazole:

Species	:	Rat
NOAEL	:	5 mg/kg
LOAEL	:	20 mg/kg
Application Route	:	Oral
Exposure time	:	3 - 24 Months
Target Organs	:	Liver
Symptoms	:	decrease in appetite

Species	:	Dog
NOAEL	:	2,5 mg/kg
LOAEL	:	20 mg/kg
Application Route	:	Oral
Exposure time	:	12 Months
Symptoms	:	Salivation, Vomiting

Species	:	Mouse
NOAEL	:	12 mg/kg
LOAEL	:	140 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months
Target Organs	:	Liver

Enilconazole Liquid Formulation

Version 6.0 Revision Date: 30.09.2023 SDS Number: 906751-00019 Date of last issue: 04.04.2023
 Date of first issue: 22.09.2016

Benzyl alcohol:

Species : Rat
 NOAEL : 1,072 mg/l
 Application Route : inhalation (dust/mist/fume)
 Exposure time : 28 Days
 Method : OECD Test Guideline 412

Ethanol:

Species : Rat
 NOAEL : 1.280 mg/kg
 LOAEL : 3.156 mg/kg
 Application Route : Ingestion
 Exposure time : 90 Days

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Product:

Inhalation : Remarks: May cause respiratory tract irritation.
 Skin contact : Remarks: May irritate skin.
 Eye contact : Remarks: May irritate eyes.
 Ingestion : Symptoms: Gastrointestinal disturbance, central nervous system effects

Components:

Enilconazole:

Skin contact : Symptoms: pruritis, skin rash, Skin irritation
 Eye contact : Symptoms: Eye irritation
 Ingestion : Symptoms: Nausea

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Sodium bis(2-ethylhexyl)sulfosuccinate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 49 mg/l
 Exposure time: 96 h
 Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 6,6 mg/l
 Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 82,5 mg/l
 Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 22 mg/l
 Exposure time: 72 h

Toxicity to daphnia and other : EC10 (Daphnia magna (Water flea)): 9 mg/l

Enilconazole Liquid Formulation

Version 6.0 Revision Date: 30.09.2023 SDS Number: 906751-00019 Date of last issue: 04.04.2023
 Date of first issue: 22.09.2016

aquatic invertebrates (Chronic toxicity) Exposure time: 21 d
 Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (*Pseudomonas putida*): 164 mg/l
 Exposure time: 16 h

Enilconazole:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 1,48 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203

LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 3,99 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 3,54 mg/l
 Exposure time: 48 h
 Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (green algae)): 1,2 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

NOEC (*Pseudokirchneriella subcapitata* (green algae)): 0,457 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): < 0,007 mg/l
 Exposure time: 21 d
 Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 10

Benzyl alcohol:

Toxicity to fish : LC50 (*Pimephales promelas* (fathead minnow)): 460 mg/l
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 230 mg/l
 Exposure time: 48 h
 Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (green algae)): 770 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

NOEC (*Pseudokirchneriella subcapitata* (green algae)): 310 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

Toxicity to daphnia and other : NOEC (*Daphnia magna* (Water flea)): 51 mg/l

Enilconazole Liquid Formulation

Version 6.0 Revision Date: 30.09.2023 SDS Number: 906751-00019 Date of last issue: 04.04.2023
 Date of first issue: 22.09.2016

aquatic invertebrates (Chronic toxicity) Exposure time: 21 d
 Method: OECD Test Guideline 211

Ethanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1.000 mg/l
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia (water flea)): > 1.000 mg/l
 Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l
 Exposure time: 72 h

EC10 (Chlorella vulgaris (Fresh water algae)): 11,5 mg/l
 Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 9,6 mg/l
 Exposure time: 9 d

Toxicity to microorganisms : EC50 (Pseudomonas putida): 6.500 mg/l
 Exposure time: 16 h

Persistence and degradability**Components:****Sodium bis(2-ethylhexyl)sulfosuccinate:**

Biodegradability : Result: Readily biodegradable.
 Biodegradation: 91,2 %
 Exposure time: 28 d

Enilconazole:

Biodegradability : Result: not rapidly degradable
 Biodegradation: 50 %
 Exposure time: 166 d

Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.
 Biodegradation: 92 - 96 %
 Exposure time: 14 d

Ethanol:

Biodegradability : Result: Readily biodegradable.
 Biodegradation: 84 %
 Exposure time: 20 d

Bioaccumulative potential**Components:****Sodium bis(2-ethylhexyl)sulfosuccinate:**

Enilconazole Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.0	30.09.2023	906751-00019	Date of first issue: 22.09.2016

Partition coefficient: n-octanol/water : log Pow: 1,998
Remarks: Calculation

Enilconazole:

Partition coefficient: n-octanol/water : log Pow: 3,82

Benzyl alcohol:

Partition coefficient: n-octanol/water : log Pow: 1,05

Ethanol:

Partition coefficient: n-octanol/water : log Pow: -0,35

Mobility in soil

Components:

Enilconazole:

Distribution among environmental compartments : log Koc: 3,82

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
Empty containers retain residue and can be dangerous.
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 1992

Proper shipping name : FLAMMABLE LIQUID, TOXIC, N.O.S.
(Ethanol, 1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole)

Class : 3

Subsidiary risk : 6.1

Packing group : III

Labels : 3 (6.1)

Environmentally hazardous : yes

Enilconazole Liquid Formulation

Version 6.0 Revision Date: 30.09.2023 SDS Number: 906751-00019 Date of last issue: 04.04.2023
 Date of first issue: 22.09.2016

IATA-DGR

UN/ID No. : UN 1992
 Proper shipping name : Flammable liquid, toxic, n.o.s.
 (Ethanol, Enilconazole)
 Class : 3
 Subsidiary risk : 6.1
 Packing group : III
 Labels : Flammable Liquids, Toxic
 Packing instruction (cargo aircraft) : 366
 Packing instruction (passenger aircraft) : 355

IMDG-Code

UN number : UN 1992
 Proper shipping name : FLAMMABLE LIQUID, TOXIC, N.O.S.
 (Ethanol, Enilconazole)
 Class : 3
 Subsidiary risk : 6.1
 Packing group : III
 Labels : 3 (6.1)
 EmS Code : F-E, S-D
 Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**ANTT**

UN number : UN 1992
 Proper shipping name : FLAMMABLE LIQUID, TOXIC, N.O.S.
 (Ethanol, 1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole)
 Class : 3
 Subsidiary risk : 6.1
 Packing group : III
 Labels : 3 (6.1)
 Hazard Identification Number : 36

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

National List of Carcinogenic Agents for Humans - (LINACH) : Not applicable

Brazil. List of chemicals controlled by the Federal Police : Ethanol

Enilconazole Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.0	30.09.2023	906751-00019	Date of first issue: 22.09.2016

The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

SECTION 16. OTHER INFORMATION

Revision Date	:	30.09.2023
Date format	:	dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
--	---	---

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
BR OEL	:	Brazil. NR 15 - Unhealthy activities and operations
ACGIH / STEL	:	Short-term exposure limit
BR OEL / LT	:	Up to 48 hours /week

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation,

Enilconazole Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.0	30.09.2023	906751-00019	Date of first issue: 22.09.2016

Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8