



14.1         2024/09/28         906761-00023         Date of first issue: 2016/09/22	Version 14.1	Revision Date: 2024/09/28	SDS Number: 906761-00023	Date of last issue: 2024/06/24 Date of first issue: 2016/09/22
--	-----------------	---------------------------	-----------------------------	---

### **1. PRODUCT AND COMPANY IDENTIFICATION**

Chemical product name	:	Enilconazole Liquid Formulation
Supplier's company name, ac Company name of supplier	ddr :	
Address	:	Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd. Menuma factory
Telephone	:	048-588-8411
E-mail address	:	EHSDATASTEWARD@msd.com
Emergency telephone number	:	+1-908-423-6000

#### Recommended use of the chemical and restrictions on use

Recommended use	:	Veterinary product
Restrictions on use	:	Not applicable

### 2. HAZARDS IDENTIFICATION

### **GHS** classification of chemical product

Flammable liquids	:	Category 3
Acute toxicity (Oral)	:	Category 3
Acute toxicity (Inhalation)	:	Category 4
Serious eye damage/eye irri- tation	:	Category 2A
Carcinogenicity	:	Category 2
Specific target organ toxicity - repeated exposure	:	Category 2 (Liver)
Short-term (acute) aquatic hazard	:	Category 2
Long-term (chronic) aquatic hazard	:	Category 1

### **GHS** label elements



Version 14.1	Revision Date: 2024/09/28	SDS Number: 906761-00023	Date of last issue: 2024/06/24 Date of first issue: 2016/09/22
Haza	rd pictograms		
Signa	al word	: Danger	$\mathbf{v}$ $\mathbf{v}$ $\mathbf{v}$
Haza	rd statements	H301 Toxic if H319 Causes H332 Harmful H351 Suspect H373 May cau or repeated ex H401 Toxic to	serious eye irritation. if inhaled. red of causing cancer. use damage to organs (Liver) through prolonged kposure.
Preca	autionary statements	P202 Do not h and understoo P210 Keep av and other ignit P233 Keep co P241 Use exp ment. P242 Use nor P243 Take ac P260 Do not h P264 Wash sh P270 Do not e P271 Use only P273 Avoid re	vay from heat, hot surfaces, sparks, open flames tion sources. No smoking. Intainer tightly closed. Iosion-proof electrical/ ventilating/ lighting equip- n-sparking tools. tion to prevent static discharges. preathe mist or vapours. kin thoroughly after handling. eat, drink or smoke when using this product. y outdoors or in a well-ventilated area. elease to the environment. otective gloves/ protective clothing/ eye protec-
		POISON CEN P303 + P361 Iy all contamir P304 + P340 and keep com doctor if you fe P305 + P351 for several min easy to do. Co P308 + P313 attention.	+ P338 IF IN EYES: Rinse cautiously with water nutes. Remove contact lenses, if present and ontinue rinsing. IF exposed or concerned: Get medical advice/ If eye irritation persists: Get medical advice/ at-





Version	Revision Date:
14.1	2024/09/28

SDS Number: 906761-00023 Date of last issue: 2024/06/24 Date of first issue: 2016/09/22

#### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards which do not result in classification

Important symptoms and out- : Vapours may form explosive mixture with air. lines of the emergency assumed

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Sodium bis(2-	577-11-7	>= 30 - < 40	2-1623, 2-1620
ethylhexyl)sulfosuccinate			
1-[2-(allyloxy)-2-(2,4-	35554-44-0	>= 10 - < 20	
dichlorophenyl)ethyl]-1H-imidazole			
Benzyl alcohol	100-51-6	>= 1 - < 10	3-1011
Ethanol#	64-17-5	>= 1 - < 10	2-202

# Voluntarily-disclosed substance

### 4. FIRST AID MEASURES

General advice	: In the case of accident or if you feel unwell, seek medical ad- vice immediately.
	When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air.
	If not breathing, give artificial respiration.
	If breathing is difficult, give oxygen.
	Get medical attention.
In case of skin contact	: In case of contact, immediately flush skin with soap and plenty of water.
	Remove contaminated clothing and shoes.
	Get medical attention.
	Wash clothing before reuse.
	Thoroughly clean shoes before reuse.
In case of eye contact	<ul> <li>In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.</li> <li>If easy to do, remove contact lens, if worn.</li> </ul>
	Get medical attention.



Version 14.1	Revision Date: 2024/09/28		0S Number: 6761-00023	Date of last issue: 2024/06/24 Date of first issue: 2016/09/22
	allowed	:	Call a physician Rinse mouth the	D NOT induce vomiting. or poison control centre immediately. proughly with water. hing by mouth to an unconscious person.
	important symptoms effects, both acute and red	·	Toxic if swallow Causes serious Harmful if inhale Suspected of ca	ed. eye irritation. ed.
	Protection of first-aiders Notes to physician		First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). Treat symptomatically and supportively.	
5. FIREFI	GHTING MEASURES			
Suita	ble extinguishing media	:	Water spray Alcohol-resistar Carbon dioxide Dry chemical	
Unsu media	itable extinguishing a	:	High volume wa	iter jet
	Specific hazards during fire- fighting		fire. Flash back poss Vapours may fo	lid water stream as it may scatter and spread sible over considerable distance. rm explosive mixtures with air. nbustion products may be a hazard to health.
Haza ucts	Hazardous combustion prod- ucts		Carbon oxides Sulphur oxides Metal oxides	
Spec ods	ific extinguishing meth-	:	cumstances and Use water spray	ng measures that are appropriate to local cir- d the surrounding environment. / to cool unopened containers. aged containers from fire area if it is safe to do
	ial protective equipment efighters	:		ire, wear self-contained breathing apparatus. rotective equipment.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec-	:	Remove all sources of ignition.
tive equipment and emer-		Use personal protective equipment.
gency procedures		Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).





Version 14.1	Revision Date: 2024/09/28		DS Number: 6761-00023	Date of last issue: 2024/06/24 Date of first issue: 2016/09/22			
Environmental precautions		:	<ul> <li>Avoid release to the environment.</li> <li>Prevent further leakage or spillage if safe to do so.</li> <li>Prevent spreading over a wide area (e.g. by containment or obarriers).</li> <li>Retain and dispose of contaminated wash water.</li> <li>Local authorities should be advised if significant spillages cannot be contained.</li> </ul>				
Methods and materials for containment and cleaning up		:	<ul> <li>Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with a waspray jet.</li> <li>For large spills, provide dyking or other appropriate coment to keep material from spreading. If dyked materia be pumped, store recovered material in appropriate cocclean up remaining materials from spill with suitable a bent.</li> <li>Local or national regulations may apply to releases an posal of this material, as well as those materials and it employed in the cleanup of releases. You will need to mine which regulations are applicable.</li> <li>Sections 13 and 15 of this SDS provide information regulational requirements.</li> </ul>				
7. HANDL	ING AND STORAGE						
Hand	-						
Techi	nical measures		See Engineering	measures under EXPOSURE			

Technical measures		See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: lf v L	f sufficient ventilation is unavailable, use with local exhaust ventilation. Jse explosion-proof electrical, ventilating and lighting equip- ment.
Advice on safe handling	САV Р S N K K O T С T	Do not breathe mist or vapours. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Non-sparking tools should be used. Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.



Version 14.1	Revision Date: 2024/09/28		DS Number: 06761-00023	Date of last issue: 2024/06/24 Date of first issue: 2016/09/22		
Avoida	ance of contact	:	Oxidizing agents Acids			
Hygiene measures		:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.			
Stora	ge					
Conditions for safe storage		:	Store locked up. Keep tightly close Keep in a cool, w Store in accordan Keep away from	abelled containers. ed. ell-ventilated place. ice with the particular national regulations. neat and sources of ignition. the following product types:		
waten		•	Oxidizing solids Oxidizing liquids	the following product types.		
Packaging material		:	Unsuitable mater	al: None known.		

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work en-
vironment

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Concentra- tion standard / Permissible con- centration	Basis
1-[2-(allyloxy)-2-(2,4- dichlorophenyl)ethyl]-1H- imidazole	35554-44-0	TWA	0.3 mg/m3 (OEB 2)	Internal
	Further information: Skin			
Benzyl alcohol	100-51-6	OEL-C	25 mg/m3	JP OEL JSOH
	Further information: Skin sensitizing agent; Group 2 substan which probably induce allergic reactions in humans.			
Ethanol	64-17-5	STEL	1,000 ppm	ACGIH

# **Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., dripless quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.



ersion 4.1	Revision Date: 2024/09/28		0S Number: 6761-00023	Date of last issue: 2024/06/24 Date of first issue: 2016/09/22	
			Laboratory ope	rations do not require special containment.	
			Use explosion-p ment.	proof electrical, ventilating and lighting equip-	
Perso	onal protective equip	oment			
Respiratory protection		:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection.		
Filter type Hand protection		:		culates and organic vapour type	
Ма	aterial	:	Chemical-resist	ant gloves	
Re	emarks	:	the selection of	he product is flammable, which may impact hand protection.	
Eye p	rotection	:	<ul> <li>Impermeable protective gloves</li> <li>Wear safety glasses with side shields or goggles.</li> <li>If the work environment or activity involves dusty conditi mists or aerosols, wear the appropriate goggles.</li> <li>Wear a faceshield or other full face protection if there is potential for direct contact to the face with dusts, mists, aerosols.</li> </ul>		
Skin a	and body protection	:		r laboratory coat.	
. PHYSIC	AL AND CHEMICAL	PRO	PERTIES		
Physic	cal state	:	liquid		

Physical state	:	liquid
Colour	:	light yellow
Odour	:	musty
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Boiling point, initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Lower explosion limit and uppe Upper explosion limit / Up- per flammability limit		xplosion limit / flammability limit No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	45 °C





Version 14.1	Revision Date: 2024/09/28		S Number: 6761-00023	Date of last issue: 2024/06/24 Date of first issue: 2016/09/22
Decom	nposition temperature	:	No data available	9
рН		:	9.5	
Evapo	ration rate	:	No data available	)
Auto-iç	gnition temperature	:	No data available	)
Viscos Vis	ity cosity, kinematic	:	No data available	9
	lity(ies) ter solubility	:	soluble	
	on coefficient: n- I/water	:	No data available	3
Vapou	r pressure	:	No data available	9
	y and / or relative densi ative density	ty :	1.094	
Relativ	ve vapour density	:	No data available	9
Explos	sive properties	:	Not explosive	
Oxidiz	ing properties	:	The substance of	r mixture is not classified as oxidizing.
Molecu	ular weight	:	No data available	)
	e characteristics rticle size	:	No data available	

### **10. STABILITY AND REACTIVITY**

Reactivity Chemical stability Possibility of hazardous reac- tions	<ul> <li>Not classified as a reactivity hazard.</li> <li>Stable under normal conditions.</li> <li>Flammable liquid and vapour. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.</li> </ul>
Conditions to avoid Incompatible materials Hazardous decomposition products	<ul> <li>Heat, flames and sparks.</li> <li>Oxidizing agents Acids</li> <li>No hazardous decomposition products are known.</li> </ul>

### **11. TOXICOLOGICAL INFORMATION**



Versi 14.1	ion	Revision Date: 2024/09/28		S Number: 6761-00023	Date of last issue: 2024/06/24 Date of first issue: 2016/09/22
	Informa exposu	tion on likely routes of re	:	Inhalation Skin contact Ingestion Eye contact	
		<b>oxicity</b> swallowed. I if inhaled.			
	Produc				
	Acute o	oral toxicity	:	LD50 (Rat): 192 -	309 mg/kg
	Acute inhalation toxicity		:	LC50 (Rat): 3.1 m Exposure time: 4 Test atmosphere:	n
	Acute d	lermal toxicity	:	LD50 (Rabbit): > 9	000 mg/kg
	Compo	onents:			
	Sodium	n bis(2-ethylhexyl)sul	fos	uccinate:	
	Acute o	oral toxicity	:	LD50 (Rat): 3,080	mg/kg
	Acute dermal toxicity		:	LD50 (Rabbit): > 5	5,000 mg/kg
	1-[2-(al	lyloxy)-2-(2,4-dichlor	oph	enyl)ethyl]-1H-imi	dazole:
		oral toxicity	:	LD50 (Rat): 227 m	ng/kg on harmonised classification in EU regulation
				LD50 (Mouse): 39	0 - 620 mg/kg
				LD50 (Dog): > 640	) mg/kg
	Acute ir	nhalation toxicity	:	LC50 (Rat): 1.84 - Exposure time: 4 Test atmosphere: Remarks: Based of 1272/2008, Anney	n dust/mist on harmonised classification in EU regulation
	Acute d	lermal toxicity	:	LD50 (Rat): 4,200	- 4,800 mg/kg
				LD50 (Rabbit): 4,2	200 mg/kg
	Acute to adminis	oxicity (other routes of stration)	:	LD50 (Rat): 155 n Application Route	
	-	alcohol:			
	Acute o	oral toxicity	:	LD50 (Rat): 1,200	mg/kg

### SAFETY DATA SHEET



Acute i	nhalation toxicity						
Acute i	nhalation toxicity						
Acute inhalation toxicity			<ul> <li>LC50 (Rat): &gt; 5.4 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inh tion toxicity</li> </ul>				
<b>Ethon</b>							
Ethand Acute of	oral toxicity		LD50 (Rat): 10 Method: OECD	,470 mg/kg 9 Test Guideline 401			
Acute i	nhalation toxicity		LC50 (Rat, ma Exposure time: Test atmosphe	4 h			
Acute	dermal toxicity	:	LD50 (Rabbit):	> 15,800 mg/kg			
	orrosion/irritation ssified based on ava	ailable ir	nformation.				
Produ	<u>ct:</u>						
Specie Result	S		: Rabbit : Mild skin irritation				
<u>Comp</u>	onents:						
Sodiur	n bis(2-ethylhexyl)	sulfosu	ccinate:				
Specie	,		Rabbit				
Methoo Result	ł		OECD Test Gu Skin irritation	ideline 404			
1-[2-(a	llyloxy)-2-(2,4-dichl	orophe	enyl)ethyl]-1H-	imidazole:			
Specie Result	S		Rabbit Mild skin irritati	on			
Benzy	l alcohol:						
Specie			Rabbit				
Methoo Result	ł		OECD Test Gu No skin irritatio				
Ethand	ol:						
Specie			Rabbit				
Methoo Result	Ł		OECD Test Gu No skin irritatio				



rsion 1	Revision Date: 2024/09/28		S Number: 6761-00023	Date of last issue: 2024/06/24 Date of first issue: 2016/09/22			
Produ							
Speci		:	Rabbit	and an efficiency of the second se			
Resul	t	:	Moderate eye ir	ritation			
<u>Comp</u>	oonents:						
	ım bis(2-ethylhexyl)	sulfos					
Speci		:	Rabbit				
Resul Metho		:	<ul><li>Irreversible effects on the eye</li><li>OECD Test Guideline 405</li></ul>				
1-[2-(	allyloxy)-2-(2,4-dichl	oroph	enyl)ethyl]-1H-i	midazole:			
Speci		:	Rabbit				
Resul	-	:	Irreversible effe				
Rema	IFKS	:	1272/2008, Anr	onised classification in EU regulation lex VI			
Speci	es	:	Rabbit				
Resul		:	Moderate eye ir	ritation			
Rema	ırks	:	: Based on harmonised classification in EU regulation 1272/2008, Annex VI				
Benzy	yl alcohol:						
Speci		:	Rabbit				
Resul		:	: Irritation to eyes, reversing within 21 days				
Metho	od	:	OECD Test Gui	deline 405			
Ethar	nol:						
Speci		:	Rabbit				
Resul Metho		:	<ul><li>Irritation to eyes, reversing within 21 days</li><li>OECD Test Guideline 405</li></ul>				
Resp	iratory or skin sensi	tisatio	n				
Skin	sensitisation						
	assified based on ava	ailable i	information.				
Resp	iratory sensitisation						
Not cl	assified based on ava	ailable i	information.				
<u>Produ</u>	uct:						
Speci	es	:	Guinea pig				
Resul		:	Not a skin sens	itizer.			
<u>Comp</u>	oonents:						
Sodiu	um bis(2-ethylhexyl)	sulfos	uccinate:				
	Europ			noult notable to at (LIDIDT)			



rsion 1	Revision Date: 2024/09/28		Date of last issue: 2024/06/24 Date of first issue: 2016/09/22			
Speci	es	: Humans				
Resul		: negative				
1-[2-(	allyloxy)-2-(2,4-dich	lorophenyl)ethyl]-1H-imi	dazole:			
Test 7	Гуре	: Maximisation Test				
	sure routes	: Dermal				
Speci		: Guinea pig				
Resul	t	: equivocal				
	sure routes	: Dermal				
Speci		: Humans				
Resul	t	: Not a skin sensitize	er.			
Benz	yl alcohol:					
Test 7	Гуре	: Human repeat insu	ult patch test (HRIPT)			
Expos	sure routes	: Skin contact				
Speci		: Humans				
Resul	t	: positive				
Asses	ssment	: Probability or evide rate in humans	ence of low to moderate skin sensitisation			
Ethar	nol:					
Test	Type	: Mouse ear swelling	n test (MEST)			
	sure routes	: Skin contact				
Speci		: Mouse				
Result :		: negative				
Germ	cell mutagenicity					
Not cl	assified based on av	ailable information.				
<u>Comp</u>	oonents:					
	ım bis(2-ethylhexyl					
Geno	toxicity in vitro	: Test Type: Bacteria Method: OECD Te Result: negative	al reverse mutation assay (AMES) st Guideline 471			
		Test Type: Chromo Method: OECD Te Result: equivocal	osome aberration test in vitro st Guideline 473			
		Method: OECD Te Result: negative				
		Remarks: Based o	n data from similar materials			



Version 14.1	Revision Date: 2024/09/28	SDS Number: 906761-00023	Date of last issue: 2024/06/24 Date of first issue: 2016/09/22
Gen	otoxicity in vitro	Result: neg Test Type:	Chromosomal aberration n: Human lymphocytes
		Test Type:	gene mutation test h: Chinese hamster fibroblasts
			unscheduled DNA synthesis assay n: rat hepatocytes ative
Gen	otoxicity in vivo	: Test Type: Species: Ra Application Result: neg	Route: Oral
		Test Type: Species: Me Application Result: neg	Route: Oral
		Test Type: Species: Mo Result: neg	
Benz	zyl alcohol:		
	otoxicity in vitro	: Test Type: Result: neg	Bacterial reverse mutation assay (AMES) ative
Gen	otoxicity in vivo	cytogenetic Species: Me	buse Route: Intraperitoneal injection
Etha	nol:		
	otoxicity in vitro	Method: OE Result: neg	Bacterial reverse mutation assay (AMES) CD Test Guideline 471 ative In vitro mammalian cell gene mutation test
			CD Test Guideline 476
		Test Type: Result: neg	Chromosome aberration test in vitro ative



ersion 4.1	Revision Date: 2024/09/28	SDS Number 906761-0002					
Genot	toxicity in vivo		: Mammalian erythrocyte micronucleus test (in vive				
		Species: I Applicatio	cytogenetic assay) Species: Rat Application Route: Ingestion Result: negative				
	nogenicity	-					
-	ected of causing cance conents:	ſ.					
	allyloxy)-2-(2,4-dichle	prophenyl)ethyl	]-1H-imidazole:				
Specie		: Rat					
	ation Route	: Oral					
	sure time	: 2 Years					
NOAE			body weight				
Resul	t	: negative					
Specie		: Mouse					
	ation Route	: Oral					
	sure time	: 2 Years	h o du uusiaht				
LOAE Resul		: positive	body weight				
	t Organs	: Liver					
Specie	es	: Mouse					
	ation Route	: oral (feed					
Expos	sure time	: 23 Month					
NOAE			ody weight				
LOAE			g body weight				
Resul		: positive					
Rema	t Organs	: Liver : Based on	harmonised classification in EU regulation				
Rema			3, Annex VI				
Carcir ment	nogenicity - Assess-	: Limited ev	idence of carcinogenicity in animal studies				
Benzy	/l alcohol:						
Speci		: Mouse					
	ation Route	: Ingestion					
	sure time	: 103 week					
Metho Resul			st Guideline 451				
Resul	ι	: negative					
-	oductive toxicity						
	assified based on ava	lable information	l.				
<u>Comp</u>	onents:						

## Sodium bis(2-ethylhexyl)sulfosuccinate:Effects on fertility: Test Type: Three-generation reproduction toxicity study



Version 14.1	Revision Date: 2024/09/28	SDS Number: 906761-00023	Date of last issue: 2024/06/24 Date of first issue: 2016/09/22
		Species: Ra Application Result: nega	Route: Ingestion
Effec ment	ts on foetal develop-	Species: Ra	Route: Ingestion
	(allyloxy)-2-(2,4-dichlo ts on fertility	: Test Type: N Species: Ra Application General Tox Result: Mate adverse effe Remarks: N	Aulti-generation study t
Effec ment	ts on foetal develop-	Species: Ra Application Developmer Result: Red verse effects ternally toxic	Route: Oral ntal Toxicity: LOAEL: 80 mg/kg body weight uced foetal weight, Embryotoxic effects and ad- s on the offspring were detected only at high ma-
		Species: Ra Application I Developmer Result: Mate Postimplant	Route: Oral ntal Toxicity: LOAEL: 10 mg/kg body weight ernal toxicity observed., No teratogenic effects,
	<b>ryl alcohol:</b> ts on fertility	Species: Ra Application Result: nega	Route: Ingestion
Effec ment	ts on foetal develop-	: Test Type: Embryo-foetal development Species: Mouse Application Route: Ingestion Result: negative	



Version	Revision Date: 2024/09/28	SDS Number:	Date of last issue: 2024/06/24
14.1		906761-00023	Date of first issue: 2016/09/22

### Ethanol:

Effects on fertility

: Test Type: Two-generation reproduction toxicity study Species: Mouse Application Route: Ingestion Result: negative

#### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

May cause damage to organs (Liver) through prolonged or repeated exposure.

#### **Components:**

#### 1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole:

Liver May cause damage to organs through prolonged or repeated exposure
exposure.

### Repeated dose toxicity

#### Product:

Species NOAEL	 Rabbit 1 mg/kg
Application Route	Dermal
Exposure time Symptoms	 21 d No adverse effects

#### **Components:**

#### Sodium bis(2-ethylhexyl)sulfosuccinate:

Species	:	Rat
NOAEL	:	750 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

#### 1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole:

Species NOAEL LOAEL Application Route Exposure time Target Organs Symptoms	 Rat 5 mg/kg 20 mg/kg Oral 3 - 24 Months Liver decrease in appetite
Species NOAEL LOAEL Application Route Exposure time	 Dog 2.5 mg/kg 20 mg/kg Oral 12 Months



Version 14.1	Revision Date: 2024/09/28		OS Number: 6761-00023	Date of last issue: 2024/06/24 Date of first issue: 2016/09/22	
Syn	nptoms	:	Salivation, Vomi	ting	
NO/ LO/ App Exp	cies AEL AEL lication Route osure time get Organs		Mouse 12 mg/kg 140 mg/kg Oral 3 Months Liver		
Ber	zyl alcohol:				
NO/ App	lication Route osure time		Rat 1.072 mg/l inhalation (dust/ 28 Days OECD Test Guid		
Eth	anol:				
NO/ LO/ App			Rat 1,730 mg/kg 3,200 mg/kg Ingestion 90 Days		
-	<b>viration toxicity</b> classified based on avai	ilable	information.		
Exp	erience with human ex	cposi	ire		
	duct: alation	:	Remarks: May c	ause respiratory tract irritation.	
Skir	n contact	:	Remarks: May ii	rritate skin.	
Eye	contact	:	Remarks: May ii	ritate eyes.	
Inge	estion	:	Symptoms: Gas tem effects	trointestinal disturbance, central nervous sys-	
<u>Cor</u>	nponents:				
	-(allyloxy)-2-(2,4-dichlo n contact	oroph :		nidazole: itis, skin rash, Skin irritation	
Eye	contact	:	Symptoms: Eye	irritation	
Inge	estion	:	: Symptoms: Nausea		



14.1         2024/09/28         906761-00023         Date of first issue: 2016/09/22	Version 14.1	Revision Date: 2024/09/28	SDS Number: 906761-00023	Date of last issue: 2024/06/24 Date of first issue: 2016/09/22
--	-----------------	---------------------------	-----------------------------	---

### 12. ECOLOGICAL INFORMATION

Ecotoxicity	
Components:	
Sodium bis(2-ethylhexyl)sulfo	succinate:
Toxicity to fish :	LC50 (Danio rerio (zebra fish)): 49 mg/l Exposure time: 96 h Method: Directive 67/548/EEC, Annex V, C.1.
Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia magna (Water flea)): 6.6 mg/l Exposure time: 48 h
Toxicity to algae/aquatic : plants	ErC50 (Desmodesmus subspicatus (green algae)): 82.5 mg/l Exposure time: 72 h
	EC10 (Desmodesmus subspicatus (green algae)): 22 mg/l Exposure time: 72 h
Toxicity to daphnia and other : aquatic invertebrates (Chron- ic toxicity)	EC10 (Daphnia magna (Water flea)): 9 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms :	EC50 (Pseudomonas putida): 164 mg/l Exposure time: 16 h
1-[2-(allyloxy)-2-(2,4-dichlorop	henyl)ethyl]-1H-imidazole:
Toxicity to fish :	LC50 (Oncorhynchus mykiss (rainbow trout)): 1.48 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
	LC50 (Lepomis macrochirus (Bluegill sunfish)): 3.99 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia magna (Water flea)): 3.54 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic : plants	EC50 (Pseudokirchneriella subcapitata (green algae)): 1.2 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Pseudokirchneriella subcapitata (green algae)): 0.457 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other :	NOEC (Daphnia magna (Water flea)): < 0.007 mg/l



Version 14.1	Revision Date: 2024/09/28		0S Number: 6761-00023	Date of last issue: 2024/06/24 Date of first issue: 2016/09/22
	uatic invertebrates (Chron- oxicity)		Exposure time: 21 Method: OECD Te	
	Factor (Chronic aquatic icity)	:	10	
Be	nzyl alcohol:			
	Toxicity to fish		LC50 (Pimephale Exposure time: 96	s promelas (fathead minnow)): 460 mg/l 5 h
	xicity to daphnia and other uatic invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD Te	
	xicity to algae/aquatic nts	:	EC50 (Pseudokiro mg/l Exposure time: 72 Method: OECD Te	
			NOEC (Pseudokin mg/l Exposure time: 72 Method: OECD Te	
aqu	xicity to daphnia and other uatic invertebrates (Chron- oxicity)	:	NOEC (Daphnia r Exposure time: 21 Method: OECD Te	
Ett	nanol:			
	xicity to fish	:	LC50 (Pimephale Exposure time: 96	s promelas (fathead minnow)): 14,200 mg/l S h
	xicity to daphnia and other uatic invertebrates	:	EC50 (Ceriodaph Exposure time: 48	nia dubia (water flea)): 5,012 mg/l 3 h
	xicity to algae/aquatic nts	:	ErC50 (Chlorella Exposure time: 72	vulgaris (Fresh water algae)): 275 mg/l 2 h
			EC10 (Chlorella v Exposure time: 72	ulgaris (Fresh water algae)): 11.5 mg/l 2 h
To: icit	xicity to fish (Chronic tox- y)	:	NOEC (Oryzias la Exposure time: 10	tipes (Japanese medaka)): >= 79 mg/l 00 d
aqı	xicity to daphnia and other uatic invertebrates (Chron-	:	NOEC (Daphnia r Exposure time: 9	nagna (Water flea)): 9.6 mg/l d
	oxicity) xicity to microorganisms	:	EC50 (Protozoa): Exposure time: 4	



sion 1	Revision Date: 2024/09/28	-	S Number: 6761-00023	Date of last issue: 2024/06/24 Date of first issue: 2016/09/22
Derei	atomaa and dagrada	hilin,		
	stence and degrada ponents:	DIIITY		
	<b>um bis(2-ethylhexyl)</b> gradability	sulfos :		
1-[2-(	allyloxy)-2-(2,4-dich	loroph	envl)ethvl]-1H-	imidazole:
	gradability	:	Result: not rapi Biodegradation Exposure time:	idly degradable :   50 %
Benz	yl alcohol:			
	gradability	:	Result: Readily Biodegradation Exposure time:	i: 92 - 96 %
Ethar	nol:			
Biode	gradability	:	Result: Readily Biodegradation Exposure time:	i: 84 %
Bioad	cumulative potentia	al		
Comp	oonents:			
Sodiu	um bis(2-ethylhexyl)	sulfos	uccinate:	
	ion coefficient: n- ol/water	:	log Pow: 1.998 Remarks: Calc	
1-[2-(	allyloxy)-2-(2,4-dich	loroph	enyl)ethyl]-1H-	imidazole:
	ion coefficient: n- ol/water	:	log Pow: 3.82	
Partiti	<b>yl alcohol:</b> ion coefficient: n- ol/water	:	log Pow: 1.05	
	<b>nol:</b> ion coefficient: n- ol/water	:	log Pow: -0.35	
	lity in soil			
	oonents:			
	allyloxy)-2-(2,4-dich	loroph	envi)ethvi]_1µ_	imidazole:
	oution among environ	-	log Koc: 3.82	



Version 14.1	Revision Date: 2024/09/28	SDS Number: 906761-00023	Date of last issue: 2024/06/24 Date of first issue: 2016/09/22				
menta	al compartments						
Haza	rdous to the ozone la	yer					
Not a	Not applicable						
Othe	Other adverse effects						
No da	No data available						
13. DISPC	SAL CONSIDERATIO	ONS					
Dispo	osal methods						
Waste	e from residues		ccordance with local regulations.				
Conta	aminated packaging	Empty contained dling site for re Empty contained Do not pressur pose such con of ignition. The	<ul> <li>Empty containers should be taken to an approved waste han- dling site for recycling or disposal.</li> <li>Empty containers retain residue and can be dangerous.</li> <li>Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.</li> <li>If not otherwise specified: Dispose of as unused product.</li> </ul>				

### **14. TRANSPORT INFORMATION**

### International Regulations

UNRTDG	
LIN number	

UN number	:	UN 1992
Proper shipping name	:	FLAMMABLE LIQUID, TOXIC, N.O.S. (Ethanol, 1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H- imidazole)
Class	:	3
Subsidiary risk	:	6.1
Packing group	:	III
Labels	:	3 (6.1)
Environmentally hazardous	:	yes
IATA-DGR		
UN/ID No.	:	UN 1992
Proper shipping name	:	Flammable liquid, toxic, n.o.s. (Ethanol, 1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H- imidazole)
Class	:	3
Subsidiary risk	:	6.1
Packing group	:	III
Labels	:	Flammable Liquids, Toxic
Packing instruction (cargo aircraft)	:	366
Packing instruction (passen- ger aircraft)	:	355
IMDG-Code		
UN number	:	UN 1992
Proper shipping name	:	FLAMMABLE LIQUID, TOXIC, N.O.S.



Version 14.1	Revision Date: 2024/09/28	SDS Number: 906761-00023	Date of last issue: 2024/06/24 Date of first issue: 2016/09/22
Class Subsic Packir	diary risk ng group	(Ethanol, 1- imidazole) : 3 : 6.1 : III	Date of first issue: 2016/09/22 [2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-
Labels EmS ( Marine	-	: 3 (6.1) : F-E, S-D : yes	
Trans	port in bulk accord	ing to Annex II of I	MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

Refer to section 15 for specific national regulation.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **ERG Code** : 131

### **15. REGULATORY INFORMATION**

#### **Related Regulations**

#### **Fire Service Law**

Group 4, Type 2 petroleums, Water soluble liquid, (2000 litre), Hazardous rank III

#### Chemical Substance Control Law

**Priority Assessment Chemical Substance** 

Sodium 1.4-bis[(2-ethylbexyl)oxyl-1.4-dioxobutane-2-sulfonate 213	
	xy]-1,4-dioxobutane-2-sulfonate 213

#### Industrial Safety and Health Law

### Harmful Substances Prohibited from Manufacture

Not applicable

#### Harmful Substances Required Permission for Manufacture

Not applicable

#### Substances Prevented From Impairment of Health

Not applicable

## Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

#### Not applicable

## Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable



Version	Revision Date:	SDS Number:	Date of last issue: 2024/06/24
14.1	2024/09/28	906761-00023	Date of first issue: 2016/09/22

#### Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
docusate sodium	>=30 - <40	From April 1st, 2026
1-[2-(allyloxy)-2-(2,4-	>=10 - <20	From April 1st, 2026
dichlorophenyl)ethyl]-1H-imidazole		
Benzyl alcohol	>=1 - <10	-
Ethanol	>=1 - <10	-

#### Substances Subject to be Indicated Names

Article 57 (Enforcement Order Article 18)

Chemical name	Remarks
docusate sodium	From April 1st, 2026
1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole	From April 1st, 2026
benzyl alcohol	-
Ethanol	-

Skin and Eye Damage Substances for PPE Requirements (ISHL MO Art. 594-2)

Chemical name benzyl alcohol

### Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

#### Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

#### **Ordinance on Prevention of Lead Poisoning**

Not applicable

#### Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

### Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

## Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Inflammable Substance

#### Poisonous and Deleterious Substances Control Law

Not applicable

## Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

High Pressure Gas Safety Act Not applicable

Explosive Control Law Not applicable



Version 14.1	Revision Date: 2024/09/28	SDS Number: 906761-00023	Date of last issue: 2024/06/24 Date of first issue: 2016/09/22			
Ves	sel Safety Law					
	nmable liquids (Article 2 ched Table 1)	and 3 of rules on s	hipping and storage of dangerous goods and its			
	ation Law nmable liquid (Article 19	94 of The Enforceme	ent Rules of Aviation Law and its Attached Table			
Mar	ine Pollution and Sea	Disaster Preventic	on etc Law			
Bulk	transportation	: Noxious liqu	d substance(Category Z)			
Pac	k transportation	: Classified as	marine pollutant			
Nar	Narcotics and Psychotropics Control Act					
	Narcotic or Psychotropic Raw Material (Export / Import Permission) Not applicable					
Spe	Specific Narcotic or Psychotropic Raw Material (Export / Import permission) Not applicable					
	Waste Disposal and Public Cleansing Law Specially Controlled Industrial Waste					
The	The components of this product are reported in the following inventories:					
AIC	S	: not determin	ed			
DSL	-	: not determin	ed			
IEC	SC	: not determin	ed			

### **16. OTHER INFORMATION**

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/		
Date format	:	yyyy/mm/dd		
Full text of other abbreviations				
ACGIH JP OEL JSOH	:	USA. ACGIH Threshold Limit Values (TLV) Japan. The Japan Society for Occupational Health. Recom- mendation of Occupational Exposure Limits		
ACGIH / STEL JP OEL JSOH / OEL-C	:	Short-term exposure limit Occupational Exposure Limit-Ceiling		

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for

### SAFETY DATA SHEET



### Enilconazole Liquid Formulation

Version	Revision Date:	SDS Number:	Date of la
14.1	2024/09/28	906761-00023	Date of fir

Date of last issue: 2024/06/24 Date of first issue: 2016/09/22

Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN