

# **Enilconazole Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 6.0 30.09.2023 906763-00018 Date of first issue: 22.09.2016

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Enilconazole Liquid Formulation

Manufacturer or supplier's details

Company name of supplier : MSD

Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 3

Acute toxicity (Inhalation) : Category 4

Serious eye damage/eye

irritation

Category 2A

Carcinogenicity : Category 2

Specific target organ toxicity

- repeated exposure

Category 2 (Liver)

**GHS** label elements

Hazard pictograms







Signal Word : Danger

Hazard Statements : H226 Flammable liquid and vapor.

H301 Toxic if swallowed.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H351 Suspected of causing cancer.

H373 May cause damage to organs (Liver) through prolonged or

repeated exposure.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.



# **Enilconazole Liquid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 6.0
 30.09.2023
 906763-00018
 Date of first issue: 22.09.2016

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P260 Do not breathe mist or vapors.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### Response:

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. Rinse mouth.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/

P337 + P313 If eye irritation persists: Get medical advice/ attention.

#### Storage:

P405 Store locked up.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards

Vapors may form explosive mixture with air.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Sodium bis(2-ethylhexyl)sulfosuccinate	577-11-7	>= 30 -< 50
Enilconazole	35554-44-0	>= 10 -< 20
Benzyl alcohol	100-51-6	>= 5 -< 10
Ethanol#	64-17-5	>= 1 -< 5

<sup>#</sup> Voluntarily-disclosed substance

#### **SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical



### **Enilconazole Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 6.0 30.09.2023 906763-00018 Date of first issue: 22.09.2016

advice.

If inhaled : If inhaled, remove to fresh air.

If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.

Call a physician or poison control center immediately.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

Gastrointestinal disturbance Toxic if swallowed.

Causes serious eye irritation.

Harmful if inhaled.

Suspected of causing cancer.

May cause damage to organs through prolonged or repeated

exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire : Do

fighting

Do not use a solid water stream as it may scatter and spread

fire.

Flash back possible over considerable distance. Vapors may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- :

ucts

Carbon oxides Sulfur oxides

Metal oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Ю.



# **Enilconazole Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 6.0 30.09.2023 906763-00018 Date of first issue: 22.09.2016

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Remove all sources of ignition.
Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Non-sparking tools should be used.

Soak up with inert absorbent material.

Suppress (knock down) gases/vapors/mists with a water spray

jet.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Use explosion-proof electrical, ventilating and lighting equip-

ment.

Advice on safe handling : Do not breathe mist or vapors.

Do not swallow. Do not get in eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Non-sparking tools should be used. Keep container tightly closed.



### **Enilconazole Liquid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.0	30.09.2023	906763-00018	Date of first issue: 22.09.2016

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up. Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Keep away from heat and sources of ignition. Do not store with the following product types:

Materials to avoid : Do not store with the following

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides Flammable solids Pyrophoric liquids Pyrophoric solids

Self-heating substances and mixtures

Substances and mixtures which in contact with water emit

flammable gases Explosives Gases

Very acutely toxic substances and mixtures

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
Enilconazole	35554-44-0	TWA	0.3 mg/m3 (OEB 2)	Internal	
	Further information: Skin				
Ethanol	64-17-5	VLE-CT	1,000 ppm	NOM-010- STPS-2014	
		STEL	1,000 ppm	ACGIH	

**Engineering measures** : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).



# **Enilconazole Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 6.0 30.09.2023 906763-00018 Date of first issue: 22.09.2016

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Laboratory operations do not require special containment.

Use explosion-proof electrical, ventilating and lighting

equipment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Combined particulates and organic vapor type

Filter type Hand protection

Material : Chemical-resistant gloves

Remarks : Take note that the product is flammable, which may impact

the selection of hand protection.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : light yellow

Odor : musty

Odor Threshold : No data available

pH : 9.5

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

No data available

Flash point : 45 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available



# **Enilconazole Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 6.0 30.09.2023 906763-00018 Date of first issue: 22.09.2016

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : 1.094

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

Flammable liquid and vapor.

Vapors may form explosive mixture with air.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Acids

Hazardous decomposition

products

No hazardous decomposition products are known.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact



# **Enilconazole Liquid Formulation**

Date of last issue: 04.04.2023 Version Revision Date: SDS Number: 6.0 30.09.2023 906763-00018 Date of first issue: 22.09.2016

**Acute toxicity** 

Toxic if swallowed. Harmful if inhaled.

**Product:** 

Acute oral toxicity : LD50 (Rat): 192 - 309 mg/kg

Acute inhalation toxicity : LC50 (Rat): 3.1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 900 mg/kg

**Components:** 

Sodium bis(2-ethylhexyl)sulfosuccinate:

Acute oral toxicity : LD50 (Rat): 3,080 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

**Enilconazole:** 

Acute oral toxicity : LD50 (Rat): 227 mg/kg

Remarks: Based on harmonised classification in EU regulation

1272/2008, Annex VI

LD50 (Mouse): 390 - 620 mg/kg

LD50 (Dog): > 640 mg/kg

Acute inhalation toxicity LC50 (Rat): 1.84 - 2.88 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: Based on harmonised classification in EU regulation

1272/2008, Annex VI

Acute dermal toxicity : LD50 (Rat): 4,200 - 4,800 mg/kg

LD50 (Rabbit): 4,200 mg/kg

Acute toxicity (other routes of : LD50 (Rat): 155 mg/kg

administration)

Application Route: Intraperitoneal

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

**Ethanol:** 

Acute oral toxicity LD50 (Rat): > 5,000 mg/kg



# **Enilconazole Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 6.0 30.09.2023 906763-00018 Date of first issue: 22.09.2016

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 124.7 mg/l

Exposure time: 4 h
Test atmosphere: vapor

#### Skin corrosion/irritation

Not classified based on available information.

**Product:** 

Species : Rabbit

Result : Mild skin irritation

#### **Components:**

#### Sodium bis(2-ethylhexyl)sulfosuccinate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

Enilconazole:

Species : Rabbit

Result : Mild skin irritation

Benzyl alcohol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

**Ethanol:** 

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

### Serious eye damage/eye irritation

Causes serious eye irritation.

**Product:** 

Species : Rabbit

Result : Moderate eye irritation

#### **Components:**

#### Sodium bis(2-ethylhexyl)sulfosuccinate:

Species : Rabbit

Result : Irreversible effects on the eye Method : OECD Test Guideline 405

**Enilconazole:** 

Species : Rabbit



# **Enilconazole Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 6.0 30.09.2023 906763-00018 Date of first issue: 22.09.2016

Result : Irreversible effects on the eye

Remarks : Based on harmonised classification in EU regulation

1272/2008, Annex VI

Species : Rabbit

Result : Moderate eye irritation

Remarks : Based on harmonised classification in EU regulation

1272/2008, Annex VI

Benzyl alcohol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

**Ethanol:** 

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

**Product:** 

Species : Guinea pig

Result : Not a skin sensitizer.

**Components:** 

Sodium bis(2-ethylhexyl)sulfosuccinate:

Test Type : Human repeat insult patch test (HRIPT)

Routes of exposure : Skin contact
Species : Humans
Result : negative

Enilconazole:

Test Type : Maximization Test

Routes of exposure : Dermal Species : Guinea pig Result : equivocal

Routes of exposure : Dermal Species : Humans

Result : Not a skin sensitizer.

Benzyl alcohol:

Test Type : Maximization Test



# **Enilconazole Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 6.0 30.09.2023 906763-00018 Date of first issue: 22.09.2016

Routes of exposure : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

**Ethanol:** 

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact Species : Mouse Result : negative

Germ cell mutagenicity

Not classified based on available information.

**Components:** 

Sodium bis(2-ethylhexyl)sulfosuccinate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: equivocal

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Remarks: Based on data from similar materials

**Enilconazole:** 

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration Test system: Human lymphocytes

Result: negative

Test Type: gene mutation test

Test system: Chinese hamster fibroblasts

Result: negative

Test Type: unscheduled DNA synthesis assay

Test system: rat hepatocytes

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Rat

Application Route: Oral Result: negative

Test Type: Micronucleus test

Species: Mouse



# **Enilconazole Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 6.0 30.09.2023 906763-00018 Date of first issue: 22.09.2016

Application Route: Oral

Result: negative

Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse Result: negative

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

**Ethanol:** 

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse

Application Route: Ingestion

Result: equivocal

Carcinogenicity

Suspected of causing cancer.

Components:

**Enilconazole:** 

Species : Rat
Application Route : Oral
Exposure time : 2 Years

NOAEL : 40 mg/kg body weight

Result : negative

Species : Mouse
Application Route : Oral
Exposure time : 2 Years

LOAEL : 33 mg/kg body weight

Result : positive Target Organs : Liver

Species : Mouse
Application Route : oral (feed)
Exposure time : 23 Months

NOAEL : 8 mg/kg body weight LOAEL : 105 mg/kg body weight



# **Enilconazole Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 6.0 30.09.2023 906763-00018 Date of first issue: 22.09.2016

Result : positive Target Organs : Liver

Remarks : Based on harmonised classification in EU regulation

1272/2008, Annex VI

Carcinogenicity - Assess-

ment

Limited evidence of carcinogenicity in animal studies

Benzyl alcohol:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks

Method : OECD Test Guideline 451

Result : negative

Reproductive toxicity

Not classified based on available information.

**Components:** 

Sodium bis(2-ethylhexyl)sulfosuccinate:

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development: Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

**Enilconazole:** 

Effects on fertility : Test Type: Multi-generation study

Species: Rat

Application Route: Oral

General Toxicity Parent: NOAEL: 20 mg/kg body weight Result: Maternal toxicity observed., Embryotoxic effects and

adverse effects on the offspring were detected.

Remarks: Not classified due to data which are conclusive

although insufficient for classification.

Effects on fetal development : Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 80 mg/kg body weight Result: Reduced fetal weight., Embryotoxic effects and adverse effects on the offspring were detected only at high

maternally toxic doses

Remarks: The effects were seen only at maternally toxic dos-

es.

Test Type: Development

Species: Rabbit Application Route: Oral



# **Enilconazole Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 6.0 30.09.2023 906763-00018 Date of first issue: 22.09.2016

Developmental Toxicity: LOAEL: 10 mg/kg body weight Result: Maternal toxicity observed., No teratogenic effects.,

Postimplantation loss.

Remarks: The effects were seen only at maternally toxic dos-

es.

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse

Application Route: Ingestion

Result: negative

**Ethanol:** 

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion

Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Liver) through prolonged or repeated exposure.

**Components:** 

Enilconazole:

Target Organs : Liver

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Product:

Species : Rabbit
NOAEL : 1 mg/kg
Application Route : Dermal
Exposure time : 21 d

Symptoms : No adverse effects.

**Components:** 

Sodium bis(2-ethylhexyl)sulfosuccinate:

Species : Rat

NOAEL : 750 mg/kg Application Route : Ingestion



# **Enilconazole Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 6.0 30.09.2023 906763-00018 Date of first issue: 22.09.2016

Exposure time : 90 Days

Enilconazole:

Species : Rat

NOAEL : 5 mg/kg

LOAEL : 20 mg/kg

Application Route : Oral

Exposure time : 3 - 24 Months

Target Organs : Liver

Symptoms : decrease in appetite

Species: DogNOAEL: 2.5 mg/kgLOAEL: 20 mg/kgApplication Route: OralExposure time: 12 Months

Symptoms : Salivation, Vomiting

Species : Mouse

NOAEL : 12 mg/kg

LOAEL : 140 mg/kg

Application Route : Oral

Exposure time : 3 Months

Target Organs : Liver

Benzyl alcohol:

Species : Rat NOAEL : 1.072 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 28 Days

Method : OECD Test Guideline 412

**Ethanol:** 

Species : Rat

NOAEL : 1,280 mg/kg
LOAEL : 3,156 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

**Aspiration toxicity** 

Not classified based on available information.

**Experience with human exposure** 

**Product:** 

Inhalation : Remarks: May cause respiratory tract irritation.

Skin contact : Remarks: May irritate skin. Eye contact : Remarks: May irritate eyes.

Ingestion : Symptoms: Gastrointestinal disturbance, central nervous sys-

tem effects



### **Enilconazole Liquid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 6.0
 30.09.2023
 906763-00018
 Date of first issue: 22.09.2016

**Components:** 

**Enilconazole:** 

Skin contact : Symptoms: pruritis, skin rash, Skin irritation

Eye contact : Symptoms: Eye irritation Ingestion : Symptoms: Nausea

**SECTION 12. ECOLOGICAL INFORMATION** 

**Ecotoxicity** 

Components:

Sodium bis(2-ethylhexyl)sulfosuccinate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 49 mg/l

Exposure time: 96 h

Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 6.6 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): 82.5 mg/l

Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 22 mg/l

Exposure time: 72 h

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

EC10 (Daphnia magna (Water flea)): 9 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (Pseudomonas putida): 164 mg/l

Exposure time: 16 h

**Enilconazole:** 

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.48 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

LC50 (Lepomis macrochirus (Bluegill sunfish)): 3.99 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 3.54 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 1.2

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.457

mg/l



### **Enilconazole Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 6.0 30.09.2023 906763-00018 Date of first issue: 22.09.2016

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other : aquatic invertebrates (Chron-

NOEC (Daphnia magna (Water flea)): < 0.007 mg/l Exposure time: 21 d

ic toxicity)

Method: OECD Test Guideline 211

Benzyl alcohol:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): 460 mg/l

Exposure time: 96 h

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 230 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 770

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 51 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

**Ethanol:** 

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Ceriodaphnia (water flea)): > 1,000 mg/l

NOEC (Daphnia magna (Water flea)): 9.6 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 72 h

EC10 (Chlorella vulgaris (Fresh water algae)): 11.5 mg/l

Exposure time: 72 h

Toxicity to daphnia and other: aquatic invertebrates (Chron-

ic toxicity)

Exposure time: 9 d

Toxicity to microorganisms EC50 (Pseudomonas putida): 6,500 mg/l

Exposure time: 16 h

Persistence and degradability

**Components:** 

Sodium bis(2-ethylhexyl)sulfosuccinate:



# **Enilconazole Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 6.0 30.09.2023 906763-00018 Date of first issue: 22.09.2016

Biodegradability : Result: Readily biodegradable.

Biodegradation: 91.2 % Exposure time: 28 d

**Enilconazole:** 

Biodegradability : Result: not rapidly degradable

Biodegradation: 50 % Exposure time: 166 d

Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 92 - 96 %

Exposure time: 14 d

**Ethanol:** 

Biodegradability : Result: Readily biodegradable.

Biodegradation: 84 % Exposure time: 20 d

**Bioaccumulative potential** 

**Components:** 

Sodium bis(2-ethylhexyl)sulfosuccinate:

Partition coefficient: n- : log Pow: 1.998

octanol/water Remarks: Calculation

**Enilconazole:** 

Partition coefficient: n- : log Pow: 3.82

octanol/water

Benzyl alcohol:

Partition coefficient: n- : log Pow: 1.05 octanol/water

Ethanol:

Partition coefficient: n- : log Pow: -0.35

octanol/water

Mobility in soil

**Components:** 

Enilconazole:

Distribution among environ- : log Koc: 3.82

mental compartments

ientai compartments

Other adverse effects

No data available



### **Enilconazole Liquid Formulation**

Date of last issue: 04.04.2023 Version Revision Date: SDS Number: 6.0 30.09.2023 906763-00018 Date of first issue: 22.09.2016

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods

Waste from residues Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste

handling site for recycling or disposal.

Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or

death.

If not otherwise specified: Dispose of as unused product.

#### **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

**UNRTDG** 

**UN** number UN 1992

Proper shipping name FLAMMABLE LIQUID, TOXIC, N.O.S.

(Ethanol, 1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-

imidazole)

Class 3 Subsidiary risk 6.1 Packing group Ш Labels 3(6.1)Environmentally hazardous yes

IATA-DGR

UN/ID No. UN 1992

Proper shipping name Flammable liquid, toxic, n.o.s.

(Ethanol, Enilconazole)

3 Class Subsidiary risk 6.1 Packing group Ш

Flammable Liquids, Toxic Labels

Packing instruction (cargo 366

aircraft)

Packing instruction (passen-355

ger aircraft)

**IMDG-Code** 

UN number UN 1992

Proper shipping name FLAMMABLE LIQUID, TOXIC, N.O.S.

(Ethanol, Enilconazole)

Class 3 6.1 Subsidiary risk Packing group Ш Labels 3 (6.1) **EmS Code** F-E, S-D Marine pollutant yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.



# **Enilconazole Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 6.0 30.09.2023 906763-00018 Date of first issue: 22.09.2016

#### **Domestic regulation**

NOM-002-SCT

UN number : UN 1992

Proper shipping name : FLAMMABLE LIQUID, TOXIC, N.O.S.

(Ethanol, Enilconazole)

Class : 3
Subsidiary risk : 6.1
Packing group : III
Labels : 3 (6.1)

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, : Not applicable essential chemical products and machinery for

producing capsules, tablets and pills.

#### The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### **SECTION 16. OTHER INFORMATION**

Revision Date : 30.09.2023 Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

NOM-010-STPS-2014 : Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting

the Work Environment - Identification, Assessment and Con-

trol - Appendix 1 Occupational Exposure Limits

ACGIH / STEL : Short-term exposure limit NOM-010-STPS-2014 / VLE- : Short term exposure limit value

CT

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with



### **Enilconazole Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 6.0 30.09.2023 906763-00018 Date of first issue: 22.09.2016

x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8