

Enilconazole Smoke Formulation

Version 6.1 Revision Date: 30.09.2023 SDS Number: 785966-00019 Date of last issue: 04.04.2023
Date of first issue: 28.06.2016

SECTION 1. IDENTIFICATION

Product name : Enilconazole Smoke Formulation

Manufacturer or supplier's details

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma
Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Oxidizing solids : Category 1

Acute toxicity (Oral) : Category 5

Serious eye damage/eye
irritation : Category 2A

Carcinogenicity : Category 2

Specific target organ toxicity -
repeated exposure : Category 2 (Liver)

Short-term (acute) aquatic
hazard : Category 2

Long-term (chronic) aquatic
hazard : Category 1

GHS label elements

Hazard pictograms :



Signal Word : Danger

Enilconazole Smoke Formulation

Version 6.1 Revision Date: 30.09.2023 SDS Number: 785966-00019 Date of last issue: 04.04.2023
Date of first issue: 28.06.2016

Hazard Statements : H271 May cause fire or explosion; strong oxidizer.
H303 May be harmful if swallowed.
H319 Causes serious eye irritation.
H351 Suspected of causing cancer.
H373 May cause damage to organs (Liver) through prolonged or repeated exposure.
H401 Toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P220 Keep away from clothing and other combustible materials.
P260 Do not breathe dust.
P264 Wash skin thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P283 Wear fire resistant or flame retardant clothing.

Response:
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P306 + P360 IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before removing clothes.
P312 Call a POISON CENTER/ doctor if you feel unwell.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P371 + P380 + P375 In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.
P391 Collect spillage.

Storage:
P405 Store locked up.
P420 Store separately.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Contact with dust can cause mechanical irritation or drying of the skin.
May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Enilconazole Smoke Formulation

Version 6.1 Revision Date: 30.09.2023 SDS Number: 785966-00019 Date of last issue: 04.04.2023
 Date of first issue: 28.06.2016

Components

Chemical name	CAS-No.	Concentration (% w/w)
Talc	14807-96-6	>= 50 -< 70
Enilconazole	35554-44-0	>= 10 -< 20
Potassium chlorate	3811-04-9	>= 10 -< 20

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
 Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
 Remove contaminated clothing and shoes.
 Get medical attention.
 Wash clothing before reuse.
 Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
 If easy to do, remove contact lens, if worn.
 Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.
 Get medical attention.
 Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May be harmful if swallowed.
 Causes serious eye irritation.
 Suspected of causing cancer.
 May cause damage to organs through prolonged or repeated exposure.
 Contact with dust can cause mechanical irritation or drying of the skin.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
 Alcohol-resistant foam
 Carbon dioxide (CO₂)
 Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
 Exposure to combustion products may be a hazard to health.
- Hazardous combustion prod- : Carbon oxides

Enilconazole Smoke Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.1	30.09.2023	785966-00019	Date of first issue: 28.06.2016

ucts		Chlorine compounds Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Fight fire remotely due to the risk of explosion. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Evacuate personnel to safe areas. Only trained personnel should re-enter the area. Remove all sources of ignition. Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Non-sparking tools should be used. Soak up with inert absorbent material. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Flush with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Local/Total ventilation	:	Use only with adequate ventilation. If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventila-

Enilconazole Smoke Formulation

Version 6.1 Revision Date: 30.09.2023 SDS Number: 785966-00019 Date of last issue: 04.04.2023
 Date of first issue: 28.06.2016

- Advice on safe handling : tion.
 Do not breathe dust.
 Do not swallow.
 Do not get in eyes.
 Avoid prolonged or repeated contact with skin.
 Wash skin thoroughly after handling.
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
 Keep container tightly closed.
 Minimize dust generation and accumulation.
 Keep container closed when not in use.
 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 Take precautionary measures against static discharges.
 Keep away from combustible material.
 Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.
 Store locked up.
 Keep tightly closed.
 Keep in a cool, well-ventilated place.
 Keep away from direct sunlight.
 Store in accordance with the particular national regulations.
 Keep away from heat and sources of ignition.
 Store in original container.
- Materials to avoid : Do not store with the following product types:
 Self-reactive substances and mixtures
 Organic peroxides
 Flammable liquids
 Flammable solids
 Pyrophoric liquids
 Pyrophoric solids
 Self-heating substances and mixtures
 Substances and mixtures which in contact with water emit flammable gases
 Aerosol cans and lighters
 Explosives
 Gases
 Very acutely toxic substances and mixtures
 Acutely toxic substances and mixtures
 Substances and mixtures with chronic toxicity

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Talc	14807-96-6	CMP (Respirable fraction)	2 mg/m ³	AR OEL
		TWA	2 mg/m ³	ACGIH

Enilconazole Smoke Formulation

Version 6.1 Revision Date: 30.09.2023 SDS Number: 785966-00019 Date of last issue: 04.04.2023
 Date of first issue: 28.06.2016

		(Respirable particulate matter)		
Enilconazole	35554-44-0	TWA	0.3 mg/m ³ (OEB 2)	Internal
Further information: Skin				

Engineering measures : Use feasible engineering controls to minimize exposure to compound.
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Take note that the product is flammable, which may impact the selection of hand protection.

Eye protection : Wear safety glasses with side shields or goggles.
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
 When using do not eat, drink or smoke.
 Wash contaminated clothing before re-use.
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : Grey-brown

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Enilconazole Smoke Formulation

Version 6.1 Revision Date: 30.09.2023 SDS Number: 785966-00019 Date of last issue: 04.04.2023
Date of first issue: 28.06.2016

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is classified as oxidizing with the category 1.

Molecular weight : No data available

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : May cause fire or explosion; strong oxidizer.
Chemical stability : Stable under normal conditions.

Enilconazole Smoke Formulation

Version 6.1 Revision Date: 30.09.2023 SDS Number: 785966-00019 Date of last issue: 04.04.2023
Date of first issue: 28.06.2016

- Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Exposure to metals, combustible or organic materials can cause a violent reaction or ignition.
May cause fire or explosion; strong oxidizer.
- Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.
- Incompatible materials : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents
Flammable materials
Organic materials
- Hazardous decomposition products : No hazardous decomposition products are known.
-

SECTION 11. TOXICOLOGICAL INFORMATION

- Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

May be harmful if swallowed.

Product:

- Acute oral toxicity : LD50 (Rat): 2.100 - 2.800 mg/kg
- Acute inhalation toxicity : LC0 (Rat): 10,73 mg/l
Test atmosphere: dust/mist
Remarks: No mortality observed at this dose.
- Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
LD50 (Rabbit): > 0.6 ml/kg

Components:**Talc:**

- Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Remarks: Based on data from similar materials

Enilconazole:

- Acute oral toxicity : LD50 (Rat): 227 mg/kg
Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI
LD50 (Mouse): 390 - 620 mg/kg
LD50 (Dog): > 640 mg/kg
- Acute inhalation toxicity : LC50 (Rat): 1,84 - 2,88 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Enilconazole Smoke Formulation

Version 6.1 Revision Date: 30.09.2023 SDS Number: 785966-00019 Date of last issue: 04.04.2023
Date of first issue: 28.06.2016

Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Acute dermal toxicity : LD50 (Rat): 4.200 - 4.800 mg/kg

LD50 (Rabbit): 4.200 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 155 mg/kg
Application Route: Intraperitoneal

Potassium chlorate:

Acute oral toxicity : LD50 (Rat): > 300 - 2.000 mg/kg
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 5,1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 436
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
Result : No skin irritation

Components:**Talc:**

Species : Rabbit
Result : No skin irritation

Enilconazole:

Species : Rabbit
Result : Mild skin irritation

Potassium chlorate:

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Causes serious eye irritation.

Enilconazole Smoke Formulation

Version 6.1 Revision Date: 30.09.2023 SDS Number: 785966-00019 Date of last issue: 04.04.2023
Date of first issue: 28.06.2016

Product:

Species : Rabbit
Result : Moderate eye irritation

Components:**Talc:**

Species : Rabbit
Result : No eye irritation

Enilconazole:

Species : Rabbit
Result : Irreversible effects on the eye
Remarks : Based on harmonised classification in EU regulation 1272/2008, Annex VI

Species : Rabbit
Result : Moderate eye irritation
Remarks : Based on harmonised classification in EU regulation 1272/2008, Annex VI

Potassium chlorate:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Species : Guinea pig
Result : Not a skin sensitizer.

Components:**Talc:**

Routes of exposure : Skin contact
Species : Humans
Result : negative

Enilconazole:

Test Type : Maximization Test
Routes of exposure : Dermal
Species : Guinea pig
Result : equivocal

Enilconazole Smoke Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.1	30.09.2023	785966-00019	Date of first issue: 28.06.2016

Routes of exposure : Dermal
 Species : Humans
 Result : Not a skin sensitizer.

Potassium chlorate:

Test Type : Maximization Test
 Routes of exposure : Skin contact
 Species : Guinea pig
 Method : OECD Test Guideline 406
 Result : negative
 Remarks : Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:**Talc:**

Genotoxicity in vitro : Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
 Result: negative

Genotoxicity in vivo : Test Type: Chromosome aberration test in vitro
 Species: Rat
 Application Route: Ingestion
 Result: negative

Enilconazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Test Type: Chromosomal aberration
 Test system: Human lymphocytes
 Result: negative

Test Type: gene mutation test
 Test system: Chinese hamster fibroblasts
 Result: negative

Test Type: unscheduled DNA synthesis assay
 Test system: rat hepatocytes
 Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
 Species: Rat
 Application Route: Oral
 Result: negative

Test Type: Micronucleus test
 Species: Mouse
 Application Route: Oral
 Result: negative

Enilconazole Smoke Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.1	30.09.2023	785966-00019	Date of first issue: 28.06.2016

Test Type: Rodent dominant lethal test (germ cell) (in vivo)
 Species: Mouse
 Result: negative

Potassium chlorate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Method: OECD Test Guideline 471
 Result: negative

Test Type: In vitro mammalian cell gene mutation test
 Method: OECD Test Guideline 476
 Result: negative
 Remarks: Based on data from similar materials

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
 Method: OECD Test Guideline 482
 Result: negative
 Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
 Species: Mouse
 Application Route: Ingestion
 Method: OECD Test Guideline 474
 Result: negative
 Remarks: Based on data from similar materials

Carcinogenicity

Suspected of causing cancer.

Components:**Talc:**

Species : Mouse
 Application Route : inhalation (dust/mist/fume)
 Exposure time : 2 Years
 Result : negative

Enilconazole:

Species : Rat
 Application Route : Oral
 Exposure time : 2 Years
 NOAEL : 40 mg/kg body weight
 Result : negative

Species : Mouse
 Application Route : Oral
 Exposure time : 2 Years
 LOAEL : 33 mg/kg body weight
 Result : positive
 Target Organs : Liver

Enilconazole Smoke Formulation

Version 6.1 Revision Date: 30.09.2023 SDS Number: 785966-00019 Date of last issue: 04.04.2023
 Date of first issue: 28.06.2016

Species : Mouse
 Application Route : oral (feed)
 Exposure time : 23 Months
 NOAEL : 8 mg/kg body weight
 LOAEL : 105 mg/kg body weight
 Result : positive
 Target Organs : Liver
 Remarks : Based on harmonised classification in EU regulation 1272/2008, Annex VI

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

Potassium chlorate:

Species : Rat
 Application Route : Ingestion
 Exposure time : 106 weeks
 Result : negative
 Remarks : Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:**Talc:**

Effects on fetal development : Test Type: Embryo-fetal development
 Species: Rat
 Application Route: Ingestion
 Result: negative

Enilconazole:

Effects on fertility : Test Type: Multi-generation study
 Species: Rat
 Application Route: Oral
 General Toxicity Parent: NOAEL: 20 mg/kg body weight
 Result: Maternal toxicity observed., Embryotoxic effects and adverse effects on the offspring were detected.
 Remarks: Not classified due to data which are conclusive although insufficient for classification.

Effects on fetal development : Test Type: Development
 Species: Rat
 Application Route: Oral
 Developmental Toxicity: LOAEL: 80 mg/kg body weight
 Result: Reduced fetal weight., Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses
 Remarks: The effects were seen only at maternally toxic doses.

Test Type: Development
 Species: Rabbit
 Application Route: Oral

Enilconazole Smoke Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.1	30.09.2023	785966-00019	Date of first issue: 28.06.2016

Developmental Toxicity: LOAEL: 10 mg/kg body weight
 Result: Maternal toxicity observed., No teratogenic effects.,
 Postimplantation loss.
 Remarks: The effects were seen only at maternally toxic doses.

Potassium chlorate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Application Route: Ingestion
 Method: OECD Test Guideline 416
 Result: negative
 Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
 Species: Rat
 Application Route: Ingestion
 Result: negative
 Remarks: Based on data from similar materials

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Liver) through prolonged or repeated exposure.

Components:

Enilconazole:

Target Organs : Liver
 Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Enilconazole:

Species : Rat
 NOAEL : 5 mg/kg
 LOAEL : 20 mg/kg
 Application Route : Oral
 Exposure time : 3 - 24 Months
 Target Organs : Liver
 Symptoms : decrease in appetite

Species : Dog
 NOAEL : 2,5 mg/kg
 LOAEL : 20 mg/kg
 Application Route : Oral
 Exposure time : 12 Months
 Symptoms : Salivation, Vomiting

Species : Mouse

Enilconazole Smoke Formulation

Version 6.1 Revision Date: 30.09.2023 SDS Number: 785966-00019 Date of last issue: 04.04.2023
Date of first issue: 28.06.2016

NOAEL : 12 mg/kg
LOAEL : 140 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Liver

Potassium chlorate:

Species : Rat
NOAEL : > 100 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Remarks : Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Enilconazole:**

Skin contact : Symptoms: pruritis, skin rash, Skin irritation
Eye contact : Symptoms: Eye irritation
Ingestion : Symptoms: Nausea

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Talc:**

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 100.000 mg/l
Exposure time: 24 h

Enilconazole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1,48 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

LC50 (Lepomis macrochirus (Bluegill sunfish)): 3,99 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 3,54 mg/l
aquatic invertebrates : Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): 1,2
plants : mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Enilconazole Smoke Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.1	30.09.2023	785966-00019	Date of first issue: 28.06.2016

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,457 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): < 0,007 mg/l
 Exposure time: 21 d
 Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 10

Potassium chlorate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
 Exposure time: 96 h
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
 Exposure time: 48 h
 Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50: 1,9 mg/l
 Exposure time: 72 h

NOEC: 0,5 mg/l
 Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): > 1 mg/l
 Exposure time: 36 d
 Method: OECD Test Guideline 210
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 1 mg/l
 Exposure time: 21 d
 Method: OECD Test Guideline 211
 Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50: > 1.000 mg/l
 Exposure time: 3 h
 Method: OECD Test Guideline 209
 Remarks: Based on data from similar materials

Persistence and degradability**Components:****Enilconazole:**

Biodegradability : Result: not rapidly degradable
 Biodegradation: 50 %
 Exposure time: 166 d

Enilconazole Smoke Formulation

Version 6.1 Revision Date: 30.09.2023 SDS Number: 785966-00019 Date of last issue: 04.04.2023
Date of first issue: 28.06.2016

Bioaccumulative potential**Components:****Enilconazole:**

Partition coefficient: n-octanol/water : log Pow: 3,82

Mobility in soil**Components:****Enilconazole:**

Distribution among environmental compartments : log Koc: 3,82

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : UN 1485
Proper shipping name : POTASSIUM CHLORATE MIXTURE
Class : 5.1
Packing group : II
Labels : 5.1
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 1485
Proper shipping name : Potassium chlorate Mixture
Class : 5.1
Packing group : II
Labels : Oxidizer
Packing instruction (cargo aircraft) : 562
Packing instruction (passenger aircraft) : 558

IMDG-Code

UN number : UN 1485
Proper shipping name : POTASSIUM CHLORATE MIXTURE
(Enilconazole)
Class : 5.1

Enilconazole Smoke Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.1	30.09.2023	785966-00019	Date of first issue: 28.06.2016

Packing group	:	II
Labels	:	5.1
EmS Code	:	F-H, S-Q
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Argentina. Carcinogenic Substances and Agents Registry. : Not applicable

Control of precursors and essential chemicals for the preparation of drugs. : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date	:	30.09.2023
Date format	:	dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
AR OEL	:	Argentina. Occupational Exposure Limits

ACGIH / TWA	:	8-hour, time-weighted average
AR OEL / CMP	:	TLV (Threshold Limit Value)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for

Enilconazole Smoke Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.1	30.09.2023	785966-00019	Date of first issue: 28.06.2016

Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8