

Version 7.0	Revision Date: 28.09.2024		9S Number: 5966-00020	Date of last issue: 30.09.2023 Date of first issue: 28.06.2016			
SECTION	1. IDENTIFICATION						
Produ	uct name	:	Enilconazole Sm	noke Formulation			
Manu	facturer or supplier's	s deta	ils				
Comp	Company		MSD	MSD			
Addre	Address		Talcahuano 750, 6th floor, Ciudad Autonoma Buenos Aires, Argentina C1013AAP				
Telep	Telephone		908-740-4000				
Emer	Emergency telephone		1-908-423-6000				
E-ma	E-mail address		EHSDATASTEWARD@msd.com				
Reco	mmended use of the	chem	nical and restricti	ons on use			
	Recommended use Restrictions on use		Veterinary product Not applicable				

### SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Oxidizing solids	:	Category 1
Acute toxicity (Oral)	:	Category 5
Serious eye damage/eye irritation	:	Category 2A
Carcinogenicity	:	Category 2
Specific target organ toxicity - repeated exposure	:	Category 2 (Liver)
Short-term (acute) aquatic hazard	:	Category 3
Long-term (chronic) aquatic hazard	:	Category 1
GHS label elements		
Hazard pictograms	:	
Signal Word	:	Danger



# **Enilconazole Smoke Formulation**

	Revision Date: 28.09.2024	SDS Number: 785966-00020	Date of last issue: 30.09.2023 Date of first issue: 28.06.2016
Hazard Statements		H303 May be H H319 Causes H351 Suspecto H373 May cau or repeated ex H402 Harmful	
Precautio	onary Statements	P202 Do not h and understoo P210 Keep aw and other ignit P220 Keep aw als. P260 Do not b P264 Wash sk P273 Avoid rel P280 Wear pro-	ay from heat, hot surfaces, sparks, open flames ion sources. No smoking. ay from clothing and other combustible materi- reathe dust. in thoroughly after handling. ease to the environment. otective gloves/ protective clothing/ eye protec-
		for several min easy to do. Co P306 + P360 I nated clothing clothes. P312 Call a P0 P337 + P313 I tention. P371 + P380 +	F ON CLOTHING: rinse immediately contami- and skin with plenty of water before removing DISON CENTER/ doctor if you feel unwell. f eye irritation persists: Get medical advice/ at- - P375 In case of major fire and large quantities: . Fight fire remotely due to the risk of explosion.
		<b>Storage:</b> P405 Store loc P420 Store se	
		Disposal:	of contents/ container to an approved waste

Contact with dust can cause mechanical irritation or drying of the skin. May form explosive dust-air mixture during processing, handling or other means.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture :



Version 7.0	Revision Date: 28.09.2024	SDS Number: 785966-00020		sue: 30.09.2023 sue: 28.06.2016		
Com	ponents					
Cherr	nical name		CAS-No.	Concentration (% w/w)		
Talc			14807-96-6	>= 50 -< 70		
Enilco	onazole		35554-44-0	>= 10 -< 20		
Potas	ssium chlorate		3811-04-9	>= 10 -< 20		
SECTION	4. FIRST AID MEASU	RES				
Gene	ral advice	advice imme When symp	diately.	eel unwell, seek medical cases of doubt seek medical		
lf inha	aled	: If inhaled, re	advice. If inhaled, remove to fresh air. Get medical attention.			
In cas	se of skin contact	: In case of co of water. Remove cor Get medical Wash clothir	ontact, immediately fluntation in the second states of the second states			
In cas	se of eye contact	: In case of co for at least 1 If easy to do				
lf swa	allowed	: If swallowed Get medical	<ul> <li>If swallowed, DO NOT induce vomiting.</li> <li>Get medical attention.</li> <li>Rinse mouth thoroughly with water.</li> </ul>			
	important symptoms iffects, both acute and ed	: May be harn Causes serie Suspected c May cause c exposure.	<ul> <li>May be harmful if swallowed.</li> <li>Causes serious eye irritation.</li> <li>Suspected of causing cancer.</li> <li>May cause damage to organs through prolonged or repeated exposure.</li> <li>Contact with dust can cause mechanical irritation or drying of</li> </ul>			
Prote	ction of first-aiders	: First Aid res and use the				
Notes	s to physician		omatically and suppo			

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.



Ver 7.0	sion	Revision Date: 28.09.2024		S Number: 5966-00020	Date of last issue: 30.09.2023 Date of first issue: 28.06.2016
	Hazard ucts	ous combustion prod-	:	Carbon oxides Chlorine compour Metal oxides	nds
	Specific ods	c extinguishing meth-	:	cumstances and t Fight fire remotely Use water spray to	measures that are appropriate to local cir- he surrounding environment. due to the risk of explosion. cool unopened containers. ged containers from fire area if it is safe to do
	Special for fire-	protective equipment fighters	:	In the event of fire Use personal prot	e, wear self-contained breathing apparatus. ective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Evacuate personnel to safe areas. Only trained personnel should re-enter the area. Remove all sources of ignition. Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Non-sparking tools should be used. Soak up with inert absorbent material. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Flush with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

Technical measures	: Static electricity may accumulate and ignite suspended dust
	causing an explosion.
	Provide adequate precautions, such as electrical grounding



# **Enilconazole Smoke Formulation**

Version 7.0	Revision Date: 28.09.2024	SDS Number: 785966-00020	Date of last issue: 30.09.2023 Date of first issue: 28.06.2016				
Loca	I/Total ventilation	<ul> <li>and bonding, or inert atmospheres.</li> <li>Use only with adequate ventilation.</li> <li>If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventilation.</li> </ul>					
Advic	e on safe handling	<ul> <li>Do not breathe dust.</li> <li>Do not swallow.</li> <li>Do not get in eyes.</li> <li>Avoid prolonged or repeated contact with skin.</li> <li>Wash skin thoroughly after handling.</li> <li>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment</li> <li>Keep container tightly closed.</li> <li>Minimize dust generation and accumulation.</li> <li>Keep container closed when not in use.</li> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>Take precautionary measures against static discharges.</li> <li>Keep away from combustible material.</li> <li>Take care to prevent spills, waste and minimize release to the environment.</li> </ul>					
Conditions for safe storage		Store locked up Keep tightly clo Keep in a cool, Keep away fron Store in accord	sed. well-ventilated place. n direct sunlight. ance with the particular national regulations. n heat and sources of ignition.				
Mate	rials to avoid	: Do not store with Self-reactive su Organic peroxic Flammable liqui Flammable solid Pyrophoric liqui Pyrophoric solid Self-heating sul Substances and flammable gase Aerosol cans ar Explosives Gases Very acutely tox Acutely toxic su	th the following product types: bstances and mixtures les ids ds ds ds ostances and mixtures d mixtures which in contact with water emit				

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
------------	---------	-------------------------------------	--	-------



		SDS Number: 785966-00020					
Talc		14807-96-6	CMP (Res- pirable frac- tion)	2 mg/m <sup>3</sup>	AR OEL		
			TWA (Respirable particulate matter)	2 mg/m <sup>3</sup>	ACGIH		
Enilco	onazole	35554-44-0	TWA	0.3 mg/m3 (OEB 2)	Internal		
		Further inform	nation: Skin				
Engir	neering measures	compound. All engineerii design and o	ng controls shou perated in acco	trols to minimize exp Id be implemented by dance with GMP prin Id the environment.	/ facility		
Perso	onal protective equip	nent					
Respiratory protection :		exposure as	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.				
	ter type protection		Particulates type				
Ma	aterial	: Chemical-res	sistant gloves				
Re	emarks			flammable, which ma	ay impact		
	protection	: Wear safety If the work er mists or aero Wear a faces potential for aerosols.	<ul> <li>the selection of hand protection.</li> <li>Wear safety glasses with side shields or goggles.</li> <li>If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.</li> <li>Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.</li> </ul>				
	and body protection ene measures	: If exposure to eye flushing working place When using Wash contan The effective engineering of appropriate of industrial hyg	systems and sat e. do not eat, drink ninated clothing operation of a f controls, proper degowning and c	ely during typical use, ety showers close to or smoke. before re-use. acility should include personal protective e lecontamination proc , medical surveillance	the review of quipment, edures,		

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Color	:	Grey-brown
Odor	:	No data available
Odor Threshold	:	No data available



/ersion ′.0	Revision Date: 28.09.2024		S Number: 5966-00020	Date of last issue: 30.09.2023 Date of first issue: 28.06.2016
рН			No data available	
		•		
	g point/freezing point	:	No data available	
Initial b range	poiling point and boiling	:	No data available	9
Flash <sub>I</sub>	point	:	No data available	9
Evapo	ration rate	:	No data available	9
Flamm	nability (solid, gas)	:	May form explos handling or other	ive dust-air mixture during processing, means.
Flamm	nability (liquids)	:	No data available	9
	explosion limit / Upper ability limit	:	No data available	9
	explosion limit / Lower ability limit	:	No data available	9
Vapor	pressure	:	No data available	9
Relativ	ve vapor density	:	No data available	9
Relativ	ve density	:	No data available	9
Densit	У	:	No data available	9
	lity(ies) ter solubility	:	No data available	9
	on coefficient: n-	:	No data available	9
	ol/water nition temperature	:	No data available	9
Decom	position temperature	:	No data available	9
Viscos Vis	ity cosity, kinematic	:	No data available	9
	sive properties	:	Not explosive	
Oxidizi	ing properties	:	The substance o category 1.	r mixture is classified as oxidizing with th
Molecu	ular weight	:	No data available	9
Particle Particle	e characteristics e size	:	No data available	9



Version 7.0	Revision Date: 28.09.2024		S Number: 5966-00020	Date of last issue: 30.09.2023 Date of first issue: 28.06.2016			
SECTION	10. STABILITY AND RE	EAC	TIVITY				
Chen	Reactivity Chemical stability Possibility of hazardous reac- tions		<ul> <li>May cause fire or explosion; strong oxidizer.</li> <li>Stable under normal conditions.</li> <li>May form explosive dust-air mixture during processin handling or other means.</li> <li>Exposure to metals, combustible or organic materials cause a violent reaction or ignition.</li> <li>May cause fire or explosion; strong oxidizer.</li> </ul>				
Cond	litions to avoid	:	Heat, flames a				
Incon	npatible materials	:	<ul> <li>Avoid dust formation.</li> <li>Accelerators, strong acids and bases, heavy metals ar heavy metal salts, reducing agents</li> <li>Flammable materials</li> <li>Organic materials</li> </ul>				
Haza produ	rdous decomposition ucts	:		decomposition products are known.			
SECTION	11. TOXICOLOGICAL I	NF	ORMATION				
Inforr expos	nation on likely routes of sure	:	: Inhalation Skin contact Ingestion Eye contact				
May I	e toxicity be harmful if swallowed.						
<u>Prod</u> Acute	<u>uct:</u> e oral toxicity	:	LD50 (Rat): 2.1	00 - 2.800 mg/kg			
Acute	e inhalation toxicity	:	LC0 (Rat): 10,7 Test atmosphe Remarks: No m				
Acute	e dermal toxicity	:	LD50 (Rat): > 2	2.000 mg/kg			
			LD50 (Rabbit):	> 0.6 ml/kg			
Com	ponents:						
Talc:							
Acute	e oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Remarks: Based on data from similar materials				
	Enilconazole: Acute oral toxicity		LD50 (Rat): 22 Remarks: Base 1272/2008, Ani	ed on harmonised classification in EU regulation			
			LD50 (Mouse):	390 - 620 mg/kg			
			LD50 (Dog): >	640 mg/kg			



ersion .0	Revision Date: 28.09.2024		9S Number: 5966-00020	Date of last issue: 30.09.2023 Date of first issue: 28.06.2016
Acute	inhalation toxicity	:	LC50 (Rat): 1,84 - Exposure time: 4 Test atmosphere: Remarks: Based o 1272/2008, Anney	h dust/mist on harmonised classification in EU regulation
Acute	e dermal toxicity	:	LD50 (Rat): 4.200 LD50 (Rabbit): 4.2	
	e toxicity (other routes of histration)	:	. ,	ng/kg
Potas	ssium chlorate:			
	e oral toxicity	:	Acute toxicity esti Method: Expert ju	mate (Humans): 100 mg/kg dgment
Acute	inhalation toxicity	:	LC50 (Rat): > 5,1 Exposure time: 4 Test atmosphere: Method: OECD To Assessment: The tion toxicity	h dust/mist
Acute	e dermal toxicity	:	LD50 (Rat): > 2.00 Method: OECD To Assessment: The toxicity	
II Skin	corrosion/irritation			
Not c	lassified based on availa	ble	information.	
Prod	uct:			
Speci Resu		:	Rabbit No skin irritation	
Com	oonents:			
Talc:				
Spec Resu	es It	:	Rabbit No skin irritation	
Enilc	onazole:			
Spec Resu	es It	:	Rabbit Mild skin irritation	
Potas	ssium chlorate:			
Spec		:	Rabbit	
Resu Rema		:	No skin irritation Based on data fro	m similar materials



)	Revision Date: 28.09.2024	SDS Number: 785966-00020	Date of last issue: 30.09.2023 Date of first issue: 28.06.2016
Serio	us eye damage/eye	irritation	
	es serious eye irritatio		
	-		
<u>Produ</u>		D 11 %	
Specie		: Rabbit	
Resul	L	: Moderate e	ye maalon
<u>Comp</u>	oonents:		
Talc:			
Speci	es	: Rabbit	
Resul	t	: No eye irrita	ation
Enilco	onazole:		
Speci	es	: Rabbit	
Resul		: Irreversible	effects on the eye
Rema	rks	: Based on h	armonised classification in EU regulation
II		1272/2008,	Annex VI
Speci	es	: Rabbit	
Resul		: Moderate e	ye irritation
Rema			armonised classification in EU regulation
		1272/2008,	Annex VI
Potas	sium chlorate:		
Speci	es	: Rabbit	
Resul	t	: No eye irrita	
Metho	od	: OECD Test	Guideline 405
_ ·	ratory or skin sensi	tization	
Respi	natory of skill schis		
-	-		
Skin s	sensitization	ailable information	
Skin s Not cl	sensitization assified based on ava		
Skin s Not cl Respi	sensitization assified based on avainatory sensitization		
<b>Skin s</b> Not cla <b>Respi</b> Not cla	sensitization assified based on avainatory sensitization assified based on avaination		
Skin s Not cl Respi Not cl <u>Produ</u>	sensitization assified based on avain assified based on avain assified based on avain	ailable information.	
Skin s Not cl Respi Not cl <u>Produ</u> Specie	sensitization assified based on avain assified based on avain	ailable information. : Guinea pig	
Skin s Not cl Respi Not cl <u>Produ</u>	sensitization assified based on avain assified based on avain	ailable information.	sensitizer.
Skin s Not cl Respi Not cl Specie Resul	sensitization assified based on avain assified based on avain	ailable information. : Guinea pig	sensitizer.
Skin s Not cl Respi Not cl Specie Resul	sensitization assified based on avainatory sensitization assified based on avainator assified based on avainator assified based on avainator as	ailable information. : Guinea pig	sensitizer.
Skin s Not cl Respi Not cl <u>Produ</u> Specie Result <u>Comp</u> Talc:	sensitization assified based on avainatory sensitization assified based on avainator assified based on avainator assified based on avainator as	ailable information. : Guinea pig	
Skin s Not cl Respi Not cl Specie Result Comp Talc: Route Specie	sensitization assified based on avainatory sensitization assified based on avainator assified bassified based on avainator assified based on a	ailable information. : Guinea pig : Not a skin s : Skin contao : Humans	
Skin s Not cl Respi Not cl Specie Result Comp Talc:	sensitization assified based on avainatory sensitization assified based on avainator assified bassified based on avainator assified based on a	ailable information. : Guinea pig : Not a skin s : Skin contac	
Skin s Not cl Respi Not cl Specie Result Talc: Route Specie Result	sensitization assified based on avainatory sensitization assified based on avainator assified bassified based on avainator assified based on a	ailable information. : Guinea pig : Not a skin s : Skin contao : Humans	
Skin s Not cl Respi Not cl Specie Result Talc: Route Specie Result Enilco	sensitization assified based on avainatory sensitization assified based on avainatory assified based on	ailable information. : Guinea pig : Not a skin s : Skin contao : Humans : negative	t
Skin s Not cl Respi Not cl Specie Result Comp Talc: Route Specie Result Enilco	sensitization assified based on avainatory sensitization assified based on avainatory assified based on	ailable information. : Guinea pig : Not a skin s : Skin contao : Humans	t
Skin s Not cl Respi Not cl Specie Result Comp Talc: Route Specie Result Enilco	sensitization assified based on avainatory sensitization assified based on avainator assified bassified based on avainator assified based on a	ailable information. : Guinea pig : Not a skin s : Skin contac : Humans : negative : Maximizatio	t



Version 7.0	Revision Date: 28.09.2024	SDS Number: 785966-00020	Date of last issue: 30.09.2023 Date of first issue: 28.06.2016				
Resu	lt	: equivocal					
Route Speci Resu		: Dermal : Humans : Not a skin s	sensitizer.				
Potas	ssium chlorate:						
Route Speci Metho Resu	Test Type Routes of exposure Species Method Result Remarks		<ul> <li>Maximization Test</li> <li>Skin contact</li> <li>Guinea pig</li> <li>OECD Test Guideline 406</li> <li>negative</li> <li>Based on data from similar materials</li> </ul>				
	n cell mutagenicity lassified based on ava	ailable information					
	ponents:						
Talc:							
Geno	otoxicity in vitro		DNA damage and repair, unscheduled DNA syn- ammalian cells (in vitro) gative				
Geno	otoxicity in vivo	Species: R	Route: Ingestion				
Enilc	onazole:						
Geno	otoxicity in vitro	: Test Type: Result: neg	Bacterial reverse mutation assay (AMES) ative				
			Chromosomal aberration n: Human lymphocytes jative				
			gene mutation test n: Chinese hamster fibroblasts jative				
			unscheduled DNA synthesis assay n: rat hepatocytes pative				
Geno	otoxicity in vivo	Species: R	Route: Oral				
		Species: M	Micronucleus test ouse Route: Oral				



Version 7.0	Revision Date: 28.09.2024	SDS Number:Date of last issue: 30.09.2023785966-00020Date of first issue: 28.06.2016
		Result: negative Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Result: negative
II Boto	ssium chlorate:	
	ptoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
		Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: Based on data from similar materials
		Test Type: DNA damage and repair, unscheduled DNA syn- thesis in mammalian cells (in vitro) Method: OECD Test Guideline 482 Result: negative Remarks: Based on data from similar materials
Geno	otoxicity in vivo	<ul> <li>Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)</li> <li>Species: Mouse</li> <li>Application Route: Ingestion</li> <li>Method: OECD Test Guideline 474</li> <li>Result: negative</li> <li>Remarks: Based on data from similar materials</li> </ul>
Susp	inogenicity pected of causing cance <u>ponents:</u>	er.
Spec Appli	ies cation Route sure time	: Mouse : inhalation (dust/mist/fume) : 2 Years : negative
Enilo	conazole:	
Spec Appli	cation Route sure time EL	: Rat : Oral : 2 Years : 40 mg/kg body weight : negative
	cation Route sure time EL	<ul> <li>Mouse</li> <li>Oral</li> <li>2 Years</li> <li>33 mg/kg body weight</li> <li>positive</li> </ul>



Version 7.0	Revision Date: 28.09.2024		9S Number: 5966-00020	Date of last issue: 30.09.2023 Date of first issue: 28.06.2016		
Targe	et Organs	:	Liver			
Applio Expos NOAE LOAE Resu Targe	Species Application Route Exposure time NOAEL LOAEL Result Target Organs Remarks		<ul> <li>Mouse</li> <li>oral (feed)</li> <li>23 Months</li> <li>8 mg/kg body weight</li> <li>105 mg/kg body weight</li> <li>positive</li> <li>Liver</li> <li>Based on harmonised classification in EU regulation 1272/2008, Annex VI</li> </ul>			
Carci ment	nogenicity - Assess-	:	Limited evidence	of carcinogenicity in animal studies		
Speci Applie	cation Route sure time It		Rat Ingestion 106 weeks negative Based on data fro	om similar materials		
Not c <u>Com</u> Talc:	oductive toxicity lassified based on availa ponents: ts on fetal development					
II Enilc	onazole:					
Effect	ts on fertility	:	Result: Maternal t adverse effects or Remarks: Not class			
Effect	ts on fetal development	:	Result: Reduced to verse effects on the ternally toxic dose	: Oral oxicity: LOAEL: 80 mg/kg body weight fetal weight., Embryotoxic effects and ad- he offspring were detected only at high ma- es ects were seen only at maternally toxic dos-		



Version 7.0	Revision Date: 28.09.2024		8 Number: 966-00020	Date of last issue: 30.09.2023 Date of first issue: 28.06.2016
			Result: Maternal t Postimplantation I	oxicity: LOAEL: 10 mg/kg body weight oxicity observed., No teratogenic effects.,
Potas	ssium chlorate:			
Effect	ts on fertility		Species: Rat Application Route Vethod: OECD To Result: negative	
Effect	ts on fetal development		Species: Rat Application Route Result: negative	o-fetal development : Ingestion on data from similar materials
STOT	-single exposure			
Not c	lassified based on availa	ble ir	formation.	
May o	<b>F-repeated exposure</b> cause damage to organs ponents:	(Live	er) through prolon	ged or repeated exposure.

#### Enilconazole:

Target Organs Assessment	-	Liver May cause damage to organs through prolonged or repeated
		exposure.

### Repeated dose toxicity

### Components:

### Enilconazole:

Species	: Rat
NOAEL	: 5 mg/kg
LOAEL	: 20 mg/kg
Application Route	: Oral
Exposure time	: 3 - 24 Months
Target Organs	: Liver
Symptoms	: decrease in appetite
Species	: Dog
NOAEL	: 2,5 mg/kg
LOAEL	: 20 mg/kg
Application Route	: Oral
Exposure time	: 12 Months
Symptoms	: Salivation, Vomiting



Version 7.0	Revision Date: 28.09.2024	-	0S Number: 5966-00020	Date of last issue: 30.09.2023 Date of first issue: 28.06.2016
NC LC Ap Ex	ecies DAEL DAEL plication Route posure time rget Organs	:	Mouse 12 mg/kg 140 mg/kg Oral 3 Months Liver	
Ро	tassium chlorate:			
NC Ap Ex	ecies DAEL plication Route posure time emarks	:	Rat > 100 mg/kg Ingestion 90 Days Based on data fro	om similar materials
	piration toxicity ot classified based on availa	ble	information.	
Ex	perience with human exp	osı	ire	
<u>Cc</u>	omponents:			
Sk Ey	<b>ilconazole:</b> in contact e contact gestion	:	Symptoms: pruriti Symptoms: Eye ir Symptoms: Nause	
SECTIO	ON 12. ECOLOGICAL INFO	DRN	ATION	
Fa	otovicity			
	otoxicity			
	omponents:			
<b>Та</b> То	ic: xicity to fish	:	LC50 (Brachydan Exposure time: 24	io rerio (zebrafish)): > 100.000 mg/l 1 h
En	ilconazole:			
То	xicity to fish	:	LC50 (Oncorhync Exposure time: 96 Method: OECD Te	
			LC50 (Lepomis m Exposure time: 96 Method: OECD Te	
	xicity to daphnia and other uatic invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD Te	
	xicity to algae/aquatic ants	:	EC50 (Pseudokiro mg/l Exposure time: 72	chneriella subcapitata (green algae)): 1,2 2 h



Version 7.0	n Revision Date: 28.09.2024		98 Number: 5966-00020	Date of last issue: 30.09.2023 Date of first issue: 28.06.2016
II			Method: OECD Te	est Guideline 201
			NOEC (Pseudokir mg/l Exposure time: 72 Method: OECD Te	
aq	xicity to daphnia and other uatic invertebrates (Chron- toxicity)		NOEC (Daphnia r Exposure time: 21 Method: OECD To	
	Factor (Chronic aquatic kicity)	:	10	
Ро	otassium chlorate:			
То	xicity to fish	:	Exposure time: 96	hus mykiss (rainbow trout)): > 100 mg/l 5 h on data from similar materials
	xicity to daphnia and other uatic invertebrates	:	Exposure time: 48	agna (Water flea)): > 100 mg/l 3 h on data from similar materials
	xicity to algae/aquatic ants	:	Exposure time: 7 Method: OECD Te	
			Exposure time: 7 Method: OECD Te	
To icit	exicity to fish (Chronic tox- ty)	:	Exposure time: 36 Method: OECD Te	
aq	xicity to daphnia and other uatic invertebrates (Chron- toxicity)		Exposure time: 21 Method: OECD Te	
То	xicity to microorganisms	:	EC50: > 1.000 mg Exposure time: 3 Method: OECD To Remarks: Based o	h
Pe	ersistence and degradabili	itv		
	omponents:	-,		

#### Enilconazole:

Biodegradability	:	Result: not rapidly degradable
Biodegradability		Biodegradation: 50 %



Version 7.0	Revision Date: 28.09.2024	SDS Number: 785966-00020	Date of last issue: 30.09.2023 Date of first issue: 28.06.2016
		Exposure time	e: 166 d
Bioad	ccumulative potential		
<u>Com</u>	oonents:		
Partiti	<b>onazole:</b> ion coefficient: n- ol/water	: log Pow: 3,82	
Mobil	lity in soil		
<u>Com</u>	oonents:		
Distri	onazole: bution among environ- al compartments	: log Koc: 3,82	
	r <b>adverse effects</b> ata available		
SECTION	13. DISPOSAL CONSI	DERATIONS	
Dispo	osal methods		

Waste from residues	:	
		Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

<b>UNRTDG</b> UN number Proper shipping name Class Packing group Labels Environmentally hazardous	:	UN 1485 POTASSIUM CHLORATE MIXTURE 5.1 II 5.1 no
IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)	:	UN 1485 Potassium chlorate Mixture 5.1 II Oxidizer 562 558
<b>IMDG-Code</b> UN number Proper shipping name	:	UN 1485 POTASSIUM CHLORATE MIXTURE



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
7.0	28.09.2024	785966-00020	Date of first issue: 28.06.2016
Label EmS Marin	ing group ls Code ne pollutant	(Enilconazole) : 5.1 : II : 5.1 : 5.1 : F-H, S-Q : yes ing to Annex II of MA	RPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### **SECTION 15. REGULATORY INFORMATION**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

The ingradiants of this product are reported in the	مالم	wing inventories
Control of precursors and essential chemicals for the preparation of drugs.	:	Not applicable
Argentina. Carcinogenic Substances and Agents Registry.	:	Not applicable

#### The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

#### **SECTION 16. OTHER INFORMATION**

Revision Date	:	28.09.2024
Date format	:	dd.mm.yyyy

#### **Further information**

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety		eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations						
ACGIH AR OEL		USA. ACGIH Threshold Limit Values (TLV) Argentina. Occupational Exposure Limits				
ACGIH / TWA AR OEL / CMP		8-hour, time-weighted average TLV (Threshold Limit Value)				



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
7.0	28.09.2024	785966-00020	Date of first issue: 28.06.2016

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8