according to GB/T 16483 and GB/T 17519



# **Enramycin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/03/20 3.1 2023/09/26 24582-00021 Date of first issue: 2014/10/22

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Enramycin Formulation

Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road

Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

#### 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

Appearance: powderColour: light brownOdour: characteristic

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

**GHS Classification** 

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 2

**GHS** label elements

Hazard pictograms

¥2>

Signal word : Warning

Hazard statements : H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

according to GB/T 16483 and GB/T 17519



# **Enramycin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/03/20 3.1 2023/09/26 24582-00021 Date of first issue: 2014/10/22

Precautionary statements : Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

#### Physical and chemical hazards

Not classified based on available information.

#### **Health hazards**

Not classified based on available information.

#### **Environmental hazards**

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosible dust-air mixture if dispersed.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Talc	14807-96-6	>= 90 -<= 100
ENRAMYCIN B	34304-21-7	>= 2.5 -< 10

#### 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.

Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

according to GB/T 16483 and GB/T 17519



# **Enramycin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/03/20 3.1 2023/09/26 24582-00021 Date of first issue: 2014/10/22

Most important symptoms and effects, both acute and

delaved

Protection of first-aiders

Notes to physician

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation. No special precautions are necessary for first aid responders.

Treat symptomatically and supportively.

#### 5. FIREFIGHTING MEASURES

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

High volume water jet

Dry chemical

Unsuitable extinguishing

media

Specific hazards during fire-

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Do not use a solid water stream as it may scatter and spread

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx)

Specific extinguishing meth-

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO

Evacuate area.

Special protective equipment

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

Use personal protective equipment.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer-

gency procedures

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions Avoid release to the environment.

> Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are re-

according to GB/T 16483 and GB/T 17519



# **Enramycin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/03/20 24582-00021 3.1 2023/09/26 Date of first issue: 2014/10/22

> leased into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### 7. HANDLING AND STORAGE

Handling

Technical measures Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation

Use only with adequate ventilation. Do not breathe dust.

Advice on safe handling

Handle in accordance with good industrial hygiene and safety

practice, based on the results of the workplace exposure as-

sessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take care to prevent spills, waste and minimize release to the

environment.

Avoidance of contact None.

Storage

Conditions for safe storage Keep in properly labelled containers.

Store in accordance with the particular national regulations.

No special restrictions on storage with other products. Materials to avoid

Packaging material Unsuitable material: None known.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Talc	14807-96-6	PC-TWA (Total dust)	3 mg/m3	CN OEL
		PC-TWA (Respirable dust)	1 mg/m3	CN OEL
		TWA (Respirable particulate matter)	2 mg/m3	ACGIH

according to GB/T 16483 and GB/T 17519



# **Enramycin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/03/20 3.1 2023/09/26 24582-00021 Date of first issue: 2014/10/22

**ENRAMYCIN B** 34304-21-7 TWA 5 mg/m3 (OEB 1) Internal

**Engineering measures** Use feasible engineering controls to minimize exposure to

compound.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Personal protective equipment

Respiratory protection If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Particulates type Filter type

Wear safety glasses with side shields or goggles. Eye/face protection

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection

Hand protection

Material Chemical-resistant gloves

If exposure to chemical is likely during typical use, provide Hygiene measures

Work uniform or laboratory coat.

eye flushing systems and safety showers close to the work-

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** powder

Colour light brown

Odour characteristic

Odour Threshold No data available

5 - 8.5pН

Melting point/freezing point No data available

Initial boiling point and boiling : No data available

range

according to GB/T 16483 and GB/T 17519



# **Enramycin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/03/20 3.1 2023/09/26 24582-00021 Date of first issue: 2014/10/22

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Solubility(ies)

Water solubility : practically insoluble

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

Dust can form an explosive mixture in air.

Conditions to avoid : Avoid dust formation.

Incompatible materials : None.

Hazardous decomposition : No hazardous decomposition products are known.

according to GB/T 16483 and GB/T 17519



# **Enramycin Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2023/03/20

 3.1
 2023/09/26
 24582-00021
 Date of first issue: 2014/10/22

products

#### 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation

Skin contact Ingestion Eye contact

**Acute toxicity** 

Not classified based on available information.

**Components:** 

Talc:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Remarks: Based on data from similar materials

**ENRAMYCIN B:** 

Acute oral toxicity : LD50 (Mouse): > 5,000 mg/kg

LD50 (Rat): > 10,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

**Components:** 

Talc:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

**Components:** 

Talc:

Species : Rabbit

Result : No eye irritation

**ENRAMYCIN B:** 

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

according to GB/T 16483 and GB/T 17519



# **Enramycin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/03/20 3.1 2023/09/26 24582-00021 Date of first issue: 2014/10/22

### Respiratory sensitisation

Not classified based on available information.

#### **Components:**

Talc:

Exposure routes Skin contact Species Humans Result negative

### Germ cell mutagenicity

Not classified based on available information.

### Components:

Talc:

Genotoxicity in vitro Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Genotoxicity in vivo Test Type: Chromosome aberration test in vitro

Species: Rat

Application Route: Ingestion

Result: negative

**ENRAMYCIN B:** 

Test Type: Bacterial reverse mutation assay (AMES) Genotoxicity in vitro

Result: negative

### Carcinogenicity

Not classified based on available information.

#### Components:

Talc:

**Species** Mouse

inhalation (dust/mist/fume) Application Route

Exposure time 2 Years Result negative

#### Reproductive toxicity

Not classified based on available information.

#### Components:

Talc:

Effects on foetal develop-

ment Species: Rat

Application Route: Ingestion

Test Type: Embryo-foetal development

Result: negative

according to GB/T 16483 and GB/T 17519



# **Enramycin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/03/20 3.1 2023/09/26 24582-00021 Date of first issue: 2014/10/22

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

**Components:** 

**ENRAMYCIN B:** 

Species : Rat

NOAEL : 1,000 mg/kg
Application Route : Ingestion
Exposure time : 6 Months

**Aspiration toxicity** 

Not classified based on available information.

12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

Components:

Talc:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 100,000 mg/l

Exposure time: 24 h

**ENRAMYCIN B:** 

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 18 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.96

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

according to GB/T 16483 and GB/T 17519



# **Enramycin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/03/20 3.1 2023/09/26 24582-00021 Date of first issue: 2014/10/22

EC50 (Anabaena flos-aquae (cyanobacterium)): 0.083 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 0.045 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

M-Factor (Chronic aquatic

toxicity)

Toxicity to microorganisms

: 1

10

EC50: 438.5 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

EC10: 0.045 mg/l Exposure time: 3 h

Method: OECD Test Guideline 209

### Persistence and degradability

#### **Components:**

**ENRAMYCIN B:** 

Biodegradability : Result: Not readily biodegradable.

Method: OECD Test Guideline 301B

#### **Bioaccumulative potential**

No data available

Mobility in soil

No data available

Other adverse effects

No data available

#### 13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

#### International Regulations

according to GB/T 16483 and GB/T 17519



# **Enramycin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/03/20 3.1 2023/09/26 24582-00021 Date of first issue: 2014/10/22

**UNRTDG** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(ENRAMYCIN B)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

**IATA-DGR** 

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(ENRAMYCIN B)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 956

aircraft)

Packing instruction (passen- : 956

ger aircraft)

Environmentally hazardous : yes

**IMDG-Code** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(ENRAMYCIN B)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**National Regulations** 

GB 6944/12268

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(ENRAMYCIN B)

Class : 9
Packing group : III
Labels : 9
Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

according to GB/T 16483 and GB/T 17519



## **Enramycin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/03/20 3.1 2023/09/26 24582-00021 Date of first issue: 2014/10/22

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 15. REGULATORY INFORMATION

### **National regulatory information**

Law on the Prevention and Control of Occupational Diseases

#### **Yangtze River Protection Law**

This product does not contain any dangerous chemicals prohibited for inland river transport.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

### **16. OTHER INFORMATION**

Revision Date : 2023/09/26

**Further information** 

Sources of key data used to

compile the Safety Data

Sheet

: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CN OEL : Occupational exposure limits for hazardous agents in the

workplace - Chemical hazardous agents.

ACGIH / TWA : 8-hour, time-weighted average

CN OEL / PC-TWA : Permissible concentration - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Or-

according to GB/T 16483 and GB/T 17519



# **Enramycin Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/03/20 3.1 2023/09/26 24582-00021 Date of first issue: 2014/10/22

ganisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN