

**Enrofloxacin (2.5%) Formulation**

Version 5.9      Revision Date: 30.09.2023      SDS Number: 641542-00019      Date of last issue: 04.04.2023  
Date of first issue: 27.04.2016

---

**SECTION 1. IDENTIFICATION**

Product name : Enrofloxacin (2.5%) Formulation

**Manufacturer or supplier's details**

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma  
Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Specific target organ toxicity - repeated exposure : Category 2 (cartilage, Testis)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

**GHS label elements**

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H373 May cause damage to organs (cartilage, Testis) through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**  
P260 Do not breathe mist or vapors.  
P273 Avoid release to the environment.

## Enrofloxacin (2.5%) Formulation

Version 5.9      Revision Date: 30.09.2023      SDS Number: 641542-00019      Date of last issue: 04.04.2023  
 Date of first issue: 27.04.2016

### Response:

P314 Get medical advice/ attention if you feel unwell.  
 P391 Collect spillage.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

| Chemical name  | CAS-No.    | Concentration (% w/w) |
|----------------|------------|-----------------------|
| Enrofloxacin   | 93106-60-6 | >= 2,5 -< 3           |
| Benzyl alcohol | 100-51-6   | >= 1 -< 5             |

## SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
 Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
 Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
 Get medical attention.  
 Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May cause damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

## SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
 Alcohol-resistant foam  
 Carbon dioxide (CO<sub>2</sub>)

## Enrofloxacin (2.5%) Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.04.2023  |
| 5.9     | 30.09.2023     | 641542-00019 | Date of first issue: 27.04.2016 |

---

|  |   |   |
|--|---|---|
| Unsuitable extinguishing media                 | : | Dry chemical<br>None known.   |
| Specific hazards during fire fighting          | : | Exposure to combustion products may be a hazard to health.  |
| Hazardous combustion products                  | : | Carbon oxides   |
| Specific extinguishing methods                 | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers.<br>Remove undamaged containers from fire area if it is safe to do so.<br>Evacuate area. |
| Special protective equipment for fire-fighters | : | In the event of fire, wear self-contained breathing apparatus.<br>Use personal protective equipment.  |

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

|   |   |   |
|---|---|---|
| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment.<br>Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).  |
| Environmental precautions   | : | Avoid release to the environment.<br>Prevent further leakage or spillage if safe to do so.<br>Prevent spreading over a wide area (e.g., by containment or oil barriers).<br>Retain and dispose of contaminated wash water.<br>Local authorities should be advised if significant spillages cannot be contained.   |
| Methods and materials for containment and cleaning up               | : | Soak up with inert absorbent material.<br>For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.<br>Clean up remaining materials from spill with suitable absorbent.<br>Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.<br>Sections 13 and 15 of this SDS provide information regarding certain local or national requirements. |

---

### SECTION 7. HANDLING AND STORAGE

|                         |   |   |
|-------------------------|---|---|
| Technical measures      | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.   |
| Local/Total ventilation | : | Use only with adequate ventilation.   |
| Advice on safe handling | : | Do not breathe mist or vapors.<br>Do not swallow.<br>Avoid contact with eyes.<br>Avoid prolonged or repeated contact with skin. |

## Enrofloxacin (2.5%) Formulation

Version 5.9      Revision Date: 30.09.2023      SDS Number: 641542-00019      Date of last issue: 04.04.2023  
 Date of first issue: 27.04.2016

- Wash skin thoroughly after handling.  
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
 Do not eat, drink or smoke when using this product.  
 Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents  
 Self-reactive substances and mixtures  
 Organic peroxides  
 Explosives  
 Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

| Components   | CAS-No.    | Value type<br>(Form of exposure) | Control parameters / Permissible concentration | Basis    |
|--------------|------------|----------------------------------|--|----------|
| Enrofloxacin | 93106-60-6 | TWA                              | 0.2 mg/m <sup>3</sup> (OEB 2)                  | Internal |

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Laboratory operations do not require special containment.

#### Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Combined particulates and organic vapor type
- Hand protection : Chemical-resistant gloves
- Material : Chemical-resistant gloves
- Eye protection : Wear safety glasses with side shields or goggles.  
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection : Work uniform or laboratory coat.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
 When using do not eat, drink or smoke.  
 Wash contaminated clothing before re-use.

**Enrofloxacin (2.5%) Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.04.2023  |
| 5.9     | 30.09.2023     | 641542-00019 | Date of first issue: 27.04.2016 |

---

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

|  |   |                   |
|--|---|-------------------|
| Appearance                                       | : | liquid            |
| Color  | : | No data available |
| Odor   | : | No data available |
| Odor Threshold                                   | : | No data available |
| pH   | : | No data available |
| Melting point/freezing point                     | : | No data available |
| Initial boiling point and boiling range          | : | No data available |
| Flash point                                      | : | No data available |
| Evaporation rate                                 | : | No data available |
| Flammability (solid, gas)                        | : | Not applicable    |
| Flammability (liquids)                           | : | No data available |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Vapor pressure                                   | : | No data available |
| Relative vapor density                           | : | No data available |
| Relative density                                 | : | No data available |
| Density  | : | No data available |
| Solubility(ies)                                  |   |                   |
| Water solubility                                 | : | No data available |
| Partition coefficient: n-octanol/water           | : | Not applicable    |
| Autoignition temperature                         | : | No data available |
| Decomposition temperature                        | : | No data available |
| Viscosity  |   |                   |

**Enrofloxacin (2.5%) Formulation**

Version 5.9      Revision Date: 30.09.2023      SDS Number: 641542-00019      Date of last issue: 04.04.2023  
Date of first issue: 27.04.2016

---

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : Not applicable

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5.000 mg/kg  
Method: Calculation method

**Components:****Enrofloxacin:**

Acute oral toxicity : LD50 (Rabbit): 500 - 800 mg/kg

LD50 (Rat): > 5.000 mg/kg

LD50 (Mouse): > 5.000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

**Enrofloxacin (2.5%) Formulation**

Version 5.9      Revision Date: 30.09.2023      SDS Number: 641542-00019      Date of last issue: 04.04.2023  
Date of first issue: 27.04.2016

---

**Benzyl alcohol:**

Acute oral toxicity : LD50 (Rat): 1.620 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 4,178 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Enrofloxacin:**

Result : No skin irritation

**Benzyl alcohol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Enrofloxacin:**

Result : Mild eye irritation

**Benzyl alcohol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Components:****Enrofloxacin:**

Test Type : Maximization Test  
Routes of exposure : Dermal  
Species : Guinea pig  
Result : Not a skin sensitizer.

**Benzyl alcohol:**

Test Type : Maximization Test

**Enrofloxacin (2.5%) Formulation**

Version 5.9      Revision Date: 30.09.2023      SDS Number: 641542-00019      Date of last issue: 04.04.2023  
Date of first issue: 27.04.2016

---

Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Enrofloxacin:**

Genotoxicity in vitro : Test Type: Chromosomal aberration  
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Result: negative

Test Type: Mammalian bone marrow sister chromatid exchange  
Species: Hamster  
Result: negative

Test Type: Chromosomal aberration  
Species: Rat  
Result: negative

**Benzyl alcohol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Enrofloxacin:**

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
Result : negative

Species : Mouse  
Application Route : Oral  
Exposure time : 2 Years  
Result : negative



## Enrofloxacin (2.5%) Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.04.2023  |
| 5.9     | 30.09.2023     | 641542-00019 | Date of first issue: 27.04.2016 |

---

### **Benzyl alcohol:**

|                   |   |                         |
|-------------------|---|-------------------------|
| Species           | : | Mouse                   |
| Application Route | : | Ingestion               |
| Exposure time     | : | 103 weeks               |
| Method            | : | OECD Test Guideline 451 |
| Result            | : | negative                |

### **Reproductive toxicity**

Not classified based on available information.

### **Components:**

#### **Enrofloxacin:**

|                      |   |   |
|----------------------|---|---|
| Effects on fertility | : | Test Type: Two-generation study<br>Species: Rat<br>Application Route: Oral<br>Fertility: LOAEL: 15 mg/kg body weight<br>Result: Effects on fertility., alteration in sperm morphology |
|----------------------|---|---|

|                              |   |   |
|------------------------------|---|---|
| Effects on fetal development | : | Test Type: Development<br>Species: Rat<br>Application Route: Oral<br>Developmental Toxicity: LOAEL: 210 mg/kg body weight<br>Result: Reduced fetal weight., No teratogenic effects.<br>Remarks: Maternal toxicity observed. |
|------------------------------|---|---|

|  |   |  |
|--|---|--|
|  | : | Test Type: Development<br>Species: Rabbit<br>Application Route: Oral<br>Developmental Toxicity: NOAEL: 25 mg/kg body weight<br>Result: No fetotoxicity., No teratogenic effects. |
|--|---|--|

|                                    |   |   |
|------------------------------------|---|---|
| Reproductive toxicity - Assessment | : | Some evidence of adverse effects on sexual function and fertility, based on animal experiments. |
|------------------------------------|---|---|

#### **Benzyl alcohol:**

|                      |   |   |
|----------------------|---|---|
| Effects on fertility | : | Test Type: Fertility/early embryonic development<br>Species: Rat<br>Application Route: Ingestion<br>Result: negative<br>Remarks: Based on data from similar materials |
|----------------------|---|---|

|                              |   |   |
|------------------------------|---|---|
| Effects on fetal development | : | Test Type: Embryo-fetal development<br>Species: Mouse<br>Application Route: Ingestion<br>Result: negative |
|------------------------------|---|---|

### **STOT-single exposure**

Not classified based on available information.

### **STOT-repeated exposure**

May cause damage to organs (cartilage, Testis) through prolonged or repeated exposure.

**Enrofloxacin (2.5%) Formulation**

Version 5.9      Revision Date: 30.09.2023      SDS Number: 641542-00019      Date of last issue: 04.04.2023  
Date of first issue: 27.04.2016

---

**Components:****Enrofloxacin:**

Target Organs : cartilage, Testis  
Assessment : Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Enrofloxacin:**

Species : Rat  
NOAEL : 36 mg/kg  
LOAEL : 150 mg/kg  
Application Route : Oral  
Exposure time : 13 Weeks  
Target Organs : Testis

Species : Dog  
NOAEL : 3 mg/kg  
LOAEL : 9,6 mg/kg  
Application Route : Oral  
Exposure time : 13 Weeks  
Target Organs : cartilage

Species : Cat  
NOAEL : 25 mg/kg  
Application Route : Oral  
Exposure time : 30 Days  
Remarks : No significant adverse effects were reported

**Benzyl alcohol:**

Species : Rat  
NOAEL : 1,072 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 28 Days  
Method : OECD Test Guideline 412

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Enrofloxacin:**

Ingestion : Symptoms: Gastrointestinal disturbance, central nervous system effects, Sensitivity to light

## Enrofloxacin (2.5%) Formulation

Version 5.9      Revision Date: 30.09.2023      SDS Number: 641542-00019      Date of last issue: 04.04.2023  
 Date of first issue: 27.04.2016

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **Enrofloxacin:**

- Toxicity to fish : LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 79,5 mg/l  
 Exposure time: 96 h
- LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 196 mg/l  
 Exposure time: 96 h
- LC50 (*Oryzias latipes* (Japanese medaka)): > 100 mg/l  
 Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Hyalella azteca* (Amphipod)): > 206 mg/l  
 Exposure time: 96 h
- EC50 (*Daphnia magna* (Water flea)): 79,9 mg/l  
 Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (green algae)): 3,1 mg/l  
 Exposure time: 72 h
- EC50 (*Microcystis aeruginosa* (blue-green algae)): 0,049 mg/l  
 Exposure time: 5 d
- M-Factor (Acute aquatic toxicity) : 10
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 9,8 mg/l  
 Exposure time: 21 d
- NOEC (*Daphnia magna* (Water flea)): 5 mg/l  
 Exposure time: 21 d
- LOEC (*Daphnia magna* (Water flea)): 15 mg/l  
 Exposure time: 21 d
- M-Factor (Chronic aquatic toxicity) : 10
- Benzyl alcohol:**
- Toxicity to fish : LC50 (*Pimephales promelas* (fathead minnow)): 460 mg/l  
 Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 230 mg/l  
 Exposure time: 48 h  
 Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (green algae)): 770 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201

## Enrofloxacin (2.5%) Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.04.2023  |
| 5.9     | 30.09.2023     | 641542-00019 | Date of first issue: 27.04.2016 |

---

NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l  
 Exposure time: 21 d  
 Method: OECD Test Guideline 211

### Persistence and degradability

#### Components:

##### **Benzyl alcohol:**

Biodegradability : Result: Readily biodegradable.  
 Biodegradation: 92 - 96 %  
 Exposure time: 14 d

### Bioaccumulative potential

#### Components:

##### **Enrofloxacin:**

Partition coefficient: n-octanol/water : log Pow: 0,5

##### **Benzyl alcohol:**

Partition coefficient: n-octanol/water : log Pow: 1,05

### Mobility in soil

#### Components:

##### **Enrofloxacin:**

Distribution among environmental compartments : Koc: 5,55

### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
 Dispose of in accordance with local regulations.  
 Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
 If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

## Enrofloxacin (2.5%) Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.04.2023  |
| 5.9     | 30.09.2023     | 641542-00019 | Date of first issue: 27.04.2016 |

---

**UNRTDG**

UN number : UN 3082  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
 ()  
 Class : 9  
 Packing group : III  
 Labels : 9  
 Environmentally hazardous : yes

**IATA-DGR**

UN/ID No. : UN 3082  
 Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
 ()  
 Class : 9  
 Packing group : III  
 Labels : Miscellaneous  
 Packing instruction (cargo aircraft) : 964  
 Packing instruction (passenger aircraft) : 964  
 Environmentally hazardous : yes

**IMDG-Code**

UN number : UN 3082  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
 ()  
 Class : 9  
 Packing group : III  
 Labels : 9  
 EmS Code : F-A, S-F  
 Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

Argentina. Carcinogenic Substances and Agents Registry. : Not applicable

Control of precursors and essential chemicals for the preparation of drugs. : Not applicable

**The ingredients of this product are reported in the following inventories:**

**Enrofloxacin (2.5%) Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.04.2023  |
| 5.9     | 30.09.2023     | 641542-00019 | Date of first issue: 27.04.2016 |

AICS : not determined

DSL : not determined

IECSC : not determined

**SECTION 16. OTHER INFORMATION**

Revision Date : 30.09.2023

Date format : dd.mm.yyyy

**Further information**Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>**Full text of other abbreviations**

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and

## Enrofloxacin (2.5%) Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.04.2023  |
| 5.9     | 30.09.2023     | 641542-00019 | Date of first issue: 27.04.2016 |

---

shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8