

Enrofloxacin Liquid (20%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/07/06 9743090-00009 Date of first issue: 2021/10/13

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Enrofloxacin Liquid (20%) Formulation

Manufacturer or supplier's details

Company : MSD

Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000

Emergency telephone number : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4

Skin corrosion/irritation : Category 1A

Serious eye damage/eye irri-

tation

Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - :

repeated exposure

Category 1 (cartilage, Testis)

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 1

GHS label elements

Hazard pictograms :









Enrofloxacin Liquid (20%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/07/06 9743090-00009 Date of first issue: 2021/10/13

Signal word : Danger

Hazard statements : H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H361f Suspected of damaging fertility.

H372 Causes damage to organs (cartilage, Testis) through

prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapours. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P301 + P330 + P331 + P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/ doctor.

P303 + P361 + P353 + P310 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER/doctor.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a

POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Corrosive to the respiratory tract.

May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS



Enrofloxacin Liquid (20%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/07/06 9743090-00009 Date of first issue: 2021/10/13

Substance / Mixture Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	
Enrofloxacin	93106-60-6	>= 10 -< 25	
Potassium hydroxide	1310-58-3	>= 5 -< 10	
Disodium EDTA, dihydrate	6381-92-6	< 10	
Benzyl alcohol	100-51-6	< 10	

4. FIRST AID MEASURES

In the case of accident or if you feel unwell, seek medical ad-General advice

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

> If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

In case of skin contact In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention immediately.

Wash clothing before reuse.

Thoroughly clean shoes before reuse. In case of contact, immediately flush eyes with plenty of water In case of eye contact

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention immediately.

If swallowed If swallowed, DO NOT induce vomiting.

If vomiting occurs have person lean forward.

Call a physician or poison control centre immediately.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms

and effects, both acute and

delayed

Harmful if swallowed.

Causes serious eye damage. Suspected of damaging fertility.

Causes damage to organs through prolonged or repeated

exposure.

Causes severe burns. Causes digestive tract burns. Corrosive to respiratory system.

Protection of first-aiders First Aid responders should pay attention to self-protection,

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)



Enrofloxacin Liquid (20%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/07/06 9743090-00009 Date of first issue: 2021/10/13

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Hazardous combustion prod-

ucts

Exposure to combustion products may be a hazard to health.

Carbon oxides Metal oxides

Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec: : tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions

Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Soak up with inert absorbent material.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

7. HANDLING AND STORAGE



Enrofloxacin Liquid (20%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/07/06 9743090-00009 Date of first issue: 2021/10/13

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Self-reactive substances and mixtures

Organic peroxides Oxidizing agents Explosives

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Enrofloxacin	93106-60-6	TWA	0.2 mg/m3 (OEB 2)	Internal
Potassium hydroxide	1310-58-3	С	2 mg/m3	ACGIH

Engineering measures : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Laboratory operations do not require special containment.

Personal protective equipment



Enrofloxacin Liquid (20%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/07/06 9743090-00009 Date of first issue: 2021/10/13

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type
Hand protection

Particulates type

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection

Hygiene measures

: Work uniform or laboratory coat.

If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the work-

ing place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Aqueous solution

Colour : light yellow

Odour : No data available

Odour Threshold : No data available

pH : 10.5 - 12.5

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available



Enrofloxacin Liquid (20%) Formulation

Version **Revision Date:** SDS Number: Date of last issue: 2024/04/06 5.0 2024/07/06 9743090-00009 Date of first issue: 2021/10/13

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure No data available

Relative vapour density No data available

Relative density No data available

Density 0.950 - 1.150 g/cm3

Solubility(ies)

Water solubility No data available

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature No data available

Decomposition temperature No data available

Viscosity

Viscosity, kinematic No data available

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

No data available Molecular weight

Particle characteristics

Particle size Not applicable

10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

Conditions to avoid Heat, flames and sparks.

Avoid dust formation.

Incompatible materials Oxidizing agents

Acids

Hazardous decomposition

products

: No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION



Enrofloxacin Liquid (20%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/07/06 9743090-00009 Date of first issue: 2021/10/13

Information on likely routes of:

exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1,818 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Components:

Enrofloxacin:

Acute oral toxicity : LD50 (Rabbit): 500 - 800 mg/kg

LD50 (Rat): > 5,000 mg/kg

LD50 (Mouse): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Potassium hydroxide:

Acute oral toxicity : LD50 (Rat): 333 mg/kg

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Disodium EDTA, dihydrate:

Acute oral toxicity : LD50 (Rat): 2,800 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): > 1 mg/l

Exposure time: 6 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 412

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403



Enrofloxacin Liquid (20%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/07/06 9743090-00009 Date of first issue: 2021/10/13

Skin corrosion/irritation

Causes severe burns.

Components:

Enrofloxacin:

Result : No skin irritation

Potassium hydroxide:

Species : Rabbit

Result : Corrosive after 3 minutes or less of exposure

Benzyl alcohol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Enrofloxacin:

Result : Mild eye irritation

Potassium hydroxide:

Species : Rabbit

Result : Irreversible effects on the eye

Disodium EDTA, dihydrate:

Species : Rabbit

Result : No eye irritation

Benzyl alcohol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.



Enrofloxacin Liquid (20%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/07/06 9743090-00009 Date of first issue: 2021/10/13

Components:

Enrofloxacin:

Test Type : Maximisation Test

Exposure routes : Dermal Species : Guinea pig

Result : Not a skin sensitizer.

Potassium hydroxide:

Test Type : Intracutaneous test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Disodium EDTA, dihydrate:

Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

Benzyl alcohol:

Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Enrofloxacin:

Genotoxicity in vitro : Test Type: Chromosomal aberration

Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Result: negative

Test Type: Mammalian bone marrow sister chromatid ex-

change

Species: Hamster Result: negative

Test Type: Chromosomal aberration

Species: Rat Result: negative



Enrofloxacin Liquid (20%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/07/06 9743090-00009 Date of first issue: 2021/10/13

Potassium hydroxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Disodium EDTA, dihydrate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Method: OECD Test Guideline 474

Result: negative

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Enrofloxacin:

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

Species: MouseApplication Route: OralExposure time: 2 YearsResult: negative



Enrofloxacin Liquid (20%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/07/06 9743090-00009 Date of first issue: 2021/10/13

Disodium EDTA, dihydrate:

Species : Rat

Application Route : Ingestion

Exposure time : 103 weeks

Result : negative

Remarks : Based on data from similar materials

Benzyl alcohol:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks

Method : OECD Test Guideline 451

Result : negative

Reproductive toxicity

Suspected of damaging fertility.

Components:

Enrofloxacin:

Effects on fertility : Test Type: Two-generation study

Species: Rat

Application Route: Oral

Fertility: LOAEL: 15 mg/kg body weight

Result: Effects on fertility, alteration in sperm morphology

Effects on foetal develop-

ment

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 210 mg/kg body weight Result: Reduced foetal weight, No teratogenic effects

Remarks: Maternal toxicity observed.

Test Type: Development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 25 mg/kg body weight

Result: No fetotoxicity, No teratogenic effects

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and

fertility, based on animal experiments.

Disodium EDTA, dihydrate:

Effects on fertility : Test Type: Four-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop- : Test Type: Embryo-foetal development



Enrofloxacin Liquid (20%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/07/06 9743090-00009 Date of first issue: 2021/10/13

ment Species: Rat

Application Route: Ingestion

Result: negative

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Ingestion

Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs (cartilage, Testis) through prolonged or repeated exposure.

Components:

Enrofloxacin:

Target Organs : cartilage, Testis

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Disodium EDTA, dihydrate:

Exposure routes : inhalation (dust/mist/fume)

Target Organs : Respiratory Tract

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Enrofloxacin:

Species : Rat
NOAEL : 36 mg/kg
LOAEL : 150 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Testis

Species : Dog NOAEL : 3 mg/kg LOAEL : 9.6 mg/kg



Enrofloxacin Liquid (20%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/07/06 9743090-00009 Date of first issue: 2021/10/13

Application Route : Oral
Exposure time : 13 Weeks
Target Organs : cartilage

Species : Cat

NOAEL : 25 mg/kg

Application Route : Oral

Exposure time : 30 Days

Remarks : No significant adverse effects were reported

Disodium EDTA, dihydrate:

Species : Rat

NOAEL : 500 mg/kg Application Route : Ingestion Exposure time : 13 Weeks

Species : Rat LOAEL : 0.03 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 4 Weeks

Method : OECD Test Guideline 412

Benzyl alcohol:

Species : Rat NOAEL : 1.072 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 28 Days

Method : OECD Test Guideline 412

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Enrofloxacin:

Ingestion : Symptoms: Gastrointestinal disturbance, central nervous sys-

tem effects, Sensitivity to light

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Enrofloxacin:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 79.5 mg/l

Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 196 mg/l



Enrofloxacin Liquid (20%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/07/06 9743090-00009 Date of first issue: 2021/10/13

Exposure time: 96 h

LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Hyalella azteca (Amphipod)): > 206 mg/l

Exposure time: 96 h

EC50 (Daphnia magna (Water flea)): 79.9 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 3.1

mg/l

Exposure time: 72 h

EC50 (Microcystis aeruginosa (blue-green algae)): 0.049 mg/l

Exposure time: 5 d

M-Factor (Acute aquatic tox- :

icity)

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

10

NOEC (Daphnia magna (Water flea)): 9.8 mg/l

Exposure time: 21 d

NOEC (Daphnia magna (Water flea)): 5 mg/l

Exposure time: 21 d

LOEC (Daphnia magna (Water flea)): 15 mg/l

Exposure time: 21 d

M-Factor (Chronic aquatic

toxicity)

10

Disodium EDTA, dihydrate:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 100 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 140 mg/l

Exposure time: 48 h Method: DIN 38412

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100

ma/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials



Enrofloxacin Liquid (20%) Formulation

Version Date of last issue: 2024/04/06 **Revision Date:** SDS Number: 5.0 2024/07/06 9743090-00009 Date of first issue: 2021/10/13

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

Toxicity to microorganisms

NOEC (Daphnia magna (Water flea)): 25 mg/l

Exposure time: 21 d

EC10 (activated sludge): > 500 mg/l

Exposure time: 30 min

Method: OECD Test Guideline 209

Benzyl alcohol:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): 460 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 230 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 770

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 51 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Persistence and degradability

Components:

Disodium EDTA, dihydrate:

Biodegradability Result: Not readily biodegradable.

> Biodegradation: 2 % Exposure time: 28 d

Method: OECD Test Guideline 301D

Benzyl alcohol:

Biodegradability Result: Readily biodegradable.

Biodegradation: 92 - 96 %

Exposure time: 14 d

Bioaccumulative potential

Components:

Enrofloxacin:

Partition coefficient: nlog Pow: 0.5



Enrofloxacin Liquid (20%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/07/06 9743090-00009 Date of first issue: 2021/10/13

octanol/water

Disodium EDTA, dihydrate:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): < 500

Remarks: Based on data from similar materials

Partition coefficient: n-

octanol/water

log Pow: -4.3

Benzyl alcohol:

Partition coefficient: n-

octanol/water

log Pow: 1.05

Mobility in soil

Components:

Enrofloxacin:

Distribution among environ-

mental compartments

Other adverse effects

No data available

Koc: 5.55

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 1814

Proper shipping name : POTASSIUM HYDROXIDE SOLUTION

Class : 8
Packing group : II
Labels : 8
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 1814

Proper shipping name : Potassium hydroxide solution

Class : 8 Packing group : II

Labels : Corrosive Packing instruction (cargo : 855



Enrofloxacin Liquid (20%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/07/06 9743090-00009 Date of first issue: 2021/10/13

aircraft)

Packing instruction (passen: 851

ger aircraft)

IMDG-Code

UN number : UN 1814

Proper shipping name : POTASSIUM HYDROXIDE SOLUTION

(Enrofloxacin)

Class : 8
Packing group : II
Labels : 8
EmS Code : F-A, S-B
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Potassium hydroxide

Prohibited substances : Not applicable

Restricted substances : Not applicable

Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and : Not applicable

control, Annex I

Type of hazardous materials subject to distribution and : Not applicable

control, Annex II



Enrofloxacin Liquid (20%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/07/06 9743090-00009 Date of first issue: 2021/10/13

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 2024/07/06

Further information

Sources of key data used to compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / C : Ceiling limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Trans-



Enrofloxacin Liquid (20%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/07/06 9743090-00009 Date of first issue: 2021/10/13

portation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN