

Enrofloxacin Liquid (20%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 5.0
 06.07.2024
 9743087-00009
 Date of first issue: 13.10.2021

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Enrofloxacin Liquid (20%) Formulation

Manufacturer or supplier's details

Company name of supplier : MSD

Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4

Skin corrosion/irritation : Sub-category 1A

Serious eye damage/eye

irritation

Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity

- repeated exposure

Category 1 (cartilage, Testis)

Specific target organ toxicity

- repeated exposure

Category 2 (Respiratory Tract)

GHS label elements

Hazard pictograms :







Signal Word : Danger

Hazard Statements : H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H361f Suspected of damaging fertility.

H372 Causes damage to organs (cartilage, Testis) through pro-

longed or repeated exposure.

H373 May cause damage to organs (Respiratory Tract) through

prolonged or repeated exposure.

Precautionary Statements : Prevention:



Enrofloxacin Liquid (20%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 5.0
 06.07.2024
 9743087-00009
 Date of first issue: 13.10.2021

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe mist or vapors.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P330 + P331 + P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/ physician.

P303 + P361 + P353 + P310 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. Immediately call a POISON CENTER or doctor/ physician.

P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Corrosive to the respiratory tract.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (% w/w) | |
|--------------------------|------------|-----------------------|--|
| Enrofloxacin | 93106-60-6 | >= 20 -< 30 | |
| Potassium hydroxide | 1310-58-3 | >= 5 -< 10 | |
| Disodium EDTA, dihydrate | 6381-92-6 | >= 1 -< 5 | |
| Benzyl alcohol | 100-51-6 | >= 0.1 -< 1 | |

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.



Enrofloxacin Liquid (20%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.0 06.07.2024 9743087-00009 Date of first issue: 13.10.2021

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention immediately.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention immediately. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.
Get medical attention immediately.

If available DO NOT induce vertice.

If swallowed : If swallowed, DO NOT induce vomiting.

If vomiting occurs have person lean forward.

Call a physician or poison control center immediately.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

Harmful if swallowed.

Causes serious eye damage. Suspected of damaging fertility.

Causes damage to organs through prolonged or repeated

exposure.

Causes severe burns.
Causes digestive tract burns.
Corrosive to respiratory system.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

None known.

Hazardous combustion prod-

ucts

Exposure to combustion products may be a hazard to health.

Carbon oxides Metal oxides

Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.
Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.



Enrofloxacin Liquid (20%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.0 06.07.2024 9743087-00009 Date of first issue: 13.10.2021

for fire-fighters

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapors.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Minimize dust generation and accumulation.



Enrofloxacin Liquid (20%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 5.0
 06.07.2024
 9743087-00009
 Date of first issue: 13.10.2021

Keep container closed when not in use.

Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| • | • | | | |
|---------------------|------------|------------|----------------------|-----------|
| Components | CAS-No. | Value type | Control parame- | Basis |
| | | (Form of | ters / Permissible | |
| | | exposure) | concentration | |
| Enrofloxacin | 93106-60-6 | TWA | 0.2 mg/m3 (OEB 2) | Internal |
| Potassium hydroxide | 1310-58-3 | VLE-P | 2 mg/m³ | NOM-010- |
| - | | | | STPS-2014 |
| | | С | 2 mg/m³ | ACGIH |

Engineering measures: Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type
Hand protection

Particulates type



Enrofloxacin Liquid (20%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.0 06.07.2024 9743087-00009 Date of first issue: 13.10.2021

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Aqueous solution

Color : light yellow

Odor : No data available

Odor Threshold : No data available

pH : 10.5 - 12.5

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing,

handling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 0.950 - 1.150 g/cm³

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable



Enrofloxacin Liquid (20%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.0 06.07.2024 9743087-00009 Date of first issue: 13.10.2021

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing,

handling or other means.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

Incompatible materials : Oxidizing agents

Acids

Hazardous decomposition

products

: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1,806 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg



Enrofloxacin Liquid (20%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.0 06.07.2024 9743087-00009 Date of first issue: 13.10.2021

Method: Calculation method

Components:

Enrofloxacin:

Acute oral toxicity : LD50 (Rabbit): 500 - 800 mg/kg

LD50 (Rat): > 5,000 mg/kg

LD50 (Mouse): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Potassium hydroxide:

Acute oral toxicity : LD50 (Rat): 333 mg/kg

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Disodium EDTA, dihydrate:

Acute oral toxicity : LD50 (Rat): 2,800 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): > 1 mg/l

Exposure time: 6 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 412

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Skin corrosion/irritation

Causes severe burns.

Components:

Enrofloxacin:

Result : No skin irritation

Potassium hydroxide:

Species : Rabbit

Result : Corrosive after 3 minutes or less of exposure

Benzyl alcohol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation



Enrofloxacin Liquid (20%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 5.0
 06.07.2024
 9743087-00009
 Date of first issue: 13.10.2021

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Enrofloxacin:

Result : Mild eye irritation

Potassium hydroxide:

Species : Rabbit

Result : Irreversible effects on the eye

Disodium EDTA, dihydrate:

Species : Rabbit

Result : No eye irritation

Benzyl alcohol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Enrofloxacin:

Test Type : Maximization Test

Routes of exposure : Dermal Species : Guinea pig

Result : Not a skin sensitizer.

Potassium hydroxide:

Test Type : Intracutaneous test

Routes of exposure : Skin contact Species : Guinea pig Result : negative

Disodium EDTA, dihydrate:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials



Enrofloxacin Liquid (20%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 5.0
 06.07.2024
 9743087-00009
 Date of first issue: 13.10.2021

Benzyl alcohol:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Enrofloxacin:

Genotoxicity in vitro : Test Type: Chromosomal aberration

Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Result: negative

Test Type: Mammalian bone marrow sister chromatid ex-

change

Species: Hamster Result: negative

Test Type: Chromosomal aberration

Species: Rat Result: negative

Potassium hydroxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Disodium EDTA, dihydrate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 474

Result: negative



Enrofloxacin Liquid (20%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.0 06.07.2024 9743087-00009 Date of first issue: 13.10.2021

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Enrofloxacin:

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

Species : Mouse
Application Route : Oral
Exposure time : 2 Years
Result : negative

Disodium EDTA, dihydrate:

Species : Rat
Application Route : Ingestion
Exposure time : 103 weeks
Result : negative

Remarks : Based on data from similar materials

Benzyl alcohol:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks

Method : OECD Test Guideline 451

Result : negative

Reproductive toxicity

Suspected of damaging fertility.

Components:

Enrofloxacin:

Effects on fertility : Test Type: Two-generation study

Species: Rat

Application Route: Oral

Fertility: LOAEL: 15 mg/kg body weight

Result: Effects on fertility., alteration in sperm morphology



Enrofloxacin Liquid (20%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 5.0
 06.07.2024
 9743087-00009
 Date of first issue: 13.10.2021

Effects on fetal development : Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 210 mg/kg body weight Result: Reduced fetal weight., No teratogenic effects.

Remarks: Maternal toxicity observed.

Test Type: Development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 25 mg/kg body weight

Result: No fetotoxicity., No teratogenic effects.

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and

fertility, based on animal experiments.

Disodium EDTA, dihydrate:

Effects on fertility : Test Type: Four-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse

Application Route: Ingestion

Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (cartilage, Testis) through prolonged or repeated exposure. May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure.

Components:

Enrofloxacin:

Target Organs : cartilage, Testis

Assessment : Causes damage to organs through prolonged or repeated



Enrofloxacin Liquid (20%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 5.0
 06.07.2024
 9743087-00009
 Date of first issue: 13.10.2021

exposure.

Disodium EDTA, dihydrate:

Routes of exposure : inhalation (dust/mist/fume)

Target Organs : Respiratory Tract

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Enrofloxacin:

Species : Rat
NOAEL : 36 mg/kg
LOAEL : 150 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Testis

Species : Dog
NOAEL : 3 mg/kg
LOAEL : 9.6 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : cartilage

Species : Cat

NOAEL : 25 mg/kg

Application Route : Oral

Exposure time : 30 Days

Remarks : No significant adverse effects were reported

Disodium EDTA, dihydrate:

Species : Rat

NOAEL : 500 mg/kg Application Route : Ingestion Exposure time : 13 Weeks

Species : Rat LOAEL : 0.03 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 4 Weeks

Method : OECD Test Guideline 412

Benzyl alcohol:

Species : Rat NOAEL : 1.072 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 28 Days

Method : OECD Test Guideline 412



Enrofloxacin Liquid (20%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.0 06.07.2024 9743087-00009 Date of first issue: 13.10.2021

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Enrofloxacin:

Ingestion : Symptoms: Gastrointestinal disturbance, central nervous sys-

tem effects, Sensitivity to light

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Enrofloxacin:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 79.5 mg/l

Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 196 mg/l

Exposure time: 96 h

LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Hyalella azteca (Amphipod)): > 206 mg/l

Exposure time: 96 h

EC50 (Daphnia magna (Water flea)): 79.9 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 3.1

mg/l

Exposure time: 72 h

EC50 (Microcystis aeruginosa (blue-green algae)): 0.049 mg/l

Exposure time: 5 d

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 9.8 mg/l

Exposure time: 21 d

NOEC (Daphnia magna (Water flea)): 5 mg/l

Exposure time: 21 d

LOEC (Daphnia magna (Water flea)): 15 mg/l

Exposure time: 21 d

Disodium EDTA, dihydrate:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 100 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials



Enrofloxacin Liquid (20%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 5.0
 06.07.2024
 9743087-00009
 Date of first issue: 13.10.2021

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 140 mg/l

Exposure time: 48 h Method: DIN 38412

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 25 mg/l

Exposure time: 21 d

Toxicity to microorganisms

EC10 (activated sludge): > 500 mg/l

Exposure time: 30 min

Method: OECD Test Guideline 209

Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 230 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 770

ma/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 51 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Persistence and degradability

Components:

Disodium EDTA, dihydrate:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 2 % Exposure time: 28 d

Method: OECD Test Guideline 301D



Enrofloxacin Liquid (20%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.0 06.07.2024 9743087-00009 Date of first issue: 13.10.2021

Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 92 - 96 % Exposure time: 14 d

Bioaccumulative potential

Components:

Enrofloxacin:

Partition coefficient: n-

octanol/water

log Pow: 0.5

Disodium EDTA, dihydrate:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): < 500

Remarks: Based on data from similar materials

Partition coefficient: n-

octanol/water

log Pow: -4.3

Benzyl alcohol:

Partition coefficient: n-

octanol/water

log Pow: 1.05

Mobility in soil

Components:

Enrofloxacin:

Distribution among environ-

mental compartments

: Koc: 5.55

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 1814

Proper shipping name : POTASSIUM HYDROXIDE SOLUTION

Class : 8



Enrofloxacin Liquid (20%) Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.0 06.07.2024 9743087-00009 Date of first issue: 13.10.2021

Packing group : II
Labels : 8
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 1814

Proper shipping name : Potassium hydroxide solution

Class : 8 Packing group : II

Labels : Corrosive Packing instruction (cargo : 855

aircraft)

Packing instruction (passen- : 851

ger aircraft)

IMDG-Code

UN number : UN 1814

Proper shipping name : POTASSIUM HYDROXIDE SOLUTION

(Enrofloxacin)

Class : 8
Packing group : II
Labels : 8
EmS Code : F-A, S-B
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

NOM-002-SCT

UN number : UN 1814

Proper shipping name : POTASSIUM HYDROXIDE SOLUTION

Class : 8
Packing group : II
Labels : 8

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, essential chemical products and machinery for producing capsules, tablets and pills.

Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined



Enrofloxacin Liquid (20%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 5.0
 06.07.2024
 9743087-00009
 Date of first issue: 13.10.2021

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 06.07.2024 Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

NOM-010-STPS-2014 : Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting

the Work Environment - Identification, Assessment and Con-

trol - Appendix 1 Occupational Exposure Limits

ACGIH / C : Ceiling limit NOM-010-STPS-2014 / VLE- : Ceiling value

Р

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil: ASTM - American Society for the Testing of Materials: bw - Body weight: CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/



Enrofloxacin Liquid (20%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 5.0
 06.07.2024
 9743087-00009
 Date of first issue: 13.10.2021

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8