

lation, 23.06.2017, No: 30105

# Enrofloxacin Liquid (20%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.0	06.07.2024	10640917-00007	Date of first issue: 18.03.2022

## **SECTION 1:** Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Trade name	:	Enrofloxacin Liquid (20%) Formulation
1.2	Relevant identified uses of th	ne s	substance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Veterinary product
	Recommended restrictions on use	:	Not applicable
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	MSD Balıkhisar Mah. Köyiçi Küme Evleri No: 765/A Çubuk Yolu 2. Km Akyurt / Ankara / TÜRKİYE
	Telephone	:	+90 312 840 53 00
	E-mail address of person responsible for the SDS	:	EHSDATASTEWARD@msd.com

### 1.4 Emergency telephone number

National Poison Control Center (UZEM): 114 Emergency: 1-908-423-6000

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

#### Classification T.R. SEA No 28848 and subsequent amendments

Acute toxicity, Category 4HSkin corrosion, Sub-category 1AHSerious eye damage, Category 1HReproductive toxicity, Category 2HSpecific target organ toxicity - repeatedHexposure, Category 1IoShort-term (acute) aquatic hazard, Category 1Long-term (chronic) aquatic hazard, Category 1

H302: Harmful if swallowed.
H314: Causes severe skin burns and eye damage.
H318: Causes serious eye damage.
H361f: Suspected of damaging fertility.
H372: Causes damage to organs through prolonged or repeated exposure.
H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

### Labelling T.R. SEA No 28848 and subsequent amendments

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



# Enrofloxacin Liquid (20%) Formulation

Version 3.0	Revision Date: 06.07.2024	-	DS Number: 0640917-00007	Date of last issue: 06.04.2024 Date of first issue: 18.03.2022
Haza	ard pictograms	:		
Signa	al word	:	Danger	
Haza	ard statements	:	H314 Causes se H361f Suspected H372 Causes da peated exposure.	swallowed. evere skin burns and eye damage. I of damaging fertility. amage to organs through prolonged or re- to aquatic life with long lasting effects.
	emental Hazard	:	EUH071 Co	prrosive to the respiratory tract.
Preca	autionary statements	:	P273 Avoid rele	ecial instructions before use. ase to the environment. ective gloves/ protective clothing/ eye protec- on.
			shower. Immediate P305 + P351 + P3 with water for seve	ntaminated clothing. Rinse skin with water or ely call a POISON CENTER/ doctor. 38 + P310 IF IN EYES: Rinse cautiously eral minutes. Remove contact lenses, if pre- lo. Continue rinsing. Immediately call a {/ doctor.

Hazardous components which must be listed on the label: Enrofloxacin

Potassium hydroxide

### 2.3 Other hazards

May form explosive dust-air mixture during processing, handling or other means.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

### Components

Chemical name	CAS-No. EC-No. Index-No. KKDIK Registra- tion No.	SEA Classification	Concentration (% w/w)
Enrofloxacin	93106-60-6	Acute Tox. 4;	>= 20 - < 25

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



# Enrofloxacin Liquid (20%) Formulation

ersion .0	Revision Date: 06.07.2024	SDS Number: 10640917-00007	Date of last issue: 06.04.2024 Date of first issue: 18.03.2022
Potas	ssium hydroxide	1310-5 215-18 019-00	Acute Tox. 4;
Disod	lium EDTA, dihydrate	6381-9	02-6 Acute Tox. 4; >= 1 - < 10 H332 STOT RE 2; H373 (Respiratory Tract)
Benz	yl alcohol	100-51 202-85 603-05	I-6         Acute Tox. 4;         >= 0,1 - < 1           59-9         H302

For explanation of abbreviations see section 16.



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.0	06.07.2024	10640917-00007	Date of first issue: 18.03.2022

### **SECTION 4: First aid measures**

4.1 Description of first aid measures				
General advice	<ul> <li>In the case of accident or if you feel unwell, seek medical a vice immediately.</li> <li>When symptoms persist or in all cases of doubt seek medic advice.</li> </ul>			
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).	,		
If inhaled	<ul> <li>If inhaled, remove to fresh air.</li> <li>If not breathing, give artificial respiration.</li> <li>If breathing is difficult, give oxygen.</li> <li>Get medical attention immediately.</li> </ul>			
In case of skin contact	<ul> <li>In case of contact, immediately flush skin with plenty of wat for at least 15 minutes while removing contaminated clothin and shoes.</li> <li>Get medical attention immediately.</li> <li>Wash clothing before reuse.</li> <li>Thoroughly clean shoes before reuse.</li> </ul>			
In case of eye contact	<ul> <li>In case of contact, immediately flush eyes with plenty of wa for at least 15 minutes.</li> <li>If easy to do, remove contact lens, if worn.</li> <li>Get medical attention immediately.</li> </ul>	ater		
If swallowed	<ul> <li>If swallowed, DO NOT induce vomiting.</li> <li>If vomiting occurs have person lean forward.</li> <li>Call a physician or poison control centre immediately.</li> <li>Rinse mouth thoroughly with water.</li> <li>Never give anything by mouth to an unconscious person.</li> </ul>			
4.2 Most important symptoms a	d effects, both acute and delayed			
Risks	<ul> <li>Harmful if swallowed.</li> <li>Causes serious eye damage.</li> <li>Suspected of damaging fertility.</li> <li>Causes damage to organs through prolonged or repeated exposure.</li> <li>Causes severe burns.</li> <li>Corrosive to the respiratory tract. Causes digestive tract burget</li> </ul>	rns.		
•	nedical attention and special treatment needed			
Treatment	: Treat symptomatically and supportively.			



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.0	06.07.2024	10640917-00007	Date of first issue: 18.03.2022

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during fire- fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Metal oxides Nitrogen oxides (NOx)
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
6.2 Environmental precautions		
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

## 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material.
-------------------------	---	--

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



# Enrofloxacin Liquid (20%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.0	06.07.2024	10640917-00007	Date of first issue: 18.03.2022
		with compressed Dust deposits sh es, as these may leased into the a For large spills, p ment to keep ma be pumped, store Clean up remain bent. Local or national posal of this mate employed in the mine which regul Sections 13 and	of dust in the air (i.e., clearing dust surfaces l air). ould not be allowed to accumulate on surfac- v form an explosive mixture if they are re- tmosphere in sufficient concentration. orovide dyking or other appropriate contain- terial from spreading. If dyked material can e recovered material in appropriate container. ing materials from spill with suitable absor- regulations may apply to releases and dis- erial, as well as those materials and items cleanup of releases. You will need to deter- lations are applicable. 15 of this SDS provide information regarding ational requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

-		,	
	Technical measures	:	Static electricity may accumulate and ignite suspended dust causing an explosion.
			Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
	Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation.
	Advice on safe handling	:	Do not get on skin or clothing.
			Do not breathe mist or vapours.
			Do not swallow.
			Do not get in eyes.
			Wash skin thoroughly after handling.
			Handle in accordance with good industrial hygiene and safety
			practice, based on the results of the workplace exposure as-
			sessment
			Keep container tightly closed.
			Minimize dust generation and accumulation.
			Keep container closed when not in use.
			Keep away from heat and sources of ignition.
			Take precautionary measures against static discharges.
			Do not eat, drink or smoke when using this product.
			Take care to prevent spills, waste and minimize release to the environment.
	Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami- nated clothing before re-use.
			The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures,

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

# **Enrofloxacin Liquid (20%) Formulation**

Version 3.0	Revision Date: 06.07.2024	SDS Number: 10640917-00007	Date of last issue: 06.04.2024 Date of first issue: 18.03.2022
			ene monitoring, medical surveillance and the trative controls.
7.2 Condit	ions for safe storage,	including any inco	ompatibilities
	rements for storage and containers		rly labelled containers. Store locked up. Keep Store in accordance with the particular national
Advice	e on common storage	Strong oxidizir	ubstances and mixtures
7.3 Specifi	c end use(s)		
<u> </u>	• • • •	N 1 1 4 11	

Specific use(s)

: No data available

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

## Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Enrofloxacin	93106-60-6	TWA	0.2 mg/m3 (OEB 2)	Internal

## Derived No Effect Level (DNEL) :

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Potassium hydroxide	Workers	Inhalation	Long-term local ef- fects	1 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	1 mg/m3
Disodium EDTA, di- hydrate	Workers	Inhalation	Long-term systemic effects	1,5 mg/m3
	Workers	Inhalation	Acute systemic ef- fects	3 mg/m3
	Workers	Inhalation	Long-term local ef- fects	1,5 mg/m3
	Workers	Inhalation	Acute local effects	3 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	0,6 mg/m3
	Consumers	Inhalation	Acute local effects	1,2 mg/m3
	Consumers	Ingestion	Long-term systemic effects	25 mg/kg bw/day
Benzyl alcohol	Workers	Inhalation	Long-term systemic effects	22 mg/m3
	Workers	Inhalation	Acute systemic ef-	110 mg/m3

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



# Enrofloxacin Liquid (20%) Formulation

Version 3.0	Revision Date: 06.07.2024			Date of last issue: 06.04.2024 Date of first issue: 18.03.2022		
				fects		
		Workers	Skin contact	Long-term systemic effects	8 mg/kg bw/day	
		Workers	Skin contact	Acute systemic ef- fects	40 mg/kg bw/day	
		Consumers	Inhalation	Long-term systemic effects	5,4 mg/m3	
		Consumers	Inhalation	Acute systemic ef- fects	27 mg/m3	
		Consumers	Skin contact	Long-term systemic effects	4 mg/kg bw/day	
		Consumers	Skin contact	Acute systemic ef- fects	20 mg/kg bw/day	
		Consumers	Ingestion	Long-term systemic effects	4 mg/kg bw/day	
		Consumers	Ingestion	Acute systemic ef- fects	20 mg/kg bw/day	

## Predicted No Effect Concentration (PNEC) :

Substance name	Environmental Compartment	Value
Disodium EDTA, dihydrate	Fresh water	2,5 mg/l
	Marine water	0,25 mg/l
	Sewage treatment plant	50 mg/l
	Soil	1,1 mg/kg dry
		weight (d.w.)
Benzyl alcohol	Fresh water	1 mg/l
	Marine water	0,1 mg/l
	Intermittent use/release	2,3 mg/l
	Sewage treatment plant	39 mg/l
	Fresh water sediment	5,27 mg/kg
	Marine sediment	0,527 mg/kg
	Soil	0,456 mg/kg

#### 8.2 Exposure controls

### Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment.

# Personal protective equipment

Eye/face protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions,
		mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a
		potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection Material	:	Chemical-resistant gloves
Skin and body protection	:	Work uniform or laboratory coat.



Version 3.0	Revision Date: 06.07.2024	SDS Number: 10640917-00007	Date of last issue: 06.04.2024 Date of first issue: 18.03.2022
Respiratory protection		sure assessm ommended g Equipment sh	ocal exhaust ventilation is not available or expo- nent demonstrates exposures outside the rec- uidelines, use respiratory protection. nould conform to TS EN 143
Fi	lter type	: Particulates t	ype (P)

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Appearance Colour Odour Odour Threshold	:	Aqueous solution light yellow No data available No data available
рН	:	10,5 - 12,5
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, han- dling or other means.
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0,950 - 1,150 g/cm³
Solubility(ies) Water solubility Partition coefficient: n- octanol/water	:	No data available Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



# Enrofloxacin Liquid (20%) Formulation

Version 3.0	Revision Date: 06.07.2024		S Number: 640917-00007	Date of last issue: 06.04.2024 Date of first issue: 18.03.2022
Ex	plosive properties	:	Not explosive	
Ox	idizing properties	:	The substance o	r mixture is not classified as oxidizing.
	er information mmability (liquids)	:	Not applicable	
Мс	lecular weight	:	No data available	9
Pa	rticle size	:	Not applicable	

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Not classified as a reactivity hazard.

#### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	<ul> <li>May form explosive dust-air mixture during processing, han- dling or other means.</li> <li>Can react with strong oxidizing agents.</li> </ul>
10.4 Conditions to avoid	
Conditions to avoid	: Heat, flames and sparks. Avoid dust formation.

### 10.5 Incompatible materials

Materials to avoid	:	Oxidizing agents
		Acids

## **10.6 Hazardous decomposition products**

No hazardous decomposition products are known.

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Information on likely routes of exposure	:	Inhalation Skin contact
		Ingestion Eye contact

## Acute toxicity

Harmful if swallowed.

### Product:

Acute oral toxicity

: Acute toxicity estimate: 1.818 mg/kg

lation, 23.06.2017, No: 30105



Versio 3.0	n Revision Date: 06.07.2024		9S Number: 640917-00007	Date of last issue: 06.04.2024 Date of first issue: 18.03.2022
			Method: Calculation	on method
A	cute inhalation toxicity	:	Acute toxicity estin Exposure time: 4 Test atmosphere: Method: Calculation	h dust/mist
<u>C</u>	omponents:			
	nrofloxacin: cute oral toxicity	:	LD50 (Rabbit): 50	0 - 800 mg/kg
			LD50 (Rat): > 5.0	00 mg/kg
			LD50 (Mouse): >	5.000 mg/kg
A	cute dermal toxicity	:	LD50 (Rabbit): > 2	2.000 mg/kg
Р	otassium hydroxide:			
A	cute oral toxicity	:	LD50 (Rat): 333 n	ng/kg
A	cute inhalation toxicity	:	Assessment: Corr	osive to the respiratory tract.
D	isodium EDTA, dihydrate:			
A	cute oral toxicity	:	LD50 (Rat): 2.800	mg/kg
A	cute inhalation toxicity	:	LC50 (Rat, male): Exposure time: 6 Test atmosphere: Method: OECD Te	h dust/mist
	enzyl alcohol:			_
	cute oral toxicity	:	LD50 (Rat): 1.620	
A	cute inhalation toxicity	:	LC50 (Rat): > 4,1 Exposure time: 4 Test atmosphere: Method: OECD Te	h dust/mist
-	kin corrosion/irritation auses severe burns.			
<u>c</u>	omponents:			
	<b>nrofloxacin:</b> esult	:	No skin irritation	
	<b>otassium hydroxide:</b> pecies	:	Rabbit	

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



ersion )	Revision Date: 06.07.2024	SDS Number:Date of last issue: 06.04.202410640917-00007Date of first issue: 18.03.2022	
Resul	t	: Corrosive after 3 minutes or less of exposure	
Benzy	/l alcohol:		
Speci		: Rabbit	
Metho		: OECD Test Guideline 404	
Resul	t	: No skin irritation	
	us eye damage/eye		
Cause	es serious eye damag	je.	
<u>Comp</u>	oonents:		
Enrof	loxacin:		
Resul	t	: Mild eye irritation	
Potas	sium hydroxide:		
Speci		: Rabbit	
Resul	t	: Irreversible effects on the eye	
Disod	lium EDTA, dihydra	te:	
Speci		: Rabbit	
Resul	t	: No eye irritation	
Benzy	/l alcohol:		
Speci		: Rabbit	
Metho		: OECD Test Guideline 405	
Resul	l .	: Irritation to eyes, reversing within 21 days	
Respi	ratory or skin sensi	tisation	
-	sensitisation		
Not cl	assified based on ava	ailable information.	
Respi	ratory sensitisation		
Not cl	assified based on ava	ailable information.	
<u>Comp</u>	oonents:		
Enrof	loxacin:		
Test T		: Maximisation Test	
•	sure routes	: Dermal	
Speci Resul		: Guinea pig : Not a skin sensitizer.	
Resul	L		
	sium hydroxide:		
Test T		: Intracutaneous test	
	sure routes	: Skin contact	
Expos		: Guipos pig	
	es	: Guinea pig : negative	

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



# Enrofloxacin Liquid (20%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.0	06.07.2024	10640917-00007	Date of first issue: 18.03.2022

## Disodium EDTA, dihydrate:

Test Type :	Maximisation Test
Exposure routes :	Skin contact
Species :	Guinea pig
Method :	OECD Test Guideline 406
Result :	negative
Remarks :	Based on data from similar materials

### Benzyl alcohol:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

## Germ cell mutagenicity

Not classified based on available information.

### **Components:**

#### Enrofloxacin:

Genotoxicity in vitro	:	Test Type: Chromosomal aberration Result: positive	
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Result: negative	
		Test Type: Mammalian bone marrow sister chromatid ex- change Species: Hamster Result: negative	
		Test Type: Chromosomal aberration Species: Rat Result: negative	
Potassium hydroxide:			
Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative	
Disodium EDTA, dihydrate:			
Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials	
		Test Type: In vitro mammalian cell gene mutation test Result: negative	

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

/ersion 5.0	Revision Date: 06.07.2024	-	OS Number: 640917-00007	Date of last issue: 06.04.2024 Date of first issue: 18.03.2022
			Result: negative	mosome aberration test in vitro d on data from similar materials
Geno	toxicity in vivo	:	cytogenetic ass Species: Mouse Application Rou	te: Ingestion Test Guideline 474
Benz	yl alcohol:			
Geno	toxicity in vitro	:	Test Type: Bact Result: negative	erial reverse mutation assay (AMES)
Geno	toxicity in vivo	:	cytogenetic assa Species: Mouse	te: Intraperitoneal injection
	i <b>nogenicity</b> lassified based on avail	lable	information.	
<u>Com</u>	ponents:			
Spec Appli	cation Route sure time	::	Rat Oral 2 Years negative	
	cation Route sure time	:	Mouse Oral 2 Years negative	
Diso	dium EDTA, dihydrate	:		
	cation Route sure time It	:	Rat Ingestion 103 weeks negative Based on data f	rom similar materials
Bonz	yl alcohol:			
Spec	-	:	Mouse	
•				

Species	: Mouse	
Application Route	: Ingestion	
Exposure time	: 103 weeks	
Method	: OECD Test Guideline 45	51
Result	: negative	

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105  $\,$ 



# Enrofloxacin Liquid (20%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.0	06.07.2024	10640917-00007	Date of first issue: 18.03.2022

## **Reproductive toxicity**

Suspected of damaging fertility.

### **Components:**

Enrofloxacin:		
Effects on fertility	:	Test Type: Two-generation study Species: Rat Application Route: Oral Fertility: LOAEL: 15 mg/kg body weight Result: Effects on fertility, alteration in sperm morphology
Effects on foetal develop- ment	:	Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 210 mg/kg body weight Result: Reduced foetal weight, No teratogenic effects Remarks: Maternal toxicity observed.
		Test Type: Development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 25 mg/kg body weight Result: No fetotoxicity, No teratogenic effects
Reproductive toxicity - As- sessment	:	Some evidence of adverse effects on sexual function and fertility, based on animal experiments.
Disodium EDTA, dihydrate:		
Effects on fertility	:	Test Type: Four-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on foetal develop- ment	:	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative
Benzyl alcohol:		
Effects on fertility	:	Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on foetal develop- ment	:	Test Type: Embryo-foetal development Species: Mouse

**Application Route: Ingestion** 

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



# **Enrofloxacin Liquid (20%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.0	06.07.2024	10640917-00007	Date of first issue: 18.03.2022

#### Result: negative

### STOT - single exposure

Corrosive to the respiratory tract.

### STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

#### **Components:**

#### Enrofloxacin:

Target Organs	:	cartilage, Testis
Assessment	:	Causes damage to organs through prolonged or repeated
		exposure.

#### Disodium EDTA, dihydrate:

Exposure routes	:	inhalation (dust/mist/fume)
Target Organs	:	Respiratory Tract
Assessment	:	May cause damage to organs through prolonged or repeated
		exposure.

#### Repeated dose toxicity

#### Components:

Enrofloxacin:		
Species NOAEL LOAEL Application Route Exposure time Target Organs		Rat 36 mg/kg 150 mg/kg Oral 13 Weeks Testis
Species NOAEL LOAEL Application Route Exposure time Target Organs	: : : : : : : : : : : : : : : : : : : :	Dog 3 mg/kg 9,6 mg/kg Oral 13 Weeks cartilage
Species NOAEL Application Route Exposure time Remarks		Cat 25 mg/kg Oral 30 Days No significant adverse effects were reported
Disodium EDTA, dihydrate:		
Spacies		Rat

Species	:	Rat
NOAEL	:	500 mg/kg
Application Route	:	Ingestion
Exposure time	:	13 Weeks

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



# Enrofloxacin Liquid (20%) Formulation

Vers 3.0	sion	Revision Date: 06.07.2024		OS Number: 640917-00007	Date of last issue: 06.04.2024 Date of first issue: 18.03.2022
		tion Route rre time	:	Rat 0,03 mg/l inhalation (dust/m 4 Weeks OECD Test Guide	
	Specie NOAEL Applica	- tion Route ıre time	:	Rat 1,072 mg/l inhalation (dust/m 28 Days OECD Test Guide	
	-	tion toxicity ssified based on availa	ble	information.	
	Experi	ence with human exp	osi	ire	
	<u>Compo</u>	onents:			
	Enrofic Ingestic		:	Symptoms: Gastr tem effects, Sens	ointestinal disturbance, central nervous sys- itivity to light
SEC	TION	12: Ecological infor	ma	tion	
121	Toxici	hv.			
		onents:			
		oxacin:			
	Toxicity		:	LC50 (Lepomis m Exposure time: 96	nacrochirus (Bluegill sunfish)): 79,5 mg/l 6 h
				LC50 (Oncorhync Exposure time: 96	chus mykiss (rainbow trout)): > 196 mg/l 6 h
				LC50 (Oryzias lat Exposure time: 96	ipes (Japanese medaka)): > 100 mg/l 5 h
		v to daphnia and other invertebrates	:	EC50 (Hyalella az Exposure time: 96	zteca (Amphipod)): > 206 mg/l 5 h

Exposure time: 48 h

EC50 (Microcystis aeruginosa (blue-green algae)): 0,049 mg/l

EC50 (Daphnia magna (Water flea)): 79,9 mg/l

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Vers 3.0	sion	Revision Date: 06.07.2024		9S Number: 640917-00007	Date of last issue: 06.04.2024 Date of first issue: 18.03.2022
				Exposure time: 5	d
	M-Fact icity)	or (Acute aquatic tox-	:	10	
		v to daphnia and other invertebrates (Chron- ty)	:	NOEC: 9,8 mg/l Exposure time: 21 Species: Daphnia	d magna (Water flea)
				NOEC: 5 mg/l Exposure time: 21 Species: Daphnia	d magna (Water flea)
				LOEC: 15 mg/l Exposure time: 21 Species: Daphnia	d magna (Water flea)
	M-Fact toxicity)	or (Chronic aquatic )	:	10	
	Disodi	um EDTA, dihydrate:			
	Toxicity	r to fish	:	Exposure time: 96	acrochirus (Bluegill sunfish)): > 100 mg/l 5 h on data from similar materials
		to daphnia and other invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: DIN 3847	
	Toxicity plants	v to algae/aquatic	:	mg/l Exposure time: 72 Method: OECD To	
				mg/l Exposure time: 72 Method: OECD To	
	Toxicity	to microorganisms	:	EC10 (activated s Exposure time: 30 Method: OECD Te	
		v to daphnia and other invertebrates (Chron- ty)	:	NOEC: 25 mg/l Exposure time: 21 Species: Daphnia	d magna (Water flea)
	<b>Benzyl</b> Toxicity	<b>alcohol:</b> / to fish	:	LC50 (Pimephale Exposure time: 96	s promelas (fathead minnow)): 460 mg/l 3 h



Ver 3.0	sion	Revision Date: 06.07.2024		DS Number: 640917-00007	Date of last issue: 06.04.2024 Date of first issue: 18.03.2022
		v to daphnia and other invertebrates	:	Exposure time: 48	nagna (Water flea)): 230 mg/l 8 h est Guideline 202
	Toxicity plants	v to algae/aquatic	:	EC50 (Pseudokiro mg/l Exposure time: 72 Method: OECD T	
				NOEC (Pseudoki mg/l Exposure time: 72 Method: OECD T	
		v to daphnia and other invertebrates (Chron- ty)	:	Exposure time: 27	a magna (Water flea)
12.2	2 Persis	tence and degradabil	ity		
	Compo	onents:			
		um EDTA, dihydrate: radability	:	Result: Not readil Biodegradation: 2 Exposure time: 28 Method: OECD T	2 %
	Benzyl	alcohol:			
	-	radability	:	Result: Readily bi Biodegradation: 9 Exposure time: 14	92 - 96 %
12.3	Bioaco	umulative potential			
	Compo	onents:			
	Enrofic Partition octanol	n coefficient: n-	:	log Pow: 0,5	
		um EDTA, dihydrate:		<b>0</b> · · · · ·	
	BIOACCI	umulation	:	Bioconcentration	s macrochirus (Bluegill sunfish) factor (BCF): < 500 on data from similar materials
	Partitio octanol	n coefficient: n- /water	:	log Pow: -4,3	
	Benzyl	alcohol:			
	Partitio	n coefficient: n-	:	log Pow: 1,05	

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



# **Enrofloxacin Liquid (20%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.0	06.07.2024	10640917-00007	Date of first issue: 18.03.2022

octanol/water

#### 12.4 Mobility in soil

#### **Components:**

## **Enrofloxacin:**

Distribution among environ- : Koc: 5,55 mental compartments

# 12.5 Results of PBT and vPvB assessment

Not relevant

### 12.6 Other adverse effects

No data available

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	:	Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

### **SECTION 14: Transport information**

## 14.1 UN number

ADN	:	UN 1814
ADR	:	UN 1814
RID	:	UN 1814
IMDG	:	UN 1814
ΙΑΤΑ	:	UN 1814
14.2 UN proper shipping name		
ADN	:	POTASSIUM HYDROXIDE SOLUTION
ADR	:	POTASSIUM HYDROXIDE SOLUTION
RID	:	POTASSIUM HYDROXIDE SOLUTION
IMDG	:	POTASSIUM HYDROXIDE SOLUTION (Enrofloxacin)
ΙΑΤΑ	:	Potassium hydroxide solution

14.3 Transport hazard class(es)

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



Version 3.0	Revision Date: 06.07.2024		0S Number: 640917-00007	Date of last issue: 06.04.2024 Date of first issue: 18.03.2022
			Class	Subsidiary risks
ADN		:	8	
ADR		:	8	
RID		:	8	
IMDO	6	:	8	
ΙΑΤΑ	L Contraction of the second seco	:	8	
4.4 Pack	king group			
Class	ing group sification Code Ird Identification Number	:	II C5 80 8	
Class Haza Labe	ing group sification Code Ird Identification Number	:	II C5 80 8 (E)	
Class	ing group sification Code ırd Identification Number Is	:	II C5 80 8	
Labe	ing group	:	II 8 F-A, S-B	
	( <b>Cargo)</b> ing instruction (cargo	:	855	
Pack	ing instruction (LQ) ing group	:	Y840 II Corrosive	
Pack	(Passenger) ing instruction (passen- ircraft)	:	851	
Pack	ing instruction (LQ) ing group	:	Y840 II Corrosive	
14.5 Envi	ronmental hazards			
<b>ADN</b> Envir	onmentally hazardous	:	yes	
<b>ADR</b> Envir	onmentally hazardous	:	yes	

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



# Enrofloxacin Liquid (20%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.0	06.07.2024	10640917-00007	Date of first issue: 18.03.2022

## RID

Environmentally hazardous : yes IMDG Marine pollutant : yes

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks	:	Not applicable for product as supplied.
---------	---	---

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

KKDIK (30105 (Bis)) - Restriction placing on the market and use o substances, mixtures and article	f certain dangerous	:	Conditions of restr lowing entries sho Number on list 3	iction for the fol- uld be considered:
			here according to	rrespective of their e conditions of the refer to the condi- ding Regulation to r an entry is appli-
Regulation on Persistent Organi 30595 and subsequent amendm	ents published)	:	Not applicable	
Regulation on prevention of maje	or industrial accidents. R	eg r	number 30702	
			Quantity 1	Quantity 2
E1	ENVIRONMENTAL HAZARDS		100 t	200 t

### Other regulations:

T.R. Regulation on Classification, Labeling and Packaging of Substances and Mixtures, dated December 11, 2013 and numbered 28848 from the Ministry of Environment and Urbanization and the subsequent amendments published. Regulation on Import and Export of Certain Hazardous : Not applicable Chemicals, No. 32087, 2023

#### The components of this product are reported in the following inventories:

AICS : not determined



Prepared in accordance with the provis lation, 23.06.2017, No: 30105

# Enrofloxacin Liquid (20%) Formulation

ersion 0	Revision Date: 06.07.2024	SDS Nu 1064091	mber: 7-00007	Date of last issue: 06.04.2024 Date of first issue: 18.03.2022	
DSL		: not d	letermined		
IECS	C	: not d	letermined		
5.2 Chem	nical safety assessme	ent			
Chemica	al Safety Assessment h	as not bee	n carried out		
ECTION	116: Other information	ion			
Other	information	are h lines The tact e 706	ighlighted in SDS has bee email: sds@c 1307; Certific te Date: 22 S	nges have been made to the previous version the body of this document by two vertical en prepared by: Name: Gökhan Ardıç; Con- chemleg.com; Telephone number: +90 216 cate Number: Lonca KDU 34 / 2020.08; Cer- Geptember 2020; Valid Until: 22 September	
Full te	ext of H-Statements				
H290		: May	be corrosive	to metals.	
H302			nful if swallov		
H314		: Caus	Causes severe skin burns and eye damage.		
H318		: Caus	Causes serious eye damage.		
H319		: Caus	Causes serious eye irritation.		
H332			Harmful if inhaled.		
H361f			Suspected of damaging fertility.		
H372			•	to organs through prolonged or repeated	
H373		: May	sure. cause dama sure.	ge to organs through prolonged or repeated	
H400			toxic to aqua	atic life.	
H410				atic life with long lasting effects.	
	urkish SDS has beer dous Substances an			o the Regulation on Safety Data Sheets for	

#### Full text of other abbreviations

Acute Tox. :	Acute toxicity
Aquatic Acute :	Short-term (acute) aquatic hazard
Aquatic Chronic :	Long-term (chronic) aquatic hazard
Eye Dam. :	Serious eye damage
Eye Irrit.	Eye irritation
Met. Corr.	Corrosive to metals
Repr. :	Reproductive toxicity
Skin Corr.	Skin corrosion
STOT RE :	Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.0	06.07.2024	10640917-00007	Date of first issue: 18.03.2022

European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to :	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data	eChem Portal search results and European Chemicals Agen-
Sheet	cy, http://echa.europa.eu/

Classification of th	Classification procedure:	
Acute Tox. 4	H302	Calculation method
Skin Corr. 1A	H314	Calculation method
Eye Dam. 1	H318	Calculation method
Repr. 2	H361f	Calculation method
STOT RE 1	H372	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS mate-

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

# **Enrofloxacin Liquid (20%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.0	06.07.2024	10640917-00007	Date of first issue: 18.03.2022

rial is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

TR / EN