

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	06.07.2024	10225236-00008	Date of first issue: 12.11.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier		
	Trade name	:	Enrofloxacin Liquid Formulation
1.2	Relevant identified uses of t	he s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Veterinary product
	Recommended restrictions on use	:	Not applicable
1.3	Details of the supplier of the	e safe	ety data sheet
	Company	:	MSD Kilsheelan Clonmel Tipperary, IE
	Telephone	:	353-51-601000
	E-mail address of person responsible for the SDS	:	EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Reproductive toxicity, Category 2	H361f: Suspected of damaging fertility.
Specific target organ toxicity - repeated	H373: May cause damage to organs through pro-
exposure, Category 2	longed or repeated exposure.
Short-term (acute) aquatic hazard, Cate-	H400: Very toxic to aquatic life.
gory 1	
Long-term (chronic) aquatic hazard, Cat-	H410: Very toxic to aquatic life with long lasting
egory 1	effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Enrofloxacin Liquid Formulation

Version 4.0	Revision Date: 06.07.2024	SDS Numbe 10225236-0	
Haza	rd pictograms		
Signa	l word	: Warning	• •
Hazaı	rd statements	: H315 H319 H361f H373 H410	Causes skin irritation. Causes serious eye irritation. Suspected of damaging fertility. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.
Preca	utionary statements	: Preventio P201 P264 P273 P280	Obtain special instructions before use. Wash skin thoroughly after handling. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.
		Respons P308 + P P391	

Hazardous components which must be listed on the label:

Enrofloxacin

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Index-No. Registration number		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Enrofloxacin Liquid Formulation

sion	Revision Date: 06.07.2024	SDS Number: 10225236-00008	Date of last issue: 06.04.2024 Date of first issue: 12.11.2021	
Enrofl	loxacin	93106-60-6	Acute Tox. 4; H302 Repr. 2; H361f STOT RE 1; H372 (cartilage, Testis) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	< 1
Potas	sium hydroxide	1310-58-3 215-181-3 019-002-00-8	Met. Corr. 1; H290 >= 1 Acute Tox. 4; H302 Skin Corr. 1A; H314 Eye Dam. 1; H318 EUH014, EUH071	- < 2
			specific concentration limit Skin Corr. 1A; H314 >= 5 % Skin Corr. 1B; H314 2 - < 5 % Skin Irrit. 2; H315 0.5 - < 2 % Eye Irrit. 2; H319 0.5 - < 2 % EUH071 >= 2 %	
			Acute toxicity esti- mate Acute oral toxicity: 333 mg/kg	
Benzy	yl alcohol	100-51-6 202-859-9 603-057-00-5	Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Irrit. 2; H319 Acute toxicity esti- mate	- <
	un lauration of alchum i		Acute oral toxicity: 1,620 mg/kg	

For explanation of abbreviations see section 16.



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	06.07.2024	10225236-00008	Date of first issue: 12.11.2021

SECTION 4: First aid measures

4.1 Description of first aid measures				
General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.		
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).		
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.		
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.		
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.		
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.		
4.2 Most important symptoms a	nd e	effects, both acute and delayed		
Risks	:	Causes skin irritation. Causes serious eye irritation. Suspected of damaging fertility. May cause damage to organs through prolonged or repeated exposure.		
4.3 Indication of any immediate medical attention and special treatment needed				
Treatment	:	Treat symptomatically and supportively.		
SECTION 5: Firefighting meas	sur	es		
5.1 Extinguishing media				
Suitable extinguishing media	:	Water spray		



Ver 4.0	sion	Revision Date: 06.07.2024		9S Number: 225236-00008	Date of last issue: 06.04.2024 Date of first issue: 12.11.2021
	Unsuita media	able extinguishing	:	None known.	
5.2	Special	hazards arising from	the	substance or mi	xture
	Specifi fighting	5	:	Exposure to comb	pustion products may be a hazard to health.
	Hazaro ucts	lous combustion prod-	:	Carbon oxides Metal oxides	
5.3	Advice	for firefighters			
	Specia for firef	I protective equipment ighters	:		e, wear self-contained breathing apparatus. tective equipment.
	Specifi ods	c extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to do

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
6.2 Environmental precautions	
•	
Environmental precautions	: Avoid release to the environment.
	Prevent further leakage or spillage if safe to do so.
	Prevent spreading over a wide area (e.g. by containment or oil barriers).
	Retain and dispose of contaminated wash water.
	Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material.
		Avoid dispersal of dust in the air (i.e., clearing dust surfaces
		with compressed air).
		Dust deposits should not be allowed to accumulate on surfac-
		es, as these may form an explosive mixture if they are re-
		leased into the atmosphere in sufficient concentration.
		For large spills, provide dyking or other appropriate contain-
		ment to keep material from spreading. If dyked material can
		be pumped, store recovered material in appropriate container.
		Clean up remaining materials from spill with suitable absor-
		bent.



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	06.07.2024	10225236-00008	Date of first issue: 12.11.2021
		posal of this ma employed in the mine which reg Sections 13 and	al regulations may apply to releases and dis- iterial, as well as those materials and items e cleanup of releases. You will need to deter- ulations are applicable. d 15 of this SDS provide information regarding national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

7.1 Trecadions for sale nanuling						
Technical measures	:	Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.				
Local/Total ventilation	:	Use only with adequate ventilation.				
Advice on safe handling	:	Do not get on skin or clothing.				
-		Do not breathe mist or vapours.				
		Do not swallow.				
		Do not get in eyes.				
		Wash skin thoroughly after handling.				
		Handle in accordance with good industrial hygiene and safety				
		practice, based on the results of the workplace exposure as- sessment				
		Minimize dust generation and accumulation.				
		Keep container closed when not in use.				
		Keep away from heat and sources of ignition.				
		Take precautionary measures against static discharges.				
		Do not eat, drink or smoke when using this product.				
		Take care to prevent spills, waste and minimize release to the environment.				
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami- nated clothing before re-use.				
		The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.				
7.2 Conditions for safe storage, including any incompatibilities						
Requirements for storage areas and containers	:	Keep in properly labelled containers. Store locked up. Store in accordance with the particular national regulations.				
Advice on common storage	:	Do not store with the following product types: Strong oxidizing agents				

Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Explosives



Version 4.0	Revision Date: 06.07.2024	SDS Number: 10225236-00008	Date of last issue: 06.04.2024 Date of first issue: 12.11.2021
		Gases	
•	ic end use(s) fic use(s)	: No data available	e

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Propylene glycol	57-55-6	OELV - 8 hrs (TWA) (particles)	10 mg/m3	IE OEL
		OELV - 8 hrs (TWA) (total (va- pour and parti- cles))	150 ppm 470 mg/m3	IE OEL
Enrofloxacin	93106-60-6	TWA	0.2 mg/m3 (OEB 2)	Internal
Potassium hydrox- ide	1310-58-3	OELV - 15 min (STEL)	2 mg/m3	IE OEL

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Potassium hydroxide	Workers	Inhalation	Long-term local ef- fects	1 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	1 mg/m3
Propylene glycol	Workers	Inhalation	Long-term local ef- fects	10 mg/m3
	Workers	Inhalation	Long-term systemic effects	168 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	10 mg/m3
	Consumers	Inhalation	Long-term systemic effects	50 mg/m3
Benzyl alcohol	Workers	Inhalation	Long-term systemic effects	22 mg/m3
	Workers	Inhalation	Acute systemic ef- fects	110 mg/m3
	Workers	Skin contact	Long-term systemic effects	8 mg/kg bw/day
	Workers	Skin contact	Acute systemic ef- fects	40 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	5.4 mg/m3
	Consumers	Inhalation	Acute systemic ef- fects	27 mg/m3



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Enrofloxacin Liquid Formulation

Ver 4.0	sion Revision Date: 06.07.2024	SDS Num 10225236			f last issue: 06.04.2024 f first issue: 12.11.2021	
		Consumers	Skin cont	act	Long-term systemic effects	4 mg/kg bw/day
		Consumers	Skin cont	act	Acute systemic ef- fects	20 mg/kg bw/day
		Consumers	Ingestion		Long-term systemic effects	4 mg/kg bw/day
		Consumers	Ingestion		Acute systemic ef- fects	20 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Propylene glycol	Fresh water	260 mg/l
	Freshwater - intermittent	183 mg/l
	Marine water	26 mg/l
	Sewage treatment plant	20000 mg/l
	Fresh water sediment	572 mg/kg dry weight (d.w.)
	Marine sediment	57.2 mg/kg dry weight (d.w.)
	Soil	50 mg/kg dry weight (d.w.)
Benzyl alcohol	Fresh water	1 mg/l
	Marine water	0.1 mg/l
	Intermittent use/release	2.3 mg/l
	Sewage treatment plant	39 mg/l
	Fresh water sediment	5.27 mg/kg
	Marine sediment	0.527 mg/kg
	Soil	0.456 mg/kg

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment.

Personal protective equipment

Eye/face protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection Material	:	Chemical-resistant gloves
Skin and body protection Respiratory protection	:	Work uniform or laboratory coat. If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Equipment should conform to I.S. EN 143



Vers 4.0	ion	Revision Date: 06.07.2024		S Number: 225236-00008	Date of last issue: 06.04.2024 Date of first issue: 12.11.2021				
	Filte	er type	:	Particulates type	(P)				
SEC	SECTION 9: Physical and chemical properties								
	nforma Physica	tion on basic physica al state	al an :	d chemical prop Aqueous solution					
	Colour		:	Clear white to ye	llow.				
	Odour		:	No data available	e				
	Odour	Threshold	:	No data available	e				
	Melting	point/freezing point	:	No data available	e				
	Initial b range	oiling point and boiling	:	No data available	e				
	Flamm	ability (solid, gas)	:	May form explos dling or other me	ive dust-air mixture during processing, han- eans.				
	Flamm	ability (liquids)	:	Not applicable					
		explosion limit / Upper bility limit	:	No data available	e				
		explosion limit / Lower bility limit	:	No data available	e				
	Flash p	point	:	Not applicable					
	Auto-ig	nition temperature	:	No data available	e				
	Decom	position temperature	:	No data available	e				
	рН		:	10.5 - 12.5					
	Viscosi Visc	ty cosity, kinematic	:	No data available	e				
	Solubili Wat	ity(ies) er solubility	:	No data available	e				
	Partitio octanol	n coefficient: n- /water	:	Not applicable					
	Vapour	pressure	:	No data available	e				
	Relativ	e density	:	No data available	e				

Commission Regulation (EU) 2020/878



Enrofloxacin Liquid Formulation

Version 4.0	Revision Date: 06.07.2024		S Number: 225236-00008	Date of last issue: 06.04.2024 Date of first issue: 12.11.2021
Densit	у	:	No data availabl	e
Relativ	ve vapour density	:	No data availabl	e
	e characteristics rticle size	:	Not applicable	
9.2 Other i	nformation			
Explos	sives	:	Not explosive	
Oxidiz	Oxidizing properties		The substance c	or mixture is not classified as oxidizing.
Evapo	ration rate	:	No data availabl	e
Molec	ular weight	:	No data availabl	e

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	May form explosive dust-air mixture during processing, han- dling or other means. Can react with strong oxidizing agents.
10.4 Conditions to avoid		
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
10.5 Incompatible materials		
Materials to avoid	:	Oxidizing agents Acids

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Information on likely routes of : Inhalation exposure Ingestion
 - Skin contact Eye contact

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Version 4.0	Revision Date: 06.07.2024		OS Number: 225236-00008	Date of last issue: 06.04.2024 Date of first issue: 12.11.2021
	te toxicity			
	classified based on ava	ilable	information.	
	<u>luct:</u> e oral toxicity	:	Acute toxicity est Method: Calculat	imate: > 2,000 mg/kg ion method
Com	ponents:			
Enro	ofloxacin:			
Acut	e oral toxicity	:	LD50 (Rabbit): 50	00 - 800 mg/kg
			LD50 (Rat): > 5,0	000 mg/kg
			LD50 (Mouse): >	5,000 mg/kg
Acut	e dermal toxicity	:	LD50 (Rabbit): >	2,000 mg/kg
Pota	ssium hydroxide:			
Acut	e oral toxicity	:	LD50 (Rat): 333	mg/kg
Acut	e inhalation toxicity	:	Assessment: Cor	rosive to the respiratory tract.
Benz	zyl alcohol:			
Acut	e oral toxicity	:	LD50 (Rat): 1,62	0 mg/kg
Acut	e inhalation toxicity	:	Exposure time: 4 Test atmosphere	h
-	corrosion/irritation ses skin irritation.			
<u>Com</u>	ponents:			
Enro	ofloxacin:			
Resu	ult	:	No skin irritation	
Pota	ssium hydroxide:			
Spec Resi		:	Rabbit Corrosive after 3	minutes or less of exposure
Benz	zyl alcohol:			
Spec Meth		:	Rabbit OECD Test Guid	eline 404
Resi		:	No skin irritation	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Enrofloxacin Liquid Formulation

Revision Date: 06.07.2024			Date of last issue: 06.04.2024 Date of first issue: 12.11.2021					
Serious eye damage/eye irritation Causes serious eye irritation.								
ponents:								
floxacin:								
lt	:	Mild eye irritation						
ssium hydroxide:								
ies	:	Rabbit						
lt	:	Irreversible effect	is on the eye					
yl alcohol:								
ies	:	Rabbit	" 405					
od It	:		eline 405 reversing within 21 days					
	-		g					
iratory or skin sensiti	satio	on						
sensitisation lassified based on avai	lable	information.						
iratory sensitisation								
•	lable	information.						
ponents:								
floxacin: Type sure routes ies It	:	Maximisation Tes Dermal Guinea pig Not a skin sensiti						
ssium hydroxide: Type sure routes ies It		Intracutaneous te Skin contact Guinea pig negative	est					
	06.07.2024 pus eye damage/eye ir es serious eye irritation ponents: floxacin: It ssium hydroxide: ies It yl alcohol: ies od It iratory or skin sensiti sensitisation lassified based on avai iratory sensitisation lassified based on avai ponents: floxacin: Type sure routes ies It ssium hydroxide: Type sure routes ies It	06.07.2024 10 pus eye damage/eye irritation. ponents: floxacin: it : ssium hydroxide: ies igs : yl alcohol: ies : yl alcohol: ies : idt : ifatory or skin sensitisation lassified based on available iratory sensitisation lassified based on available iratory sensitisation lassified based on available iratory sensitisation lassified based on available ponents: floxacin: Type : sure routes : ies : issium hydroxide: : Type : sure routes : ies :	06.07.2024 10225236-00008 bus eye damage/eye irritation es serious eye irritation. ponents: floxacin: It : Mild eye irritation ssium hydroxide: ies : ides : Rabbit It : It : yl alcohol: ies : ides : ides : issium hydroxide: : iges : ifatory or skin sensitisation sensitisation lassified based on available information. iratory sensitisation lassified based on available information. ponents: floxacin: Type : Type : ies : issum hydroxide: Type : Type : issum hydroxide: Type : issim hydroxide: Type : issin					

Benzyl alcohol:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

Germ cell mutagenicity

Not classified based on available information.



/ersion .0	Revision Date: 06.07.2024	SDS Nu 102252	umber: 36-00008	Date of last issue: 06.04.2024 Date of first issue: 12.11.2021	
<u>Com</u>	ponents:				
Enro	floxacin:				
Geno	otoxicity in vitro		t Type: Chro ult: positive	mosomal aberration	
Geno	Genotoxicity in vivo :		t Type: Micro cies: Mouse ult: negative		
		cha Spe	•••		
		Spe	t Type: Chro cies: Rat ult: negative	mosomal aberration	
Pota	ssium hydroxide:				
Geno	ptoxicity in vitro		t Type: Bact ult: negative	erial reverse mutation assay (AMES)	
Benz	yl alcohol:				
Geno	otoxicity in vitro		t Type: Bact ult: negative	erial reverse mutation assay (AMES)	
Geno	otoxicity in vivo	cytc Spe App	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative		
	inogenicity classified based on a	vailable infor	mation.		
	ponents:				
Enro	floxacin:				
Spec		: Rat			
	cation Route	: Ora : 2 Yo	-		
Resu			ative		
Spec		: Mou			
	cation Route	: Ora			
Expo Rosu			2 Years		

: 2 Years : negative

Result

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Enrofloxacin Liquid Formulation

Ver 4.0	sion	Revision Date: 06.07.2024	-	DS Number: 225236-00008	Date of last issue: 06.04.2024 Date of first issue: 12.11.2021
	Specie Applica	ation Route ure time d	: : : : : : : : : : : : : : : : : : : :	Mouse Ingestion 103 weeks OECD Test Guide negative	eline 451
	-	ductive toxicity cted of damaging fertili	ity.		
	<u>Comp</u>	onents:			
	Enrofl	oxacin:			
	Effects	s on fertility	:		
	Effects ment	on foetal develop-	:	Result: Reduced	
	Reproo sessm	ductive toxicity - As- ent	:		f adverse effects on sexual function and animal experiments.
	Benzy	l alcohol:			
	-	on fertility	:	Species: Rat Application Route Result: negative	y/early embryonic development : Ingestion on data from similar materials
	Effects ment	on foetal develop-	:	Test Type: Embry Species: Mouse Application Route Result: negative	ro-foetal development : Ingestion

STOT - single exposure

Not classified based on available information.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version 4.0	Revision Date: 06.07.2024	SDS Number:Date of last issue: 06.04.202410225236-00008Date of first issue: 12.11.2021					
STO	OT - repeated exposure						
		ns through prolonged or repeated exposure.					
-	nponents:						
	ofloxacin:						
	get Organs essment	 cartilage, Testis Causes damage to organs through prolonged or repeated exposure. 					
Rep	peated dose toxicity						
<u>Cor</u>	nponents:						
Enr	ofloxacin:						
	ecies	: Rat					
NO. LOA	AEL	: 36 mg/kg					
	lication Route	: 150 mg/kg : Oral					
	osure time	: 13 Weeks					
	get Organs	: Testis					
	cies	: Dog					
	AEL \EL	: 3 mg/kg : 9.6 mg/kg					
-	lication Route	: 9.6 mg/kg : Oral					
	osure time	: 13 Weeks					
	get Organs	: cartilage					
Spe	ecies	: Cat					
-	AEL	: 25 mg/kg					
	lication Route	: Oral					
	osure time narks	30 DaysNo significant adverse effects were reported					
Bor	nzyl alcohol:						
	ecies	: Rat					
	AEL	: 1.072 mg/l					
	lication Route	: inhalation (dust/mist/fume)					
	osure time	: 28 Days					
Met	hod	: OECD Test Guideline 412					
Asp	piration toxicity						
Not	classified based on ava	lable information.					
11.2 Info	ormation on other haza	rds					
Enc	locrine disrupting pro	erties					
<u>Pro</u>	duct:						
Ass	essment	: The substance/mixture does not contain components conserved to have endocrine disrupting properties according to					



Compo Enrofic Ingestic	ence with human exp onents:	osu	REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Compo Enrofic Ingestic	-	osu	
Enrofic Ingestic	onents:		ure
Ingestio			
	oxacin:		
SECTION	on	:	Symptoms: Gastrointestinal disturbance, central nervous system effects, Sensitivity to light
	12: Ecological infor	ma	ation
12.1 Toxicit	tv		
	onents:		
Enrofic	oxacin:		
Toxicity	y to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 79.5 mg/l Exposure time: 96 h
			LC50 (Oncorhynchus mykiss (rainbow trout)): > 196 mg/l Exposure time: 96 h
			LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l Exposure time: 96 h
	y to daphnia and other invertebrates	:	EC50 (Hyalella azteca (Amphipod)): > 206 mg/l Exposure time: 96 h
			EC50 (Daphnia magna (Water flea)): 79.9 mg/l Exposure time: 48 h
Toxicity plants	y to algae/aquatic	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 3.1 mg/l Exposure time: 72 h
			EC50 (Microcystis aeruginosa (blue-green algae)): 0.049 mg/l Exposure time: 5 d
M-Fact icity)	or (Acute aquatic tox-	:	10
	y to daphnia and other c invertebrates (Chron- ity)	:	NOEC: 9.8 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
			NOEC: 5 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
			LOEC: 15 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version 4.0	Revision Date: 06.07.2024		DS Number: 0225236-00008	Date of last issue: 06.04.2024 Date of first issue: 12.11.2021		
			Exposure time: 2 Species: Daphni	21 d a magna (Water flea)		
M-Fa toxic	actor (Chronic aquatic ity)	:	10			
Benz	zyl alcohol:					
Toxi	city to fish	:	LC50 (Pimephale Exposure time: 9	es promelas (fathead minnow)): 460 mg/l 96 h		
	city to daphnia and other atic invertebrates	:	EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202			
			Method. OECD	Test Guideline 202		
Toxi plant	city to algae/aquatic ts	:	mg/l Exposure time: 7	rchneriella subcapitata (green algae)): 770 72 h Test Guideline 201		
			mg/l Exposure time: 7	tirchneriella subcapitata (green algae)): 310 72 h Test Guideline 201		
aqua	city to daphnia and other atic invertebrates (Chron- kicity)	:		21 d a magna (Water flea) Test Guideline 211		
12.2 Pers	sistence and degradabil	ity				
Com	ponents:					
	zyl alcohol: egradability	:	Result: Readily t Biodegradation: Exposure time: 1	92 - 96 %		
12.3 Bioa	accumulative potential					
Com	ponents:					
Parti	ofloxacin: tion coefficient: n- nol/water	:	log Pow: 0.5			
Parti	zyl alcohol: tion coefficient: n- nol/water	:	log Pow: 1.05			



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	06.07.2024	10225236-00008	Date of first issue: 12.11.2021

12.4 Mobility in soil

Components:

Enrofloxacin:

Distribution among environ- : Koc: 5.55 mental compartments

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	UN 3082
ADR	:	UN 3082
RID	:	UN 3082
IMDG	:	UN 3082



Version 4.0	Revision Date: 06.07.2024		OS Number: 225236-00008	Date of last issue: 06.04.2024 Date of first issue: 12.11.2021		
ΙΑΤΑ		:	UN 3082			
	roper shipping name	•	0110002			
ADN		:	ENVIRONMENT N.O.S. (Enrofloxacin)	ALLY HAZARDOUS SUBSTANCE, LIQUID,		
ADR		: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQI N.O.S. (Enrofloxacin)				
RID		:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Enrofloxacin)			
IMDG		:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Enrofloxacin)			
ΙΑΤΑ		:	Environmentally hazardous substance, liquid, n.o.s. (Enrofloxacin)			
14.3 Trans	sport hazard class(es)					
			Class	Subsidiary risks		
ADN		:	9			
ADR		:	9			
RID		:	9			
IMDG		:	9			
ΙΑΤΑ		:	9			
14.4 Packi	ing group					
Classi	ng group ification Code d Identification Number	:	III M6 90 9			
Classi Hazar Labels Tunne RID Packir Classi Hazar Labels	el restriction code ng group ification Code d Identification Number s		III M6 90 9 (-) III M6 90 9			

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Enrofloxacin Liquid Formulation

Vers 4.0	sion	Revision Date: 06.07.2024		DS Number: 0225236-00008	Date of last issue: 06.04.2024 Date of first issue: 12.11.2021
	Labels EmS C	ode	:	9 F-A, S-F	
	IATA (Packin aircraft	g instruction (cargo	:	964	
	Packin	g instruction (LQ) g group	:	Y964 III Miscellaneous	
	Packin ger airo Packin	g instruction (LQ) g group		964 Y964 III Miscellaneous	
14.5	Enviro	onmental hazards			
	ADN Enviror	nmentally hazardous	:	yes	
	ADR Enviror	nmentally hazardous	:	yes	
	RID Enviror	nmentally hazardous	:	yes	
	IMDG Marine	pollutant	:	yes	
1/6	Snacia	al procautions for use	r		

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3
--	---	--

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is appli-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Enrofloxacin Liquid Formulation

Version 4.0	Revision Date: 06.07.2024	SDS Number: 10225236-00008		of last issue: 06.04.2024 of first issue: 12.11.2021
				cable to the placing on the market or not.
				If you intend to use this product as tattoo ink, please contact your ven- dor.
		Substances of Very Hig	h :	Not applicable
Regu	ern for Authorisation (A lation (EC) No 1005/20 the ozone layer	009 on substances that	de- :	Not applicable
Regu	•	on persistent organic po	ollu- :	Not applicable
Regu ment	lation (ÉU) No 649/201	2 of the European Parli rning the export and im		Not applicable
REA	0	subject to authorisatior	n :	Not applicable
Seve	so III: Directive 2012/18	8/EU of the European P	arliamer	nt and of the Council on the control of

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
E1	ENVIRONMENTAL HAZARDS	100 t	200 t

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information	Items where changes have been made to the previous version are highlighted in the body of this document by two vertical
	lines.

Full text of H-Statements

H290	:	May be corrosive to metals.
H302	:	Harmful if swallowed.
H314	:	Causes severe skin burns and eye damage.
H318	:	Causes serious eye damage.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Enrofloxacin Liquid Formulation

Version 4.0	Revision Date: 06.07.2024		S Number: 225236-00008	Date of last issue: 06.04.2024 Date of first issue: 12.11.2021
H319 H332 H361f H372 H400 H410 EUH0 ⁷ EUH0			Causes serious eye irritation. Harmful if inhaled. Suspected of damaging fertility. Causes damage to organs through prolonged or repeated exposure. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Reacts violently with water. Corrosive to the respiratory tract.	
	xt of other abbreviation	ons		
	c Acute c Chronic am. it. orr. orr. RE		Ireland. List of Ch	c) aquatic hazard age Is
	_ / OELV - 8 hrs (TWA) _ / OELV - 15 min)	:	Occupational exp	osure limit value (8-hour reference period) osure limit value (15-minute reference peri-

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Re-



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	06.07.2024	10225236-00008	Date of first issue: 12.11.2021

striction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data		eChem Portal search results and European Chemicals Agen-
Sheet		cy, http://echa.europa.eu/

Classification of the	mixture:	Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Repr. 2	H361f	Calculation method
STOT RE 2	H373	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN