

Enrofloxacin Liquid Formulation

Version 3.0 Revision Date: 2023/04/04 SDS Number: 10223976-00005 Date of last issue: 2022/10/01
 Date of first issue: 2021/11/12

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Enrofloxacin Liquid Formulation

Supplier's company name, address and phone number

Company name of supplier : MSD

Address : Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd.
 Menuuma factory

Telephone : 048-588-8411

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use :
 Not applicable

2. HAZARDS IDENTIFICATION

GHS classification of chemical product

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 2

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure : Category 2 (cartilage, Testis)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H315 Causes skin irritation.

Enrofloxacin Liquid Formulation

Version 3.0 Revision Date: 2023/04/04 SDS Number: 10223976-00005 Date of last issue: 2022/10/01
 Date of first issue: 2021/11/12

H319 Causes serious eye irritation.
 H361f Suspected of damaging fertility.
 H373 May cause damage to organs (cartilage, Testis) through prolonged or repeated exposure.
 H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention:
 P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P260 Do not breathe mist or vapours.
 P264 Wash skin thoroughly after handling.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
 P302 + P352 IF ON SKIN: Wash with plenty of water.
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.
 P332 + P313 If skin irritation occurs: Get medical advice/ attention.
 P337 + P313 If eye irritation persists: Get medical advice/ attention.
 P362 + P364 Take off contaminated clothing and wash it before reuse.
 P391 Collect spillage.

Storage:
 P405 Store locked up.

Disposal:
 P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Important symptoms and outlines of the emergency assumed : May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Propylene glycol	57-55-6	>= 20 - < 30	2-234
Enrofloxacin	93106-60-6	>= 3 - < 10	
Potassium hydroxide	1310-58-3	>= 1 - < 2	1-369

Enrofloxacin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
3.0	2023/04/04	10223976-00005	Date of first issue: 2021/11/12

 II

4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Causes skin irritation.
Causes serious eye irritation.
Suspected of damaging fertility.
May cause damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Metal oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Enrofloxacin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
3.0	2023/04/04	10223976-00005	Date of first issue: 2021/11/12

for firefighters

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Handling

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges.

Enrofloxacin Liquid Formulation

Version 3.0 Revision Date: 2023/04/04 SDS Number: 10223976-00005 Date of last issue: 2022/10/01
 Date of first issue: 2021/11/12

Do not eat, drink or smoke when using this product.
 Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact : Oxidizing agents
 Acids

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
 When using do not eat, drink or smoke.
 Wash contaminated clothing before re-use.
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Storage

Conditions for safe storage : Keep in properly labelled containers.
 Store locked up.
 Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
 Strong oxidizing agents

Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Threshold limit value and permissible exposure limits for each component in the work environment**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Reference concentration / Permissible concentration	Basis
Enrofloxacin	93106-60-6	TWA	0.2 mg/m ³ (OEB 2)	Internal
Potassium hydroxide	1310-58-3	OEL-C	2 mg/m ³	JP OEL JSOH
		C	2 mg/m ³	ACGIH

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Enrofloxacin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
3.0	2023/04/04	10223976-00005	Date of first issue: 2021/11/12

Material	:	Chemical-resistant gloves
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	Aqueous solution
Colour	:	Clear white to yellow.
Odour	:	No data available
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Boiling point, initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Lower explosion limit and upper explosion limit / flammability limit	:	
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Decomposition temperature	:	No data available
pH	:	10.5 - 12.5
Evaporation rate	:	No data available
Auto-ignition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable

Enrofloxacin Liquid Formulation

Version 3.0 Revision Date: 2023/04/04 SDS Number: 10223976-00005 Date of last issue: 2022/10/01
Date of first issue: 2021/11/12

Vapour pressure : No data available

Density and / or relative density
Relative density : No data available

Density : No data available

Relative vapour density : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics
Particle size : Not applicable

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.

Incompatible materials : Oxidizing agents
Acids

Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:**Propylene glycol:**

|| Acute oral toxicity : LD50 (Rat): 22,000 mg/kg

Enrofloxacin Liquid Formulation

Version 3.0 Revision Date: 2023/04/04 SDS Number: 10223976-00005 Date of last issue: 2022/10/01
Date of first issue: 2021/11/12

Acute inhalation toxicity : LC50 (Rat): > 44.9 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Enrofloxacin:

Acute oral toxicity : LD50 (Rabbit): 500 - 800 mg/kg
LD50 (Rat): > 5,000 mg/kg
LD50 (Mouse): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Potassium hydroxide:

Acute oral toxicity : LD50 (Rat): 333 mg/kg

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Skin corrosion/irritation

Causes skin irritation.

Components:**Propylene glycol:**

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Enrofloxacin:

Result : No skin irritation

Potassium hydroxide:

Species : Rabbit
Result : Corrosive after 3 minutes or less of exposure

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:**Propylene glycol:**

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Enrofloxacin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
3.0	2023/04/04	10223976-00005	Date of first issue: 2021/11/12

Enrofloxacin:

Result : Mild eye irritation

Potassium hydroxide:

Species : Rabbit
Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Propylene glycol:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Enrofloxacin:

Test Type : Maximisation Test
Exposure routes : Dermal
Species : Guinea pig
Result : Not a skin sensitizer.

Potassium hydroxide:

Test Type : Intracutaneous test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Propylene glycol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection

Enrofloxacin Liquid Formulation

Version 3.0 Revision Date: 2023/04/04 SDS Number: 10223976-00005 Date of last issue: 2022/10/01
 Date of first issue: 2021/11/12

Result: negative

Enrofloxacin:

Genotoxicity in vitro : Test Type: Chromosomal aberration
 Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test
 Species: Mouse
 Result: negative

Test Type: Mammalian bone marrow sister chromatid exchange
 Species: Hamster
 Result: negative

Test Type: Chromosomal aberration
 Species: Rat
 Result: negative

Potassium hydroxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Propylene glycol:

Species : Rat
 Application Route : Ingestion
 Exposure time : 2 Years
 Result : negative

Enrofloxacin:

Species : Rat
 Application Route : Oral
 Exposure time : 2 Years
 Result : negative

Species : Mouse
 Application Route : Oral
 Exposure time : 2 Years
 Result : negative

Reproductive toxicity

Suspected of damaging fertility.

Components:

Propylene glycol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Enrofloxacin Liquid Formulation

Version 3.0 Revision Date: 2023/04/04 SDS Number: 10223976-00005 Date of last issue: 2022/10/01
 Date of first issue: 2021/11/12

Species: Mouse
 Application Route: Ingestion
 Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Mouse
 Application Route: Ingestion
 Result: negative

Enrofloxacin:

Effects on fertility : Test Type: Two-generation study
 Species: Rat
 Application Route: Oral
 Fertility: LOAEL: 15 mg/kg body weight
 Result: Effects on fertility, alteration in sperm morphology

Effects on foetal development : Test Type: Development
 Species: Rat
 Application Route: Oral
 Developmental Toxicity: LOAEL: 210 mg/kg body weight
 Result: Reduced foetal weight, No teratogenic effects
 Remarks: Maternal toxicity observed.

Test Type: Development
 Species: Rabbit
 Application Route: Oral
 Developmental Toxicity: NOAEL: 25 mg/kg body weight
 Result: No fetotoxicity, No teratogenic effects

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs (cartilage, Testis) through prolonged or repeated exposure.

Components:**Enrofloxacin:**

Target Organs : cartilage, Testis
 Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Propylene glycol:**

Species : Rat, male
 NOAEL : \geq 1,700 mg/kg
 Application Route : Ingestion
 Exposure time : 2 yr

Enrofloxacin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
3.0	2023/04/04	10223976-00005	Date of first issue: 2021/11/12

Enrofloxacin:

Species	: Rat
NOAEL	: 36 mg/kg
LOAEL	: 150 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks
Target Organs	: Testis

Species	: Dog
NOAEL	: 3 mg/kg
LOAEL	: 9.6 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks
Target Organs	: cartilage

Species	: Cat
NOAEL	: 25 mg/kg
Application Route	: Oral
Exposure time	: 30 Days
Remarks	: No significant adverse effects were reported

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Enrofloxacin:**

Ingestion	: Symptoms: Gastrointestinal disturbance, central nervous system effects, Sensitivity to light
-----------	--

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Propylene glycol:**

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l Exposure time: 7 d

Enrofloxacin Liquid Formulation

Version 3.0 Revision Date: 2023/04/04 SDS Number: 10223976-00005 Date of last issue: 2022/10/01
 Date of first issue: 2021/11/12

Toxicity to microorganisms : NOEC (*Pseudomonas putida*): > 20,000 mg/l
 Exposure time: 18 h

Enrofloxacin:

Toxicity to fish : LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 79.5 mg/l
 Exposure time: 96 h

LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 196 mg/l
 Exposure time: 96 h

LC50 (*Oryzias latipes* (Japanese medaka)): > 100 mg/l
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Hyalella azteca* (Amphipod)): > 206 mg/l
 Exposure time: 96 h

EC50 (*Daphnia magna* (Water flea)): 79.9 mg/l
 Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (green algae)): 3.1 mg/l
 Exposure time: 72 h

EC50 (*Microcystis aeruginosa* (blue-green algae)): 0.049 mg/l
 Exposure time: 5 d

M-Factor (Acute aquatic toxicity) : 10

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 9.8 mg/l
 Exposure time: 21 d

NOEC (*Daphnia magna* (Water flea)): 5 mg/l
 Exposure time: 21 d

LOEC (*Daphnia magna* (Water flea)): 15 mg/l
 Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 10

Persistence and degradability**Components:****Propylene glycol:**

Biodegradability : Result: Readily biodegradable.
 Biodegradation: 98.3 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301F

Bioaccumulative potential**Components:****Propylene glycol:**

Enrofloxacin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
3.0	2023/04/04	10223976-00005	Date of first issue: 2021/11/12

Partition coefficient: n-octanol/water : log Pow: -1.07
Method: Regulation (EC) No. 440/2008, Annex, A.8

Enrofloxacin:

Partition coefficient: n-octanol/water : log Pow: 0.5

Mobility in soil**Components:****Enrofloxacin:**

Distribution among environmental compartments : Koc: 5.55

Hazardous to the ozone layer

Not applicable

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.
Do not dispose of waste into sewer.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Enrofloxacin)
Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Enrofloxacin)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964

IMDG-Code

Enrofloxacin Liquid Formulation

Version 3.0 Revision Date: 2023/04/04 SDS Number: 10223976-00005 Date of last issue: 2022/10/01
 Date of first issue: 2021/11/12

UN number : UN 3082
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Enrofloxacin)
 Class : 9
 Packing group : III
 Labels : 9
 EmS Code : F-A, S-F
 Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code : 171

15. REGULATORY INFORMATION**Related Regulations****Fire Service Law**

Not applicable to dangerous materials / designated flammables.

Chemical Substance Control Law

Priority Assessment Chemical Substance

Chemical name	Number
Propane-1,2-diol	106

Industrial Safety and Health Law**Harmful Substances Prohibited from Manufacture**

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Enrofloxacin Liquid Formulation

Version 3.0 Revision Date: 2023/04/04 SDS Number: 10223976-00005 Date of last issue: 2022/10/01
 Date of first issue: 2021/11/12

Chemical name	Concentration (%)	Remarks
propane-1,2-diol	>=20 - <30	From April 1st, 2025
Potassium hydroxide	>=1 - <10	-

Substances Subject to be Indicated Names

Article 57 (Enforcement Order Article 18)

Chemical name	Remarks
propane-1,2-diol	From April 1st, 2025
Potassium hydroxide	-

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

Poisonous and Deleterious Substances Control Law

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof**Until March 31st, 2023**

Not applicable

From April 1st, 2023

Not applicable

High Pressure Gas Safety Act

Not applicable

Explosive Control Law

Not applicable

Vessel Safety Law

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Aviation Law

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Enrofloxacin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
3.0	2023/04/04	10223976-00005	Date of first issue: 2021/11/12

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Noxious liquid substance(Category Z)
 Pack transportation : Classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)
 Not applicable
 Specific Narcotic or Psychotropic Raw Material (Export / Import permission)
 Not applicable

Waste Disposal and Public Cleansing Law

Industrial waste

The components of this product are reported in the following inventories:

AICS : not determined
 DSL : not determined
 IECSC : not determined

16. OTHER INFORMATION

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
 JP OEL JSOH : Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure Limits

ACGIH / C : Ceiling limit
 JP OEL JSOH / OEL-C : Occupational Exposure Limit-Ceiling

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Or-

Enrofloxacin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
3.0	2023/04/04	10223976-00005	Date of first issue: 2021/11/12

ganisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN