

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	06.07.2024	10225203-00008	Date of first issue: 12.11.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Trade name	:	Enrofloxacin Liquid Formulation
1.2	Relevant identified uses of th	ne s	substance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Veterinary product
	Recommended restrictions on use	:	Not applicable
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	MSD Kilsheelan Clonmel Tipperary, IE
	Telephone	:	353-51-601000
	E-mail address of person responsible for the SDS	:	EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 Eye irritation, Category 2 Reproductive toxicity, Category 2 Specific target organ toxicity - repeated exposure, Category 2 Short-term (acute) aquatic hazard, Category 1 Long-term (chronic) aquatic hazard, Category 1 H315: Causes skin irritation.
H319: Causes serious eye irritation.
H361f: Suspected of damaging fertility.
H373: May cause damage to organs through prolonged or repeated exposure.
H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Enrofloxacin Liquid Formulation

Version 4.0	Revision Date: 06.07.2024	SDS Number: 10225203-00008	Date of last issue: 06.04.2024 Date of first issue: 12.11.2021
Haz	ard pictograms		!
Sigr	nal word	: Warning	• •
Haz	ard statements	H319 Causes H361f Suspect H373 May cau repeated expose	skin irritation. serious eye irritation. ed of damaging fertility. ise damage to organs through prolonged or ure. ic to aquatic life with long lasting effects.
Pre	cautionary statements	P264 Wash sl P273 Avoid re	special instructions before use. kin thoroughly after handling. lease to the environment. otective gloves/ protective clothing/ eye protec- tion.
		Response: P308 + P313 attention. P391 Collect s	IF exposed or concerned: Get medical advice/

Hazardous components which must be listed on the label: Enrofloxacin

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

May form explosive dust-air mixture during processing, handling or other means.


SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No.	Classification	Concentration (% w/w)
---------------	--------------------------------	----------------	--------------------------

SAFETY DATA SHEET





Enrofloxacin Liquid Formulation

	Pogistration numb	or	
Enrofloxacin	Registration numb 93106-60-6	Acute Tox. 4; H302 Repr. 2; H361f STOT RE 1; H372 (cartilage, Testis) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic	>= 3 - < 1
Potassium hydroxide	1310-58-3 215-181-3 019-002-00-8	aquatic toxicity): 10Met. Corr. 1; H290Acute Tox. 4; H302Skin Corr. 1A;H314Eye Dam. 1; H318EUH014, EUH071	>=1-<2
Benzyl alcohol	100-51-6 202-859-9 603-057-00-5	333 mg/kg Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Irrit. 2; H319 Acute toxicity esti- mate	>= 0,1 - <



Enrofloxacin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	06.07.2024	10225203-00008	Date of first issue: 12.11.2021

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

•	asures
General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
If inhaled	: If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	 In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
4.2 Most important symptoms	and effects, both acute and delayed
Risks	 Causes skin irritation. Causes serious eye irritation. Suspected of damaging fertility. May cause damage to organs through prolonged or repeated exposure.
4.3 Indication of any immediat	e medical attention and special treatment needed
Treatment	: Treat symptomatically and supportively.

5.1	Extir	nguis	hing	media	
-----	-------	-------	------	-------	--

Suitable extinguishing media : Water spray Alcohol-resistant foam Commission Regulation (EU) 2020/878



Enrofloxacin Liquid Formulation

Vers 4.0	sion	Revision Date: 06.07.2024		OS Number: 225203-00008	Date of last issue: 06.04.2024 Date of first issue: 12.11.2021
				Carbon dioxide (C Dry chemical	CO2)
Unsuitable extinguishing media		:	None known.		
5.2 \$	Special	hazards arising from	the	e substance or mi	xture
Specific hazards during fire- fighting		:	Exposure to com	oustion products may be a hazard to health.	
	Hazard ucts	lous combustion prod-	:	Carbon oxides Metal oxides	
5.3 A	Advice	for firefighters			
	Special protective equipment for firefighters		:		e, wear self-contained breathing apparatus. tective equipment.
	Specifi ods	c extinguishing meth-	:	cumstances and t Use water spray t	g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to do

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equ Follow safe handling advice tective equipment recomment	e (see section 7) and personal pro-
--	-------------------------------------

6.2 Environmental precautions

Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
---------------------------	---	--

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	 Soak up with inert absorbent material. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfac- es, as these may form an explosive mixture if they are re- leased into the atmosphere in sufficient concentration. For large spills, provide dyking or other appropriate contain-
	ment to keep material from spreading. If dyked material can



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	06.07.2024	10225203-00008	Date of first issue: 12.11.2021
		Clean up remain bent. Local or national posal of this mat employed in the mine which regu Sections 13 and	e recovered material in appropriate container. ing materials from spill with suitable absor- regulations may apply to releases and dis- erial, as well as those materials and items cleanup of releases. You will need to deter- lations are applicable. 15 of this SDS provide information regarding ational requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures	 Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Local/Total ventilation Advice on safe handling	Use only with adequate ventilation.Do not get on skin or clothing.
	Do not breathe mist or vapours. Do not swallow. Do not get in eyes.
	Wash skin thoroughly after handling.
	Handle in accordance with good industrial hygiene and safety
	practice, based on the results of the workplace exposure as- sessment
	Minimize dust generation and accumulation.
	Keep container closed when not in use.
	Keep away from heat and sources of ignition.
	Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.
	Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.
	The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
7.2 Conditions for safe storage,	ncluding any incompatibilities

Requirements for storage areas and containers	:	Keep in properly labelled containers. Store locked up. Store in accordance with the particular national regulations.
Advice on common storage	:	Do not store with the following product types: Strong oxidizing agents

Commission Regulation (EU) 2020/878



Enrofloxacin Liquid Formulation

Version 4.0	Revision Date: 06.07.2024		DS Number: 0225203-00008	Date of last issue: 06.04.2024 Date of first issue: 12.11.2021
			Self-reactive sub Organic peroxide Explosives Gases	stances and mixtures es
-	ic end use(s) fic use(s)	:	No data available	9

SECTION 8: Exposure controls/personal protection

8.1 Control parameters


Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Propylene glycol	57-55-6	TWA	25 ppm 79 mg/m3	FOR-2011- 12-06-1358
Enrofloxacin	93106-60-6	TWA	0.2 mg/m3 (OEB 2)	Internal
Potassium hydrox- ide	1310-58-3	Т	2 mg/m3	FOR-2011- 12-06-1358

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Potassium hydroxide	Workers	Inhalation	Long-term local ef- fects	1 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	1 mg/m3
Propylene glycol	Workers	Inhalation	Long-term local ef- fects	10 mg/m3
	Workers	Inhalation	Long-term systemic effects	168 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	10 mg/m3
	Consumers	Inhalation	Long-term systemic effects	50 mg/m3
Benzyl alcohol	Workers	Inhalation	Long-term systemic effects	22 mg/m3
	Workers	Inhalation	Acute systemic ef- fects	110 mg/m3
	Workers	Skin contact	Long-term systemic effects	8 mg/kg bw/day
	Workers	Skin contact	Acute systemic ef- fects	40 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	5,4 mg/m3
	Consumers	Inhalation	Acute systemic ef- fects	27 mg/m3
	Consumers	Skin contact	Long-term systemic	4 mg/kg

SAFETY DATA SHEET





I

Enrofloxacin Liquid Formulation

Version 4.0	Revision Date: 06.07.2024	SDS Num 10225203		Date of last issue: 06.04.2024 Date of first issue: 12.11.2021		
					effects	bw/day
		Consumers	Skin conta	act	Acute systemic ef- fects	20 mg/kg

			0110010	ow, ady
Cor	sumers Skir	n contact	Acute systemic ef-	20 mg/kg
		f	fects	bw/day
Cor	sumers Inge	estion	Long-term systemic	4 mg/kg
		(effects	bw/day
Cor	sumers Inge	estion	Acute systemic ef-	20 mg/kg
	-	1	fects	bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Propylene glycol	Fresh water	260 mg/l
	Freshwater - intermittent	183 mg/l
	Marine water	26 mg/l
	Sewage treatment plant	20000 mg/l
	Fresh water sediment	572 mg/kg dry weight (d.w.)
	Marine sediment	57,2 mg/kg dry weight (d.w.)
	Soil	50 mg/kg dry weight (d.w.)
Benzyl alcohol	Fresh water	1 mg/l
	Marine water	0,1 mg/l
	Intermittent use/release	2,3 mg/l
	Sewage treatment plant	39 mg/l
	Fresh water sediment	5,27 mg/kg
	Marine sediment	0,527 mg/kg
	Soil	0,456 mg/kg

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment.

Personal protective equipment

Eye/face protection		Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection		
Material	:	Chemical-resistant gloves
Skin and body protection Respiratory protection		Work uniform or laboratory coat. If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Equipment should conform to NS EN 143
Filter type	:	Particulates type (P)



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	06.07.2024	10225203-00008	Date of first issue: 12.11.2021

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	Aqueous solution
Colour	:	Clear white to yellow.
Odour	:	No data available
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, han- dling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	10,5 - 12,5
Viscosity Viscosity, kinematic	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	Not applicable
Vapour pressure	:	No data available
Relative density	:	No data available
Density	:	No data available

Commission Regulation (EU) 2020/878



Enrofloxacin Liquid Formulation

Versior 4.0	n Revision Date: 06.07.2024	SDS Number: 10225203-00008	Date of last issue: 06.04.2024 Date of first issue: 12.11.2021
Relative vapour density Particle characteristics		: No data availa	ble
Particle size		: Not applicable	
9.2 Other information Explosives		: Not explosive	
O	kidizing properties	: The substance	or mixture is not classified as oxidizing.
E٧	aporation rate	: No data availa	ble
M	olecular weight	: No data availa	ble

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	 May form explosive dust-air mixture during processing, han- dling or other means. Can react with strong oxidizing agents.
10.4 Conditions to avoid	
Conditions to avoid	: Heat, flames and sparks. Avoid dust formation.
10.5 Incompatible materials	

Materials to avoid	: Oxidizing agents	
	Acids	

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Eye contact

Information on likely routes of	:	Inhalation
exposure		Skin contact
		Ingestion

Acute toxicity

Not classified based on available information.



ersion)	Revision Date: 06.07.2024	SDS Number: 10225203-00008	Date of last issue: 06.04.2024 Date of first issue: 12.11.2021			
<u>Produ</u>	uct:					
Acute oral toxicity		: Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method				
Comp	oonents:					
Enrof	loxacin:					
Acute	oral toxicity	: LD50 (Rabbit):	: 500 - 800 mg/kg			
		LD50 (Rat): >	5.000 mg/kg			
		LD50 (Mouse)	: > 5.000 mg/kg			
Acute	dermal toxicity	: LD50 (Rabbit):	: > 2.000 mg/kg			
Potas	sium hydroxide:					
Acute	oral toxicity	: LD50 (Rat): 33	33 mg/kg			
Acute	inhalation toxicity	: Assessment: (Corrosive to the respiratory tract.			
Benzy	yl alcohol:					
Acute	oral toxicity	: LD50 (Rat): 1.0	620 mg/kg			
Acute	inhalation toxicity	: LC50 (Rat): > Exposure time Test atmosphe Method: OECI	:4 h			
	corrosion/irritation es skin irritation.					
<u>Comp</u>	oonents:					
Enrof	loxacin:					
Resul	t	: No skin irritatio	n			
Potas	sium hydroxide:					
Speci		: Rabbit				
Resul	ι	: Corrosive after	r 3 minutes or less of exposure			
-	yl alcohol:					
Speci		: Rabbit	videline 101			
Method Result		: OECD Test Gu : No skin irritatio				

Serious eye damage/eye irritation

Causes serious eye irritation.



Enrofloxacin Liquid Formulation

rsion)	Revision Date: 06.07.2024		0S Number: 225203-00008	Date of last issue: 06.04.2024 Date of first issue: 12.11.2021
<u>Comp</u>	oonents:			
Enro	loxacin:			
Resul		:	Mild eye irritation	
Potas	ssium hydroxide:			
Speci		:	Rabbit	
Resul	lt	:	Irreversible effect	s on the eye
Benz	yl alcohol:			
Speci		:	Rabbit	
Metho Resul		:	OECD Test Guide	eline 405 reversing within 21 days
Resul	it.	•	initation to eyes,	Teversing within 21 days
Resp	iratory or skin sensi	tisatio	n	
Skin	sensitisation			
Not cl	assified based on ava	ailable	information.	
-	iratory sensitisation assified based on ava		information.	
	oonents:			
Enrof	floxacin:			
Test 7		:	Maximisation Tes	st
	sure routes	:	Dermal	
Speci Resul			Guinea pig Not a skin sensiti	zer.
Potas	ssium hydroxide:			
Test]		:	Intracutaneous te	est
Expos	sure routes	:	Skin contact Guinea pig	
Resul		:	negative	
Benz	yl alcohol:			
Test		:	Maximisation Tes	st
Expos	sure routes	:	Skin contact	
Speci		:	Guinea pig	
Metho Resul		:	OECD Test Guide negative	eline 406
Germ	cell mutagenicity			
	assified based on ava	ailable	information.	
Com	oonents:			
Enro	floxacin:			

Genotoxicity in vitro

: Test Type: Chromosomal aberration



Version 4.0	Revision Date: 06.07.2024	SDS Number: 10225203-00008	Date of last issue: 06.04.2024 Date of first issue: 12.11.2021
		Result: positive	
Geno	toxicity in vivo	: Test Type: Micr Species: Mouse Result: negative	9
		Test Type: Man change Species: Hams Result: negative	
		Test Type: Chro Species: Rat Result: negative	omosomal aberration
Potas	ssium hydroxide:		
Geno	toxicity in vitro	: Test Type: Bac Result: negative	terial reverse mutation assay (AMES)
Benz	yl alcohol:		
Geno	toxicity in vitro	: Test Type: Bac Result: negative	terial reverse mutation assay (AMES)
Geno	toxicity in vivo	cytogenetic ass Species: Mouse	e ite: Intraperitoneal injection
Carci	inogenicity		

Not classified based on available information.

Components:

Enrofloxacin:

Species Application Route Exposure time Result	: :	Rat Oral 2 Years negative
Species Application Route Exposure time Result	: : : : : :	Mouse Oral 2 Years negative
Benzyl alcohol:		
Species Application Route Exposure time Method	::	Mouse Ingestion 103 weeks OECD Test Guideline 451



Enrofloxacin Liquid Formulation

rsion)	Revision Date: 06.07.2024	-	DS Number: 225203-00008	Date of last issue: 06.04.2024 Date of first issue: 12.11.2021
Resul	t	:	negative	
-	oductive toxicity ected of damaging ferti	ility.		
Comp	oonents:			
Enrof	loxacin:			
Effect	s on fertility	:	Species: Rat Application Rou Fertility: LOAEL	-generation study te: Oral : 15 mg/kg body weight on fertility, alteration in sperm morphology
Effects on foetal develop- ment		:	Result: Reduced Remarks: Mater	te: Oral Toxicity: LOAEL: 210 mg/kg body weight d foetal weight, No teratogenic effects mal toxicity observed.
Repro sessn	oductive toxicity - As- nent	:		of adverse effects on sexual function and n animal experiments.
Benzy	yl alcohol:			
Effect	s on fertility	:	Species: Rat Application Rou Result: negative	
Effect ment	s on foetal develop-	:	Test Type: Emb Species: Mouse Application Rou Result: negative	te: Ingestion
STOT	- single exposure			
Not cl	assified based on avai	lable	information.	
	- repeated exposure cause damage to organ			

May cause damage to organs through prolonged or repeated exposure.

Components:

Enrofloxacin:

Target Organs

: cartilage, Testis



Enrofloxacin Liquid Formulation

ersion .0	Revision Date: 06.07.2024	SDS Number: 10225203-00008	Date of last issue: 06.04.2024 Date of first issue: 12.11.2021
Assessment		: Causes damage exposure.	e to organs through prolonged or repeated
Repe	ated dose toxicity		
Com	oonents:		
Speci NOAE LOAE Applic Expos	EL	: Rat : 36 mg/kg : 150 mg/kg : Oral : 13 Weeks : Testis	
Expos	EL	: Dog : 3 mg/kg : 9,6 mg/kg : Oral : 13 Weeks : cartilage	
	EL cation Route sure time	: Cat : 25 mg/kg : Oral : 30 Days : No significant ad	dverse effects were reported
Benz	yl alcohol:		
Speci NOAE Applic	es EL cation Route sure time	: Rat : 1,072 mg/l : inhalation (dust/ : 28 Days : OECD Test Gui	

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Enrofloxacin Liquid Formulation

/ersion .0	Revision Date: 06.07.2024		S Number: 225203-00008	Date of last issue: 06.04.2024 Date of first issue: 12.11.2021
Expe	rience with human exp	osu	re	
Com	ponents:			
Enro Inges	floxacin: stion	:	Symptoms: Gastr tem effects, Sens	ointestinal disturbance, central nervous sys- itivity to light
SECTION	N 12: Ecological infor	ma	tion	
2.1 Toxic	city			
<u>Com</u>	ponents:			
	floxacin: hity to fish	:	LC50 (Lepomis m Exposure time: 96	acrochirus (Bluegill sunfish)): 79,5 mg/l 5 h
			LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout)): > 196 mg/l እ h
			LC50 (Oryzias lat Exposure time: 96	ipes (Japanese medaka)): > 100 mg/l 5 h
	ity to daphnia and other tic invertebrates	:	EC50 (Hyalella az Exposure time: 96	zteca (Amphipod)): > 206 mg/l S h
			EC50 (Daphnia m Exposure time: 48	agna (Water flea)): 79,9 mg/l 3 h
Toxic plants	ity to algae/aquatic s	:	EC50 (Pseudokiro mg/l Exposure time: 72	chneriella subcapitata (green algae)): 3,1 2 h
			EC50 (Microcystis Exposure time: 5	s aeruginosa (blue-green algae)): 0,049 mg/l d
M-Fa icity)	ctor (Acute aquatic tox-	:	10	
	ity to daphnia and other tic invertebrates (Chron- icity)	:	NOEC: 9,8 mg/l Exposure time: 2' Species: Daphnia	l d magna (Water flea)
			NOEC: 5 mg/l Exposure time: 2' Species: Daphnia	l d magna (Water flea)
			LOEC: 15 mg/l Exposure time: 21 Species: Daphnia	l d magna (Water flea)
M-Fa	ctor (Chronic aquatic	:	10	



/ersion 1.0	Revision Date: 06.07.2024		0S Number: 225203-00008	Date of last issue: 06.04.2024 Date of first issue: 12.11.2021		
toxicity						
Benzyl	alcohol:					
Toxicity		:	LC50 (Pimephale Exposure time: 96	s promelas (fathead minnow)): 460 mg/l S h		
	to daphnia and other invertebrates	:	EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202			
Toxicity plants	to algae/aquatic	:	EC50 (Pseudokiro mg/l Exposure time: 72 Method: OECD T			
			NOEC (Pseudoki mg/l Exposure time: 72 Method: OECD T			
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)		:	NOEC: 51 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211			
2.2 Persis	ence and degradabil	ity				
Compo	onents:					
Benzyl alcohol: Biodegradability		:	Result: Readily biodegradable. Biodegradation: 92 - 96 % Exposure time: 14 d			
2.3 Bioaco	umulative potential					
Compo	onents:					
Enrofic Partitio octanol	n coefficient: n-	:	log Pow: 0,5			
•	alcohol: n coefficient: n- /water	:	log Pow: 1,05			
2.4 Mobilit	y in soil					
Compo	onents:					
Enrofic	oxacin: ition among environ-	:	Koc: 5,55			



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	06.07.2024	10225203-00008	Date of first issue: 12.11.2021

:

12.5 Results of PBT and vPvB assessment

Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components consid-: ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	:	

SECTION 14: Transport information

14.1 UN number or ID number

ADN	: UN	3082
ADR	: UN	3082
RID	: UN	3082
IMDG	: UN	3082
ΙΑΤΑ	: UN	3082

:

14.2 UN proper shipping name

ADN

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Enrofloxacin)



Vers 4.0	sion	Revision Date: 06.07.2024		0S Number: 225203-00008	Date of last issue: 06.04.2024 Date of first issue: 12.11.2021	
	ADR		:	ENVIRONMENTA N.O.S. (Enrofloxacin)	ALLY HAZARDOUS SUBSTANCE, LIQUID,	
	RID		:	ENVIRONMENTA N.O.S. (Enrofloxacin)	ALLY HAZARDOUS SUBSTANCE, LIQUID,	
	IMDG		:	ENVIRONMENTA N.O.S. (Enrofloxacin)	ALLY HAZARDOUS SUBSTANCE, LIQUID,	
	ΙΑΤΑ		:	Environmentally hazardous substance, liquid, n.o.s. (Enrofloxacin)		
14.3	Transp	oort hazard class(es)				
				Class	Subsidiary risks	
	ADN		:	9		
	ADR		:	9		
	RID		:	9		
	IMDG		:	9		
	ΙΑΤΑ		:	9		
14.4	Packir	ng group				
	Classif	g group ication Code I Identification Number	:	III M6 90 9		
	Classif Hazard Labels	g group ication Code I Identification Number restriction code	:	III M6 90 9 (-)		
	Classif	g group ication Code I Identification Number	:	III M6 90 9		
	IMDG Packing Labels EmS C	g group ode	:	III 9 F-A, S-F		
	IATA (Packin aircraft	g instruction (cargo	:	964		
	Packin	g instruction (LQ) g group	:	Y964 III		

Enrofloxacin Liquid Formulation

Vers 4.0	sion	Revision Date: 06.07.2024		DS Number: 0225203-00008	Date of last issue: 06.04.2024 Date of first issue: 12.11.2021
Labels		:	Miscellaneous		
IATA (Passenger) Packing instruction (passen- ger aircraft)		:	964		
Packing instruction (LQ) Packing group Labels		:	Y964 III Miscellaneous		
14.5 Environmental hazards		•	micconarioodo		
	ADN Enviror	nmentally hazardous	:	yes	
	ADR Enviror	nmentally hazardous	:	yes	
	RID Enviror	nmentally hazardous	:	yes	
IMDG Marine pollutant		:	yes		

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3
		Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the condi- tions in corresponding Regulation to determine whether an entry is appli- cable to the placing on the market or not.
		If you intend to use this product as tattoo ink, please contact your ven- dor.
REACH - Candidate List of Substances of Very High	:	Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Enrofloxacin Liquid Formulation

Version 4.0	Revision Date: 06.07.2024	SDS Number: 10225203-00008		last issue: 06.04.2 first issue: 12.11.2	
Conc	ern for Authorisation (A	rticle 59).			
REAG	CH - List of substances ex XIV)		n :	Not applicable	
Regu	lation (EC) No 1005/20 the ozone layer	09 on substances that	de- :	Not applicable	
Regu	lation (EU) 2019/1021 ((recast)	on persistent organic p	ollu- :	Not applicable	
Regu ment	ation (EU) No 649/201 and the Council concer ngerous chemicals	•		Not applicable	
	so III: Directive 2012/18 r-accident hazards invol			t and of the Counc	il on the control of
•		0 0		Quantity 1	Quantity 2
E1		ENVIRONMENT HAZARDS	AL	100 t	200 t

Other regulations:

Note the Working Environment Act § 4-1 and § 4-2 on requirements for the employer to protect pregnant employees against discomfort and injury as a result of the work situation and the working environment.

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information	:	Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.
Full text of H-Statements		
H290	:	May be corrosive to metals.
H302	:	Harmful if swallowed.
H314	:	Causes severe skin burns and eye damage.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H332	:	Harmful if inhaled.
H361f	:	Suspected of damaging fertility.
H372	:	Causes damage to organs through prolonged or repeated
		exposure.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Enrofloxacin Liquid Formulation

Version 4.0	Revision Date: 06.07.2024		S Number: 25203-00008	Date of last issue: 06.04.2024 Date of first issue: 12.11.2021	
EUH014 EUH071			Reacts violently with water. Corrosive to the respiratory tract.		
Ful	I text of other abbreviat	tions			
Acute Tox. Aquatic Acute Aquatic Chronic Eye Dam. Eye Irrit. Met. Corr. Repr. Skin Corr. STOT RE FOR-2011-12-06-1358 FOR-2011-12-06-1358 / TWA			Long-term (chro Serious eye dar Eye irritation Corrosive to me Reproductive to Skin corrosion Specific target c	tals xicity rgan toxicity - repeated exposure ational Exposure limits	
FOR-2011-12-06-1358 / T :			Ceiling		

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD



Version 4.0	Revision Date: 06.07.2024	SDS Number: 10225203-00008	Date of last issue: 06.04.2024 Date of first issue: 12.11.2021
compile the Safety Data Sheet		eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/	
Class	sification of the mixt	ure:	Classification procedure:
Skin	Irrit. 2	H315	Calculation method
Eye I	rrit. 2	H319	Calculation method
Repr	. 2	H361f	Calculation method
STO	T RE 2	H373	Calculation method
Aqua	tic Acute 1	H400	Calculation method
Aqua	tic Chronic 1	H410	Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NO / EN