according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Enrofloxacin Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 3.3
 28.09.2024
 2346785-00016
 Date of first issue: 19.12.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Enrofloxacin Solid Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Veterinary product

stance/Mixture

Recommended restrictions : Not applicable

on use

1.3 Details of the supplier of the safety data sheet

Company : MSD

Kilsheelan

Clonmel Tipperary, IE

Telephone : 353-51-601000

E-mail address of person

responsible for the SDS

EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 H302: Harmful if swallowed.

Reproductive toxicity, Category 2 H361f: Suspected of damaging fertility.

Specific target organ toxicity - repeated H372: Causes damage to organs through pro-

exposure, Category 1 longed or repeated exposure.

Short-term (acute) aquatic hazard, Cate-

gory 1

Long-term (chronic) aquatic hazard, Cat-

egory 1

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Enrofloxacin Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.3 28.09.2024 2346785-00016 Date of first issue: 19.12.2017

Signal word : Danger

Hazard statements : H302 Harmful if swallowed.

H361f Suspected of damaging fertility.

H372 Causes damage to organs through prolonged or re-

peated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P260 Do not breathe dust.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P391 Collect spillage.

Hazardous components which must be listed on the label:

Enrofloxacin

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Index-No. Registration number		(,,,,,,,
Enrofloxacin	93106-60-6	Acute Tox. 4; H302 Repr. 2; H361f	>= 50 - < 70

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Enrofloxacin Solid Formulation

Version 3.3	Revision Date: 28.09.2024	SDS Number: 2346785-00016	Date of last issue: 06.04.2024 Date of first issue: 19.12.2017
			STOT RE 1; H372 (cartilage, Testis) Aquatic Acute 1; H400 Aquatic Chronic 1; H410
			M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Harmful if swallowed.

Suspected of damaging fertility.

Causes damage to organs through prolonged or repeated

exposure.

Contact with dust can cause mechanical irritation or drying of

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Enrofloxacin Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 3.3
 28.09.2024
 2346785-00016
 Date of first issue: 19.12.2017

the skin.

Dust contact with the eyes can lead to mechanical irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- :

ucts

Carbon oxides

Nitrogen oxides (NOx)

Metal oxides

5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Enrofloxacin Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.3 28.09.2024 2346785-00016 Date of first issue: 19.12.2017

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres. Use only with adequate ventilation.

Local/Total ventilation Advice on safe handling

Do not breathe dust.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

nated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment,

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Enrofloxacin Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.3 28.09.2024 2346785-00016 Date of first issue: 19.12.2017

appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep in properly labelled containers. Store locked up. Store in

accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Dust 5 mg/m3

Value type (Form of exposure): TWA (respirable dust)

Basis: FOR-2011-12-06-1358

10 mg/m3

Value type (Form of exposure): TWA (total dust)

Basis: FOR-2011-12-06-1358

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Enrofloxacin	93106-60-6	TWA	0.2 mg/m3 (OEB 2)	Internal

8.2 Exposure controls

Engineering measures

Use feasible engineering controls to minimize exposure to compound.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Hand protection

Material : Chemical-resistant gloves

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Enrofloxacin Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.3 28.09.2024 2346785-00016 Date of first issue: 19.12.2017

Skin and body protection : Work uniform or laboratory coat.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Equipment should conform to NS EN 143

Filter type : Particulates type (P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : powder

Colour : light orange

Odour : musty

Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : Not applicable

Viscosity

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Enrofloxacin Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.3 28.09.2024 2346785-00016 Date of first issue: 19.12.2017

Partition coefficient: n-

octanol/water

: Not applicable

Vapour pressure : No data available

Relative density : No data available

Density : No data available

Relative vapour density : No data available

Particle characteristics

Particle size : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

Molecular weight : Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Enrofloxacin Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.3 28.09.2024 2346785-00016 Date of first issue: 19.12.2017

Information on likely routes of:

exposure

Inhalation Skin contact Ingestion

Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1.000 mg/kg

Method: Calculation method

Components:

Enrofloxacin:

Acute oral toxicity : LD50 (Rabbit): 500 - 800 mg/kg

LD50 (Rat): > 5.000 mg/kg

LD50 (Mouse): > 5.000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Enrofloxacin:

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Enrofloxacin:

Result : Mild eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Enrofloxacin:

Test Type : Maximisation Test

Exposure routes : Dermal

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Enrofloxacin Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 3.3
 28.09.2024
 2346785-00016
 Date of first issue: 19.12.2017

Species : Guinea pig

Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:

Enrofloxacin:

Genotoxicity in vitro : Test Type: Chromosomal aberration

Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Result: negative

Test Type: Mammalian bone marrow sister chromatid ex-

change

Species: Hamster Result: negative

Test Type: Chromosomal aberration

Species: Rat Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Enrofloxacin:

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

Species : Mouse
Application Route : Oral
Exposure time : 2 Years
Result : negative

Reproductive toxicity

Suspected of damaging fertility.

Components:

Enrofloxacin:

Effects on fertility : Test Type: Two-generation study

Species: Rat

Application Route: Oral

Fertility: LOAEL: 15 mg/kg body weight

Result: Effects on fertility, alteration in sperm morphology

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Enrofloxacin Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.3 28.09.2024 2346785-00016 Date of first issue: 19.12.2017

Effects on foetal develop-

ment

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 210 mg/kg body weight Result: Reduced foetal weight, No teratogenic effects

Remarks: Maternal toxicity observed.

Test Type: Development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 25 mg/kg body weight

Result: No fetotoxicity, No teratogenic effects

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and

fertility, based on animal experiments.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Components:

Enrofloxacin:

Target Organs : cartilage, Testis

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Enrofloxacin:

Species : Rat
NOAEL : 36 mg/kg
LOAEL : 150 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Testis

Species : Dog
NOAEL : 3 mg/kg
LOAEL : 9,6 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : cartilage

Species : Cat

NOAEL : 25 mg/kg

Application Route : Oral

Exposure time : 30 Days

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Enrofloxacin Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 3.3
 28.09.2024
 2346785-00016
 Date of first issue: 19.12.2017

Remarks : No significant adverse effects were reported

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Experience with human exposure

Components:

Enrofloxacin:

Ingestion : Symptoms: Gastrointestinal disturbance, central nervous sys-

tem effects, Sensitivity to light

SECTION 12: Ecological information

12.1 Toxicity

Components:

Enrofloxacin:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 79,5 mg/l

Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 196 mg/l

Exposure time: 96 h

LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Hyalella azteca (Amphipod)): > 206 mg/l

Exposure time: 96 h

EC50 (Daphnia magna (Water flea)): 79,9 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 3,1

mg/l

Exposure time: 72 h

EC50 (Microcystis aeruginosa (blue-green algae)): 0,049 mg/l

Exposure time: 5 d

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Enrofloxacin Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.3 28.09.2024 2346785-00016 Date of first issue: 19.12.2017

M-Factor (Acute aquatic tox- :

icity)

10

10

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 9,8 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

NOEC: 5 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

LOEC: 15 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Components:

Enrofloxacin:

Partition coefficient: n-

octanol/water

log Pow: 0,5

12.4 Mobility in soil

Components:

Enrofloxacin:

Distribution among environ-

mental compartments

Koc: 5,55

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Enrofloxacin Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.3 28.09.2024 2346785-00016 Date of first issue: 19.12.2017

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3077
ADR : UN 3077
RID : UN 3077
IMDG : UN 3077
IATA : UN 3077

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Enrofloxacin)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Enrofloxacin)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Enrofloxacin)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Enrofloxacin)

IATA : Environmentally hazardous substance, solid, n.o.s.

(Enrofloxacin)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 9

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Enrofloxacin Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 3.3
 28.09.2024
 2346785-00016
 Date of first issue: 19.12.2017

 ADR
 : 9

 RID
 : 9

 IMDG
 : 9

 IATA
 : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III Labels : 9

EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 956

aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 956

ger aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Enrofloxacin Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.3 28.09.2024 2346785-00016 Date of first issue: 19.12.2017

IMDG

Marine pollutant yes

IATA (Passenger)

Environmentally hazardous yes

IATA (Cargo)

Environmentally hazardous yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable

Not applicable

Not applicable

REACH - Restrictions on the manufacture, placing on

the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

REACH - List of substances subject to authorisation Not applicable

(Annex XIV)

Regulation (EC) on substances that deplete the ozone

layer

Regulation (EU) 2019/1021 on persistent organic pollu-Not applicable

tants (recast)

Regulation (EU) No 649/2012 of the European Parlia-Not applicable

ment and the Council concerning the export and import

of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of

major-accident hazards involving dangerous substances.

Quantity 1 Quantity 2 E1 200 t

ENVIRONMENTAL 100 t

HAZARDS

Other regulations:

Note the Working Environment Act § 4-1 and § 4-2 on requirements for the employer to protect pregnant employees against discomfort and injury as a result of the work situation and the working environment.

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

The components of this product are reported in the following inventories:

AICS not determined

DSL not determined

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Enrofloxacin Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.3 28.09.2024 2346785-00016 Date of first issue: 19.12.2017

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

Full text of H-Statements

H302 : Harmful if swallowed.

H361f : Suspected of damaging fertility.

H372 : Causes damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Repr. : Reproductive toxicity

STOT RE : Specific target organ toxicity - repeated exposure

FOR-2011-12-06-1358 : Norway. Occupational Exposure limits

FOR-2011-12-06-1358 / : Long term exposure limit

TWA

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Enrofloxacin Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 3.3
 28.09.2024
 2346785-00016
 Date of first issue: 19.12.2017

of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Classification of the mixture: Classification procedure:

Acute Tox. 4	H302	Calculation method
Repr. 2	H361f	Calculation method
STOT RE 1	H372	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NO / EN