

**Enrofloxacin / Diclofenac Liquid Formulation**

Version 2.4      Revision Date: 04.04.2023      SDS Number: 1239760-00016      Date of last issue: 01.10.2022  
Date of first issue: 26.01.2017

---

**1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Enrofloxacin / Diclofenac Liquid Formulation

**Manufacturer or supplier's details**

Company : MSD

Address : 50 Tuas West Drive  
Singapore - Singapore 638408

Telephone : +1-908-740-4000

Emergency telephone number : 65 6697 2111 (24/7/365)

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use :  
Not applicable

---

**2. HAZARDS IDENTIFICATION****GHS Classification**

Skin corrosion/irritation : Category 1

Serious eye damage/eye irritation : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure : Category 1 (cartilage, Testis)

Specific target organ toxicity - repeated exposure : Category 2 (Gastrointestinal tract, Blood, lymphatic system, Liver, Prostate)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

**GHS label elements**

Hazard pictograms :



## Enrofloxacin / Diclofenac Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
2.4	04.04.2023	1239760-00016	Date of first issue: 26.01.2017

Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.  
H361f Suspected of damaging fertility.  
H372 Causes damage to organs (cartilage, Testis) through prolonged or repeated exposure.  
H373 May cause damage to organs (Gastrointestinal tract, Blood, lymphatic system, Liver, Prostate) through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe mist or vapours.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P301 + P330 + P331 + P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/ doctor.  
P303 + P361 + P353 + P310 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. Immediately call a POISON CENTER/ doctor.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P363 Wash contaminated clothing before reuse.  
P391 Collect spillage.

**Storage:**  
P405 Store locked up.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

## Enrofloxacin / Diclofenac Liquid Formulation

Version 2.4      Revision Date: 04.04.2023      SDS Number: 1239760-00016      Date of last issue: 01.10.2022  
 Date of first issue: 26.01.2017

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Enrofloxacin	93106-60-6	>= 10 -< 20
Benzyl alcohol	100-51-6	>= 1 -< 10
Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate	15307-79-6	>= 1 -< 2.5

**4. FIRST AID MEASURES**

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention immediately.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention immediately.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.  
If vomiting occurs have person lean forward.  
Call a physician or poison control centre immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Causes digestive tract burns.  
Causes serious eye damage.  
Suspected of damaging fertility.  
Causes damage to organs through prolonged or repeated exposure.  
Causes severe burns.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

**5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

## Enrofloxacin / Diclofenac Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
2.4	04.04.2023	1239760-00016	Date of first issue: 26.01.2017

---

Hazardous combustion products	:	Carbon oxides Chlorine compounds Nitrogen oxides (NO <sub>x</sub> ) Sodium oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	:	Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

## Enrofloxacin / Diclofenac Liquid Formulation

Version 2.4      Revision Date: 04.04.2023      SDS Number: 1239760-00016      Date of last issue: 01.10.2022  
 Date of first issue: 26.01.2017

- assessment  
 Keep container tightly closed.  
 Do not eat, drink or smoke when using this product.  
 Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.  
 Store locked up.  
 Keep tightly closed.  
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
 Self-reactive substances and mixtures  
 Organic peroxides  
 Oxidizing agents  
 Explosives

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Enrofloxacin	93106-60-6	TWA	0.2 mg/m <sup>3</sup> (OEB 2)	Internal
Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate	15307-79-6	TWA	100 µg/m <sup>3</sup> (OEB 2)	Internal
Further information: Skin				

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Laboratory operations do not require special containment.

**Personal protective equipment**

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Combined particulates and organic vapour type
- Hand protection : Chemical-resistant gloves
- Material : Chemical-resistant gloves
- Eye protection : Wear safety glasses with side shields or goggles.  
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection : Work uniform or laboratory coat.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the work-

**Enrofloxacin / Diclofenac Liquid Formulation**

Version 2.4      Revision Date: 04.04.2023      SDS Number: 1239760-00016      Date of last issue: 01.10.2022  
Date of first issue: 26.01.2017

---

ing place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	:	liquid
Colour	:	light yellow
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	10.5 - 11.5 (as aqueous solution)
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	1.07 - 1.08 g/cm <sup>3</sup>
Solubility(ies) Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available

## Enrofloxacin / Diclofenac Liquid Formulation

Version 2.4      Revision Date: 04.04.2023      SDS Number: 1239760-00016      Date of last issue: 01.10.2022  
Date of first issue: 26.01.2017

---

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : Not applicable

---

**10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents  
Acids

Hazardous decomposition products : No hazardous decomposition products are known.

---

**11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

**Components:****Enrofloxacin:**

Acute oral toxicity : LD50 (Rabbit): 500 - 800 mg/kg  
LD50 (Rat): > 5,000 mg/kg  
LD50 (Mouse): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

---

## Enrofloxacin / Diclofenac Liquid Formulation

Version 2.4      Revision Date: 04.04.2023      SDS Number: 1239760-00016      Date of last issue: 01.10.2022  
Date of first issue: 26.01.2017

---

**Benzyl alcohol:**

Acute oral toxicity : LD50 (Rat): 1,620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

**Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:**

Acute oral toxicity : LD50 (Rat): 55 - 240 mg/kg  
LD50 (Mouse): 170 - 389 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 97 - 161 mg/kg  
Application Route: Intravenous  
LD50 (Mouse): 92 - 147 mg/kg  
Application Route: Intravenous

**Skin corrosion/irritation**

Causes severe burns.

**Components:****Enrofloxacin:**

Result : No skin irritation

**Benzyl alcohol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:**

Result : irritating

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Components:****Enrofloxacin:**

Result : Mild eye irritation

**Benzyl alcohol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405



## Enrofloxacin / Diclofenac Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
2.4	04.04.2023	1239760-00016	Date of first issue: 26.01.2017

---

### Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Result : Mild eye irritation

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

### Components:

#### Enrofloxacin:

Test Type : Maximisation Test  
 Exposure routes : Dermal  
 Species : Guinea pig  
 Result : Not a skin sensitizer.

#### Benzyl alcohol:

Test Type : Maximisation Test  
 Exposure routes : Skin contact  
 Species : Guinea pig  
 Method : OECD Test Guideline 406  
 Result : negative

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Enrofloxacin:

Genotoxicity in vitro : Test Type: Chromosomal aberration  
 Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test  
 Species: Mouse  
 Result: negative

Test Type: Mammalian bone marrow sister chromatid exchange  
 Species: Hamster  
 Result: negative

Test Type: Chromosomal aberration  
 Species: Rat  
 Result: negative

#### Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo)

**Enrofloxacin / Diclofenac Liquid Formulation**

Version 2.4      Revision Date: 04.04.2023      SDS Number: 1239760-00016      Date of last issue: 01.10.2022  
Date of first issue: 26.01.2017

---

cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

**Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Mouse Lymphoma  
Result: negative

Genotoxicity in vivo : Test Type: Chromosomal aberration  
Species: CHO  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Enrofloxacin:**

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
Result : negative

Species : Mouse  
Application Route : Oral  
Exposure time : 2 Years  
Result : negative

**Benzyl alcohol:**

Species : Mouse  
Application Route : Ingestion  
Exposure time : 103 weeks  
Method : OECD Test Guideline 451  
Result : negative

**Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:**

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
Result : negative

Species : Mouse  
Application Route : Oral  
Exposure time : 2 Years  
Result : negative

**Reproductive toxicity**

Suspected of damaging fertility.

## Enrofloxacin / Diclofenac Liquid Formulation

Version 2.4      Revision Date: 04.04.2023      SDS Number: 1239760-00016      Date of last issue: 01.10.2022  
 Date of first issue: 26.01.2017

### Components:

#### **Enrofloxacin:**

Effects on fertility : Test Type: Two-generation study  
 Species: Rat  
 Application Route: Oral  
 Fertility: LOAEL: 15 mg/kg body weight  
 Result: Effects on fertility, alteration in sperm morphology

Effects on foetal development : Test Type: Development  
 Species: Rat  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 210 mg/kg body weight  
 Result: Reduced foetal weight, No teratogenic effects  
 Remarks: Maternal toxicity observed.

Test Type: Development  
 Species: Rabbit  
 Application Route: Oral  
 Developmental Toxicity: NOAEL: 25 mg/kg body weight  
 Result: No fetotoxicity, No teratogenic effects

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

#### **Benzyl alcohol:**

Effects on fertility : Test Type: Fertility/early embryonic development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative  
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Mouse  
 Application Route: Ingestion  
 Result: negative

#### **Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:**

Effects on fertility : Test Type: Fertility  
 Species: Rat, male and female  
 Application Route: Oral  
 Fertility: NOAEL: 4 mg/kg body weight  
 Result: No effects on fertility

Effects on foetal development : Test Type: Development  
 Species: Rat  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 1 mg/kg body weight  
 Result: Embryo-foetal toxicity, No teratogenic effects

Test Type: Development  
 Species: Rabbit  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 5 mg/kg body weight

## Enrofloxacin / Diclofenac Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
2.4	04.04.2023	1239760-00016	Date of first issue: 26.01.2017

---

Result: Embryo-foetal toxicity, No teratogenic effects

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Causes damage to organs (cartilage, Testis) through prolonged or repeated exposure.  
May cause damage to organs (Gastrointestinal tract, Blood, lymphatic system, Liver, Prostate) through prolonged or repeated exposure.

**Components:****Enrofloxacin:**

Target Organs : cartilage, Testis  
Assessment : Causes damage to organs through prolonged or repeated exposure.

**Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:**

Target Organs : Gastrointestinal tract, Blood, lymphatic system, Liver, Prostate  
Assessment : Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Enrofloxacin:**

Species : Rat  
NOAEL : 36 mg/kg  
LOAEL : 150 mg/kg  
Application Route : Oral  
Exposure time : 13 Weeks  
Target Organs : Testis

Species : Dog  
NOAEL : 3 mg/kg  
LOAEL : 9.6 mg/kg  
Application Route : Oral  
Exposure time : 13 Weeks  
Target Organs : cartilage

Species : Cat  
NOAEL : 25 mg/kg  
Application Route : Oral  
Exposure time : 30 Days  
Remarks : No significant adverse effects were reported

**Benzyl alcohol:**

Species : Rat  
NOAEL : 1.072 mg/l  
Application Route : inhalation (dust/mist/fume)

## Enrofloxacin / Diclofenac Liquid Formulation

Version 2.4      Revision Date: 04.04.2023      SDS Number: 1239760-00016      Date of last issue: 01.10.2022  
 Date of first issue: 26.01.2017

Exposure time : 28 Days  
 Method : OECD Test Guideline 412

**Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:**

Species : Rat  
 LOAEL : 0.25 mg/kg  
 Application Route : Oral  
 Exposure time : 98 w  
 Target Organs : Gastrointestinal tract, Blood, lymphatic system, Liver, Prostate

Species : Dog  
 LOAEL : 1 mg/kg  
 Application Route : Oral  
 Exposure time : 12 w  
 Target Organs : Blood

Species : Baboon  
 NOAEL : 0.5 mg/kg  
 LOAEL : 5 mg/kg  
 Application Route : Oral  
 Exposure time : 52 w  
 Target Organs : Gastrointestinal tract, Blood  
 Symptoms : constipation, Diarrhoea

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Enrofloxacin:**

Ingestion : Symptoms: Gastrointestinal disturbance, central nervous system effects, Sensitivity to light

**Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:**

Ingestion : Symptoms: Abdominal pain, Diarrhoea, constipation, heart-burn, Ulceration, Dizziness, Headache, Breathing difficulties, Rash

**12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Enrofloxacin:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 79.5 mg/l  
 Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 196 mg/l  
 Exposure time: 96 h

LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l

## Enrofloxacin / Diclofenac Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
2.4	04.04.2023	1239760-00016	Date of first issue: 26.01.2017

---

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Hyalella azteca (Amphipod)): > 206 mg/l  
Exposure time: 96 h

EC50 (Daphnia magna (Water flea)): 79.9 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 3.1 mg/l  
Exposure time: 72 h

EC50 (Microcystis aeruginosa (blue-green algae)): 0.049 mg/l  
Exposure time: 5 d

M-Factor (Acute aquatic toxicity) : 10

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 9.8 mg/l  
Exposure time: 21 d

NOEC (Daphnia magna (Water flea)): 5 mg/l  
Exposure time: 21 d

LOEC (Daphnia magna (Water flea)): 15 mg/l  
Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 10

**Benzyl alcohol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

**Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 166.6 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

**Enrofloxacin / Diclofenac Liquid Formulation**

Version 2.4      Revision Date: 04.04.2023      SDS Number: 1239760-00016      Date of last issue: 01.10.2022  
Date of first issue: 26.01.2017

---

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 80.1 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 71.9 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 49.2 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.32 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 10 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

**Persistence and degradability****Components:****Benzyl alcohol:**

- Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92 - 96 %  
Exposure time: 14 d

**Bioaccumulative potential****Components:****Enrofloxacin:**

- Partition coefficient: n-octanol/water : log Pow: 0.5

**Benzyl alcohol:**

- Partition coefficient: n-octanol/water : log Pow: 1.05

**Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:**

- Partition coefficient: n-octanol/water : log Pow: 4.51

**Mobility in soil****Components:****Enrofloxacin:**

- Distribution among environmental compartments : Koc: 5.55

**Enrofloxacin / Diclofenac Liquid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
2.4	04.04.2023	1239760-00016	Date of first issue: 26.01.2017

**Other adverse effects**

No data available

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues	:	Dispose of in accordance with local regulations. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

**14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Enrofloxacin)
Class	:	9
Packing group	:	III
Labels	:	9

**IATA-DGR**

UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (Enrofloxacin)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964
Environmentally hazardous	:	yes

**IMDG-Code**

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Enrofloxacin)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data



**Enrofloxacin / Diclofenac Liquid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
2.4	04.04.2023	1239760-00016	Date of first issue: 26.01.2017

---

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

**15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.**

Environmental Protection and Management Act and : Not applicable  
Environmental Protection and Management (Hazardous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) : Not applicable  
Regulations

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

---

**16. OTHER INFORMATION**

Revision Date : 04.04.2023

**Further information**

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD  
compile the Safety Data eChem Portal search results and European Chemicals Agen-  
Sheet cy, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

**Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Con-

**Enrofloxacin / Diclofenac Liquid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
2.4	04.04.2023	1239760-00016	Date of first issue: 26.01.2017

---

centration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN