

Estriol Formulation (Veterinary)

Version 3.1 Revision Date: 30.09.2023 SDS Number: 1930643-00013 Date of last issue: 04.04.2023
Date of first issue: 07.09.2017

SECTION 1. IDENTIFICATION

Product name : Estriol Formulation (Veterinary)

Manufacturer or supplier's details

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma
Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Carcinogenicity : Category 1A

Reproductive toxicity : Category 1A

Specific target organ toxicity - repeated exposure (Oral) : Category 2 (female reproductive organs, male reproductive organs, Blood, Kidney, Bladder)

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H350 May cause cancer.
H360FD May damage fertility. May damage the unborn child.
H373 May cause damage to organs (female reproductive organs, male reproductive organs, Blood, Kidney, Bladder) through prolonged or repeated exposure if swallowed.
H410 Very toxic to aquatic life with long lasting effects.

Estriol Formulation (Veterinary)

Version 3.1 Revision Date: 30.09.2023 SDS Number: 1930643-00013 Date of last issue: 04.04.2023
 Date of first issue: 07.09.2017

Precautionary Statements : **Prevention:**
 P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P260 Do not breathe dust.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.
 P391 Collect spillage.

Storage:
 P405 Store locked up.

Disposal:
 P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.
 Contact with dust can cause mechanical irritation or drying of the skin.
 May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Starch	9005-25-8	>= 10 -< 20
Oestriol	50-27-1	>= 1 -< 2,5

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
 Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
 Remove contaminated clothing and shoes.
 Get medical attention.
 Wash clothing before reuse.
 Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.
 Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Estriol Formulation (Veterinary)

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	1930643-00013	Date of first issue: 07.09.2017

Most important symptoms and effects, both acute and delayed	:	<p>Get medical attention. Rinse mouth thoroughly with water. May cause cancer. May damage fertility. May damage the unborn child. May cause damage to organs through prolonged or repeated exposure if swallowed. Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation.</p>
Protection of first-aiders	:	<p>First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).</p>
Notes to physician	:	<p>Treat symptomatically and supportively.</p>

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	<p>Water spray Alcohol-resistant foam Carbon dioxide (CO₂) Dry chemical</p>
Unsuitable extinguishing media	:	<p>None known.</p>
Specific hazards during fire fighting	:	<p>Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.</p>
Hazardous combustion products	:	<p>Carbon oxides</p>
Specific extinguishing methods	:	<p>Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.</p>
Special protective equipment for fire-fighters	:	<p>In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.</p>

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	<p>Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).</p>
Environmental precautions	:	<p>Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.</p>
Methods and materials for containment and cleaning up	:	<p>Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).</p>

Estriol Formulation (Veterinary)

Version 3.1 Revision Date: 30.09.2023 SDS Number: 1930643-00013 Date of last issue: 04.04.2023
 Date of first issue: 07.09.2017

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
 Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
 Do not breathe dust.
 Do not swallow.
 Avoid contact with eyes.
 Wash skin thoroughly after handling.
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
 Keep container tightly closed.
 Minimize dust generation and accumulation.
 Keep container closed when not in use.
 Keep away from heat and sources of ignition.
 Take precautionary measures against static discharges.
 Do not eat, drink or smoke when using this product.
 Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.
 Store locked up.
 Keep tightly closed.
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
 Strong oxidizing agents
 Self-reactive substances and mixtures
 Organic peroxides
 Explosives
 Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Starch	9005-25-8	CMP	10 mg/m ³	AR OEL

Estriol Formulation (Veterinary)

Version 3.1 Revision Date: 30.09.2023 SDS Number: 1930643-00013 Date of last issue: 04.04.2023
 Date of first issue: 07.09.2017

	Further information: A4 - Not classifiable as a human carcinogen			
		TWA	10 mg/m ³	ACGIH
Oestriol	50-27-1	TWA	0.5 µg/m ³ (OEB 5)	Internal
	Further information: Skin			
		Wipe limit	5 µg/100 cm ²	Internal

Engineering measures : Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. No open handling permitted. Totally enclosed processes and materials transport systems are required. Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Estriol Formulation (Veterinary)

Version 3.1 Revision Date: 30.09.2023 SDS Number: 1930643-00013 Date of last issue: 04.04.2023
Date of first issue: 07.09.2017

Appearance	:	powder
Color	:	white
Odor	:	odorless
Odor Threshold	:	No data available
pH	:	6
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	0,965 g/cm ³
Solubility(ies) Water solubility	:	partly soluble
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

Estriol Formulation (Veterinary)

Version 3.1 Revision Date: 30.09.2023 SDS Number: 1930643-00013 Date of last issue: 04.04.2023
Date of first issue: 07.09.2017

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.

Incompatible materials : Oxidizing agents
Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:**Starch:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Oestriol:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Starch:**

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Estriol Formulation (Veterinary)

Version 3.1 Revision Date: 30.09.2023 SDS Number: 1930643-00013 Date of last issue: 04.04.2023
Date of first issue: 07.09.2017

Respiratory sensitization

Not classified based on available information.

Components:**Starch:**

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:**Starch:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Oestriol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
cytogenetic assay)
Species: Rat
Application Route: Oral
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ
cell mutagen.

Carcinogenicity

May cause cancer.

Components:**Oestriol:**

Species : Mouse
Application Route : Oral
Result : positive
Target Organs : Mammary gland

Species : Hamster
Application Route : Oral
Result : positive
Tumor Type : Kidney

Carcinogenicity - Assessment : Positive evidence from human epidemiological studies

Reproductive toxicity

May damage fertility. May damage the unborn child.

Estriol Formulation (Veterinary)

Version 3.1 Revision Date: 30.09.2023 SDS Number: 1930643-00013 Date of last issue: 04.04.2023
Date of first issue: 07.09.2017

Components:**Oestriol:**

- Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat, female
Application Route: Oral
Fertility: LOAEL: 84 µg/kg
Result: Effects on fertility.
- Test Type: Fertility/early embryonic development
Species: Rat, female
Application Route: Subcutaneous
Fertility: LOAEL: 0,05 mg/kg body weight
Result: Effects on fertility.
- Test Type: Fertility/early embryonic development
Species: Rat, female
Application Route: Subcutaneous
Fertility: LOAEL: 100 mg/kg body weight
Result: Effects on fertility.
- Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 2 mg/kg body weight
Result: No embryo-fetal toxicity., Malformations were observed.
- Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 4,5 mg/kg body weight
Result: Embryo-fetal toxicity.
- Test Type: Embryo-fetal development
Species: Hamster
Application Route: Oral
Developmental Toxicity: LOAEL: 30 mg/kg body weight
Result: Embryo-fetal toxicity.
- Reproductive toxicity - Assessment : Positive evidence of adverse effects on sexual function and fertility from human epidemiological studies., Positive evidence of adverse effects on development from human epidemiological studies.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (female reproductive organs, male reproductive organs, Blood, Kidney, Bladder) through prolonged or repeated exposure if swallowed.

Estriol Formulation (Veterinary)

Version 3.1 Revision Date: 30.09.2023 SDS Number: 1930643-00013 Date of last issue: 04.04.2023
Date of first issue: 07.09.2017

Components:**Oestriol:**

Target Organs : Reproductive organs, Blood, Kidney, Bladder
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Starch:**

Species : Rat
NOAEL : ≥ 2.000 mg/kg
Application Route : Skin contact
Exposure time : 28 Days
Method : OECD Test Guideline 410

Oestriol:

Species : Dog
LOAEL : 0,2 mg/kg
Application Route : Oral
Exposure time : 13 - 26 Weeks
Target Organs : female reproductive organs, Blood, Kidney, Bladder

Species : Dog
LOAEL : 8 mg/kg
Application Route : Subcutaneous
Exposure time : 1 y
Target Organs : male reproductive organs, female reproductive organs

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Oestriol:**

Ingestion : Symptoms: breast tenderness, Nausea, Diarrhea, Gastrointestinal disturbance, Dizziness, Headache, Vomiting, hypertension, Edema, effects on menstruation, gynecomastia, changes in vaginal secretions, visual disturbances, leg cramps, reduced libido

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Oestriol:**

Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): 0,000075 mg/l
Exposure time: 100 d

Estriol Formulation (Veterinary)

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	1930643-00013	Date of first issue: 07.09.2017

M-Factor (Chronic aquatic toxicity) : 1.000

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Oestriol)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

IATA-DGR

UN/ID No.	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (Oestriol)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	956
Packing instruction (passenger aircraft)	:	956
Environmentally hazardous	:	yes

IMDG-Code

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Estriol Formulation (Veterinary)

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	1930643-00013	Date of first issue: 07.09.2017

	(Oestriol)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Argentina. Carcinogenic Substances and Agents Registry. : Not applicable

Control of precursors and essential chemicals for the preparation of drugs. : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATIONRevision Date : 30.09.2023
Date format : dd.mm.yyyy**Further information**Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

AR OEL : Argentina. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average

AR OEL / CMP : TLV (Threshold Limit Value)

Estriol Formulation (Veterinary)

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	1930643-00013	Date of first issue: 07.09.2017

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8