according to the Globally Harmonized System



Estriol Formulation (Veterinary)

Version Revision Date: SDS Number: Date of last issue: 04.12.2023 3.3 14.12.2023 1930655-00015 Date of first issue: 07.09.2017

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Estriol Formulation (Veterinary)

Other means of identification : Incurin (A008094)

INCURIN (57787)

Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road

Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification

Carcinogenicity : Category 1A

Reproductive toxicity : Category 1A

Specific target organ toxicity - :

repeated exposure (Oral)

Category 2 (female reproductive organs, male reproductive

organs, Blood, Kidney, Bladder)

Long-term (chronic) aquatic

hazard

Category 1

GHS label elements

Hazard pictograms





Signal word : Danger

according to the Globally Harmonized System



Estriol Formulation (Veterinary)

Version Revision Date: SDS Number: Date of last issue: 04.12.2023 3.3 14.12.2023 1930655-00015 Date of first issue: 07.09.2017

Hazard statements : H350 May cause cancer.

H360FD May damage fertility. May damage the unborn child. H373 May cause damage to organs (female reproductive organs, male reproductive organs, Blood, Kidney, Bladder) through prolonged or repeated exposure if swallowed. H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention:

P203 Obtain, read and follow all safety instructions before use.

P260 Do not breathe dust.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P318 IF exposed or concerned, get medical advice.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Starch	9005-25-8	>= 10 - < 20
Oestriol	50-27-1	>= 1 - < 2.5

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention.

according to the Globally Harmonized System



Estriol Formulation (Veterinary)

Version Revision Date: SDS Number: Date of last issue: 04.12.2023 3.3 14.12.2023 1930655-00015 Date of first issue: 07.09.2017

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention.

May cause cancer.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

May damage fertility. May damage the unborn child.

May cause damage to organs through prolonged or repeated

exposure if swallowed.

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Protection of first-aiders

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

according to the Globally Harmonized System



Estriol Formulation (Veterinary)

Version Revision Date: SDS Number: Date of last issue: 04.12.2023 3.3 14.12.2023 1930655-00015 Date of first issue: 07.09.2017

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe dust. Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parameters / Permissible	Basis
		exposure)	concentration	

according to the Globally Harmonized System



Estriol Formulation (Veterinary)

Version Revision Date: SDS Number: Date of last issue: 04.12.2023 3.3 14.12.2023 1930655-00015 Date of first issue: 07.09.2017

Starch	9005-25-8	TWA	10 mg/m3	ACGIH	
Oestriol	50-27-1	TWA	0.5 μg/m3 (OEB 5)	Internal	
	Further information: Skin				
		Wipe limit	5 μg/100 cm ²	Internal	

Engineering measures : Use closed processing systems or containment technologies

to control at source (e.g., glove boxes/isolators) and to pre-

vent leakage of compounds into the workplace.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

No open handling permitted.

Totally enclosed processes and materials transport systems

are required.

Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the

workplace.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type

Hand protection

Particulates type

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable

suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

according to the Globally Harmonized System



Estriol Formulation (Veterinary)

Version Revision Date: SDS Number: Date of last issue: 04.12.2023 3.3 14.12.2023 1930655-00015 Date of first issue: 07.09.2017

Appearance : powder, tablet

Colour : white

Odour : odourless

Odour Threshold : No data available

pH : 6

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : Not applicable

Relative density : No data available

Density : 0.965 g/cm³

Solubility(ies)

Water solubility : partly soluble

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

according to the Globally Harmonized System



Estriol Formulation (Veterinary)

Version Revision Date: SDS Number: Date of last issue: 04.12.2023 3.3 14.12.2023 1930655-00015 Date of first issue: 07.09.2017

Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

Oxidizing agents

Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

exposure

Inhalation Skin contact Ingestion

Eye contact

Acute toxicity

Not classified based on available information.

Components:

Starch:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Oestriol:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Starch:

Species : Rabbit

Result : No eye irritation

according to the Globally Harmonized System



Estriol Formulation (Veterinary)

Version Revision Date: SDS Number: Date of last issue: 04.12.2023 3.3 14.12.2023 1930655-00015 Date of first issue: 07.09.2017

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Starch:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Starch:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Oestriol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Rat

Application Route: Oral

Result: negative

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

Carcinogenicity

May cause cancer.

Components:

Oestriol:

Species : Mouse
Application Route : Oral
Result : positive

Target Organs : Mammary gland

Species : Hamster
Application Route : Oral
Result : positive
Tumor Type : Kidney

according to the Globally Harmonized System



Estriol Formulation (Veterinary)

Version Revision Date: SDS Number: Date of last issue: 04.12.2023 3.3 14.12.2023 1930655-00015 Date of first issue: 07.09.2017

Carcinogenicity - Assess-

: Positive evidence from human epidemiological studies

ment

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

Oestriol:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat, female Application Route: Oral Fertility: LOAEL: 84 µg/kg Result: Effects on fertility

Test Type: Fertility/early embryonic development

Species: Rat, female

Application Route: Subcutaneous

Fertility: LOAEL: 0.05 mg/kg body weight

Result: Effects on fertility

Test Type: Fertility/early embryonic development

Species: Rat, female

Application Route: Subcutaneous Fertility: LOAEL: 100 mg/kg body weight

Result: Effects on fertility

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 2 mg/kg body weight Result: No embryo-foetal toxicity, Malformations were ob-

served.

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 4.5 mg/kg body weight

Result: Embryo-foetal toxicity

Test Type: Embryo-foetal development

Species: Hamster Application Route: Oral

Developmental Toxicity: LOAEL: 30 mg/kg body weight

Result: Embryo-foetal toxicity

Reproductive toxicity - As-

sessment

Positive evidence of adverse effects on sexual function and fertility from human epidemiological studies., Positive evi-

dence of adverse effects on development from human epide-

miological studies.

STOT - single exposure

Not classified based on available information.

according to the Globally Harmonized System



Estriol Formulation (Veterinary)

Version Revision Date: SDS Number: Date of last issue: 04.12.2023 3.3 14.12.2023 1930655-00015 Date of first issue: 07.09.2017

STOT - repeated exposure

May cause damage to organs (female reproductive organs, male reproductive organs, Blood, Kidney, Bladder) through prolonged or repeated exposure if swallowed.

Components:

Oestriol:

Target Organs : Reproductive organs, Blood, Kidney, Bladder

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Starch:

Species : Rat

NOAEL : >= 2,000 mg/kg
Application Route : Skin contact
Exposure time : 28 Days

Method : OECD Test Guideline 410

Oestriol:

Species : Dog LOAEL : 0.2 mg/kg Application Route : Oral

Exposure time : 13 - 26 Weeks

Target Organs : female reproductive organs, Blood, Kidney, Bladder

Species : Dog LOAEL : 8 mg/kg Application Route : Subcutaneous

Exposure time : 1 yr

Target Organs : male reproductive organs, female reproductive organs

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Oestriol:

Ingestion : Symptoms: breast tenderness, Nausea, Diarrhoea, Gastroin-

testinal disturbance, Dizziness, Headache, Vomiting, hypertension, Oedema, effects on menstruation, gynecomastia, changes in vaginal secretions, visual disturbances, leg

cramps, reduced libido

according to the Globally Harmonized System



Estriol Formulation (Veterinary)

Version Revision Date: SDS Number: Date of last issue: 04.12.2023 3.3 14.12.2023 1930655-00015 Date of first issue: 07.09.2017

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Oestriol:

Toxicity to fish (Chronic tox-

icity)

NOEC: 0.000075 mg/l Exposure time: 100 d

Species: Oryzias latipes (Japanese medaka)

M-Factor (Chronic aquatic

toxicity)

1,000

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (Oestriol)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Oestriol)

according to the Globally Harmonized System



Estriol Formulation (Veterinary)

Revision Date: Version SDS Number: Date of last issue: 04.12.2023 3.3 14.12.2023 1930655-00015 Date of first issue: 07.09.2017

9 Class Ш Packing group

Labels Miscellaneous

Packing instruction (cargo 956

aircraft)

Packing instruction (passen-956

ger aircraft)

Environmentally hazardous yes

IMDG-Code

UN number **UN 3077**

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

> N.O.S. (Oestriol)

Class 9 Packing group Ш

Labels 9

F-A, S-F EmS Code Marine pollutant yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS not determined

DSL not determined

IECSC not determined

16. OTHER INFORMATION

Revision Date 14.12.2023

Further information

Sources of key data used to

compile the Safety Data

Sheet

cy, http://echa.europa.eu/

Date format dd.mm.yyyy

Full text of other abbreviations

Internal technical data, data from raw material SDSs, OECD

eChem Portal search results and European Chemicals Agen-

according to the Globally Harmonized System



Estriol Formulation (Veterinary)

Version Revision Date: SDS Number: Date of last issue: 04.12.2023 3.3 14.12.2023 1930655-00015 Date of first issue: 07.09.2017

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified: Nch - Chilean Norm: NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NOM - Official Mexican Norm: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN