

## **Ethion Formulation**

Version	Revision Date: 2024/09/28	SDS Number:	Date of last issue: 2024/04/06
7.0		10597655-00009	Date of first issue: 2022/01/28

#### **1. PRODUCT AND COMPANY IDENTIFICATION**

Chemical product name	:	Ethion Formulation				
Supplier's company name, address and phone number						
Company name of supplier	:	MSD				
Address	:	Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd. Menuma factory				
Telephone	:	048-588-8411				
E-mail address	:	EHSDATASTEWARD@msd.com				
Emergency telephone number	:	+1-908-423-6000				

#### Recommended use of the chemical and restrictions on use

Recommended use	:	Pharmaceutical
Restrictions on use	:	Not applicable

### 2. HAZARDS IDENTIFICATION

#### **GHS** classification of chemical product

Acute toxicity (Oral)	:	Category 2
Acute toxicity (Inhalation)	:	Category 3
Acute toxicity (Dermal)	:	Category 2
Serious eye damage/eye irri- tation	:	Category 1
Specific target organ toxicity - single exposure	:	Category 1 (Central nervous system)
Specific target organ toxicity - repeated exposure	:	Category 1 (Central nervous system)
Short-term (acute) aquatic hazard	:	Category 1
Long-term (chronic) aquatic hazard	:	Category 1

#### GHS label elements



# **Ethion Formulation**

None known.

ersion 0	Revision Date: 2024/09/28	SDS Number: 10597655-00009	Date of last issue: 2024/04/06 Date of first issue: 2022/01/28
	rd pictograms I word	: Danger	
-	rd statements	-	atal if swallowed or in contact with skin.
		H318 Causes s H331 Toxic if ir H370 Causes o H372 Causes o through prolong	erious eye damage.
	utionary statements	P262 Do not ge P264 Wash ski P270 Do not ea P271 Use only P273 Avoid rele	eathe mist or vapours. et in eyes, on skin, or on clothing. n thoroughly after handling. at, drink or smoke when using this product. outdoors or in a well-ventilated area. ease to the environment. tective gloves/ protective clothing/ eye protec- ction.
		POISON CENT P302 + P352 + Immediately ca P304 + P340 + and keep comf doctor. P305 + P351 + water for sever and easy to do CENTER/ doct P308 + P311 If CENTER/ doct	exposed or concerned: Call a POISON or. ake off immediately all contaminated clothing ore reuse.
		<b>Storage:</b> P405 Store loc	·
		Disposal:	of contents/ container to an approved waste



## **Ethion Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/09/28	10597655-00009	Date of first issue: 2022/01/28

#### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Ethion	563-12-2	87.38	-
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9	3.79	7-97

#### 4. FIRST AID MEASURES

General advice	: In the case of accident or if you feel unwell, seek medical ad- vice immediately.
	When symptoms persist or in all cases of doubt seek medical
If inhaled	advice. : If inhaled, remove to fresh air.
II IIIIaled	If not breathing, give artificial respiration.
	If breathing is difficult, give oxygen.
	Get medical attention.
In case of skin contact	<ul> <li>In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.</li> </ul>
	Get medical attention immediately.
	Wash clothing before reuse.
	Destroy contaminated shoes.
In case of eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
	If easy to do, remove contact lens, if worn.
	Get medical attention immediately.
If swallowed	: If swallowed, DO NOT induce vomiting unless directed to do
	so by medical personnel.
	Call a physician or poison control centre immediately. Rinse mouth thoroughly with water.
	Never give anything by mouth to an unconscious person.
Most important symptoms	: Fatal if swallowed or in contact with skin.
and effects, both acute and	Causes serious eye damage.
delayed	Toxic if inhaled.
	Causes damage to organs.
	Causes damage to organs through prolonged or repeated exposure.
Protection of first-aiders	: First Aid responders should pay attention to self-protection,
	and use the recommended personal protective equipment
	when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.
FIREFIGHTING MEASURES	

5. F

Suitable extinguishing media : Water spray

Alcohol-resistant foam



Version 7.0	Revision Date: 2024/09/28		0S Number: 597655-00009	Date of last issue: 2024/04/06 Date of first issue: 2022/01/28
			Carbon dioxide (C Dry chemical	CO2)
Unsu media	itable extinguishing a	:	None known.	
Spec fightir	ific hazards during fire- ng	:	Exposure to com	bustion products may be a hazard to health.
Haza ucts	rdous combustion prod-	:	Carbon oxides Sulphur oxides Oxides of phosph	iorus
Spec ods	Specific extinguishing meth- ods		cumstances and t Use water spray t	g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to c
	ial protective equipment efighters	:		e, wear self-contained breathing apparatus. tective equipment.
6. ACCID	ENTAL RELEASE MEA	SUF	RES	
Perso	onal precautions, protec-		Evacuate personi	nel to safe areas

Personal precautions, protec- tive equipment and emer- gency procedures	:	Evacuate personnel to safe areas. Only trained personnel should re-enter the area. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate contain- ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent. Local or national regulations may apply to releases and dis- posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter- mine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.



## **Ethion Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/09/28	10597655-00009	Date of first issue: 2022/01/28

### 7. HANDLING AND STORAGE

Handling	
Technical measures	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling Avoidance of contact Hygiene measures	Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Keep container tightly closed. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment. Oxidizing agents If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
Storage	
Conditions for safe storage	Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations.
Materials to avoid	Do not store with the following product types: Strong oxidizing agents
Packaging material	Unsuitable material: None known.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Concentra- tion standard / Permissible con- centration	Basis
------------	---------	-------------------------------------	---	-------



## **Ethion Formulation**

Version 7.0	Revision Date: 2024/09/28	SDS Number: 10597655-0000		st issue: 2024/04/06 st issue: 2022/01/28	
Ethio	n	563-12-2	TWA	4 µg/m3 (OEB 4)	Internal
		Further inform	mation: Skin		
			Wipe limit	40 µg/100 cm2	Internal
			TWA (Inhal- able fraction and vapor)	0.05 mg/m3	ACGIH
Engi	neering measures	design and o protect prod Essentially r Use closed If handled in cabinet, furr tial exists fo	operated in accor ucts, workers, an no open handling processing syste a laboratory, use he hood, or other	ms or containment te e a properly designed containment device in If this potential does r	chnologies. biosafety f the poten-
Perse	onal protective equip	oment			
Resp	iratory protection	sure assess	ment demonstrat	ntilation is not availab tes exposures outside espiratory protection.	
	lter type I protection	: Organic vap	our type		
M	aterial	: Chemical-re	sistant gloves		
Re	emarks		uble gloving. e protective glove		
Eye p	protection	: Wear safety If the work e	glasses with side	es e shields or goggles. ctivity involves dusty o ppropriate goggles.	conditions,

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Skin and body protection

Physical state	:	liquid
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available

aerosols.

:

Work uniform or laboratory coat.

contaminated clothing.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

Use appropriate degowning techniques to remove potentially

posable suits) to avoid exposed skin surfaces.



Version 7.0	Revision Date: 2024/09/28		S Number: 97655-00009	Date of last issue: 2024/04/06 Date of first issue: 2022/01/28
Melti	ing point/freezing point	:	No data available	9
	ng point, initial boiling t and boiling range	:	No data available	
Flam	nmability (solid, gas)	:	Not applicable	
Flam	nmability (liquids)	:	Not applicable	
U	er explosion limit and uppe Ipper explosion limit / Up- er flammability limit			
	ower explosion limit / ower flammability limit	:	No data available	9
Flas	h point	:	No data available	9
Deco	omposition temperature	:	No data available	9
pН		:	No data available	9
Evap	ooration rate	:	No data available	9
Auto	-ignition temperature	:	No data available	9
Visco V	osity ïscosity, kinematic	:	No data available	2
	bility(ies) /ater solubility	:	No data available	9
	tion coefficient: n- nol/water	:	Not applicable	
Vapo	our pressure	:	No data available	9
	sity and / or relative densit elative density	y :	No data available	9
D	ensity	:	No data available	9
Rela	tive vapour density	:	No data available	9
Expl	osive properties	:	Not explosive	
Oxid	izing properties	:	The substance o	r mixture is not classified as oxidizing.
Mole	ecular weight	:	No data available	9
Parti	cle characteristics			



	Revision Date: 2024/09/28		S Number: 597655-00009	Date of last issue: 2024/04/06 Date of first issue: 2022/01/28
Pa	article size	:	Not applicable	
0. STAB	ILITY AND REACTIVITY	,		
Possi tions Cond Incon	nical stability ibility of hazardous reac- itions to avoid npatible materials rdous decomposition	:	Stable under no Can react with s None known. Oxidizing agents	trong oxidizing agents.
1. TOXIC			1	
Inforr expos	nation on likely routes of sure	:	Inhalation Skin contact Ingestion Eye contact	
Fatal	e toxicity if swallowed or in contac if inhaled.	t wi	th skin.	
Prod	uct:			
	<u>uct:</u> e oral toxicity	:	Acute toxicity est Method: Calculat	imate: 14.88 mg/kg ion method
Acute		:	Method: Calculat	ion method imate: 0.515 mg/l h : dust/mist
Acute Acute	e oral toxicity	:	Method: Calculat Acute toxicity est Exposure time: 4 Test atmosphere Method: Calculat	ion method imate: 0.515 mg/l h : dust/mist ion method imate: 70.95 mg/kg
Acute Acute	e oral toxicity	:	Method: Calculat Acute toxicity est Exposure time: 4 Test atmosphere Method: Calculat Acute toxicity est	ion method imate: 0.515 mg/l h : dust/mist ion method imate: 70.95 mg/kg
Acute Acute	e oral toxicity e inhalation toxicity e dermal toxicity ponents:	:	Method: Calculat Acute toxicity est Exposure time: 4 Test atmosphere Method: Calculat Acute toxicity est	ion method imate: 0.515 mg/l h : dust/mist ion method imate: 70.95 mg/kg
Acute Acute Acute <u>Com</u>	e oral toxicity e inhalation toxicity e dermal toxicity ponents:	:	Method: Calculat Acute toxicity est Exposure time: 4 Test atmosphere Method: Calculat Acute toxicity est	ion method imate: 0.515 mg/l h : dust/mist ion method imate: 70.95 mg/kg ion method
Acute Acute Acute <u>Com</u> Ethio	e oral toxicity e inhalation toxicity e dermal toxicity ponents:	:	Method: Calculat Acute toxicity est Exposure time: 4 Test atmosphere Method: Calculat Acute toxicity est Method: Calculat	ion method imate: 0.515 mg/l h : dust/mist ion method imate: 70.95 mg/kg ion method ng/kg 0 mg/l h
Acute Acute Acute <u>Com</u> Ethio Acute	e oral toxicity e inhalation toxicity e dermal toxicity ponents: e oral toxicity	: : : : :	Method: Calculat Acute toxicity est Exposure time: 4 Test atmosphere Method: Calculat Acute toxicity est Method: Calculat LD50 (Rat): 13 m LC50 (Rat): 0.45 Exposure time: 4	ion method imate: 0.515 mg/l h : dust/mist ion method imate: 70.95 mg/kg ion method ng/kg 0 mg/l h : dust/mist
Acute Acute Acute <u>Com</u> Ethio Acute Acute	e oral toxicity e inhalation toxicity e dermal toxicity ponents: e oral toxicity e oral toxicity e inhalation toxicity	: : :	Method: Calculat Acute toxicity est Exposure time: 4 Test atmosphere Method: Calculat Acute toxicity est Method: Calculat LD50 (Rat): 13 m LC50 (Rat): 0.45 Exposure time: 4 Test atmosphere LD50 (Rat): 62 m	ion method imate: 0.515 mg/l h : dust/mist ion method imate: 70.95 mg/kg ion method ng/kg 0 mg/l h : dust/mist



Versior 7.0	Revision Date: 2024/09/28		DS Number: 0597655-00009	Date of last issue: 2024/04/06 Date of first issue: 2022/01/28
п				
Ac	ute dermal toxicity	:	LD50 (Rabbit): >	2,000 mg/kg
-	in corrosion/irritation	able	information.	
<u>Cc</u>	omponents:			
Et	hion:			
	ecies esult	:	Rabbit Mild skin irritation	
	rious eye damage/eye irr		ion	
	auses serious eye damage. In <b>mponents:</b>			
	hion:			
Re	-	:	No eye irritation	
Al Re	cohols, C11-14-iso-, C13-	rich	<b>, ethoxylated:</b> Irreversible effect	s on the eve
	suit	•		s on the eye
Re	espiratory or skin sensitis	satio	on	
-	in sensitisation at classified based on availation	able	information.	
	espiratory sensitisation ot classified based on availa	able	information.	
<u>Cc</u>	omponents:			
	hion:			
Sp	posure routes ecies esult	:	Skin contact Guinea pig negative	
	erm cell mutagenicity ot classified based on availa	abla	information	
	omponents:	able	iniornation.	
Et	hion:			
Ge	enotoxicity in vitro	:	Test Type: Bacter Result: negative	rial reverse mutation assay (AMES)
			Test Type: DNA o thesis in mammal Result: negative	damage and repair, unscheduled DNA syn- lian cells (in vitro)



rsion Revision Date: 2024/09/28	SDS Number:Date of last issue: 2024/04/0610597655-00009Date of first issue: 2022/01/28
	Test Type: In vitro sister chromatid exchange assay in man malian cells Result: negative Test Type: in vitro micronucleus test Result: positive
Genotoxicity in vivo	<ul> <li>Test Type: Chromosomal aberration Species: Rat Result: negative</li> <li>Test Type: In vivo micronucleus test Species: Mouse Result: positive</li> </ul>
Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a ger cell mutagen.
Not classified based on avain <u>Components:</u> Ethion:	ilable information.
Species Application Route Exposure time Result	: Rat : Ingestion : 18 Months : negative
Species Application Route Exposure time Result	<ul> <li>Mouse</li> <li>Ingestion</li> <li>24 Months</li> <li>negative</li> </ul>
Reproductive toxicity Not classified based on avain Components:	ilable information.
Ethion: Effects on fertility	: Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on foetal develop- ment	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative



Version 7.0	Revision Date: 2024/09/28		DS Number: 597655-00009	Date of last issue: 2024/04/06 Date of first issue: 2022/01/28
Caus	<b>T - single exposure</b> ses damage to organs (C i <b>ponents:</b>	enti	ral nervous system)	).
Ethic Asse	on: essment	:	Causes damage t	to organs.
Caus		enti	ral nervous system)	) through prolonged or repeated exposure.
<b>Ethic</b> Targ	ponents: on: et Organs essment	:	Central nervous s Causes damage t exposure.	system to organs through prolonged or repeated
Repe	eated dose toxicity			
<u>Com</u> Ethio	iponents:			
Spec NOA Appli	cies	:	Dog 0.05 mg/kg Ingestion 90 Days	
Not c	ration toxicity classified based on availa			
	erience with human exp ponents:	osi	lre	
Ethic	on:	:	Symptoms: Blurre	ed vision, Dizziness, Headache
12. ECOL	OGICAL INFORMATION	N		
Ecot	oxicity			
<u>Com</u>	ponents:			
Ethic				
Τοχία	city to fish	:	LC50 (Oncorhync Exposure time: 96	chus mykiss (rainbow trout)): 0.18 mg/l ວິ h
	city to daphnia and other tic invertebrates	:	EC50: 0.056 - 7.7 Exposure time: 48	



Version 7.0	Revision Date: 2024/09/28	-	0S Number: 597655-00009	Date of last issue: 2024/04/06 Date of first issue: 2022/01/28
M-Fac icity)	tor (Acute aquatic tox-	:	10,000	
	tor (Chronic aquatic y)	:	10,000	
Alcoh	ols, C11-14-iso-, C13-r	ich	, ethoxylated:	
Toxicit	ty to fish	:	LC50 : > 1 - 10 m Exposure time: 96	
	ty to daphnia and other c invertebrates	:	EC50 (Daphnia s Exposure time: 48	p. (water flea)): > 1 - 10 mg/l 3 h
Toxicit plants	ty to algae/aquatic	:	EC50: > 1 - 10 mg Exposure time: 72	
Toxicit icity)	ty to fish (Chronic tox-	:	mg/l Exposure time: 30	es promelas (fathead minnow)): > 0.1 - 1 ) d on data from similar materials
	c invertebrates (Chron-		Exposure time: 21	nagna (Water flea)): > 0.1 - 1 mg/l l d on data from similar materials
Persis	stence and degradabili	ty		
<u>Comp</u>	onents:			
Ethior	า:			
Biode	gradability	:	Result: not rapidly	<i>i</i> degradable
	ols, C11-14-iso-, C13-r	ich		
Biode	gradability	:	Result: Readily bi	odegradable.
Bioac	cumulative potential			
<u>Comp</u>	onents:			
Ethior	n:			
	on coefficient: n- bl/water	:	log Pow: 5.07	
	<b>ity in soil</b> ta available			
	dous to the ozone laye	ər		
	<b>adverse effects</b> ta available			



## **Ethion Formulation**

VersionRevision Date:SDS Number:Date of last issue: 2024/04/067.02024/09/2810597655-00009Date of first issue: 2022/01/28	-
--	---

#### **13. DISPOSAL CONSIDERATIONS**

Disposal methods		
Waste from residues	<ul> <li>Dispose of in accordance with local regulations.</li> <li>Do not dispose of waste into sewer.</li> </ul>	
Contaminated packaging	<ul> <li>Empty containers should be taken to an approved waste han- dling site for recycling or disposal.</li> <li>If not otherwise specified: Dispose of as unused product.</li> </ul>	

#### 14. TRANSPORT INFORMATION

#### **International Regulations**

UNRTDG		
UN number	: UN 2810	
Proper shipping name	: TOXIC LIQUID, ORGANIC, N.O.S. (Ethion)	
Class	: 6.1	
Packing group	: 11	
Labels	: 6.1	
Environmentally hazardo	us : no	
IATA-DGR		
UN/ID No.	: UN 2810	
Proper shipping name	: Toxic liquid, organic, n.o.s. (Ethion)	
Class	: 6.1	
Packing group	: 11	
Labels	: Toxic	
Packing instruction (carg aircraft)	o : 662	
Packing instruction (pase ger aircraft)	en- : 654	
IMDG-Code		
UN number	: UN 2810	
Proper shipping name	: TOXIC LIQUID, ORGANIC, N.O.S. (Ethion)	
Class	: 6.1	
Packing group	: 11	
Labels	: 6.1	
EmS Code	: F-A, S-A	
Marine pollutant	: yes	

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National Regulations**

Refer to section 15 for specific national regulation.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data



## **Ethion Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/09/28	10597655-00009	Date of first issue: 2022/01/28

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**ERG Code** : 153

#### **15. REGULATORY INFORMATION**

#### **Related Regulations**

#### Fire Service Law

Not applicable to dangerous materials / designated flammables.

#### **Chemical Substance Control Law**

Priority Assessment Chemical Substance

Chemical name	Number
alpha-Alkyl(C=12-15)-omega-hydroxypoly(oxyethylene) (It is limited that	189
a number-average molecular weight of the polymer is less than 1,000.)	
alpha-Alkyl(C=9-11)-omega-hydroxypoly(oxyethylene) (It is limited that	188
a number-average molecular weight of the polymer is less than 1,000.)	

#### Industrial Safety and Health Law

#### Harmful Substances Prohibited from Manufacture

Not applicable

#### Harmful Substances Required Permission for Manufacture

Not applicable

#### Substances Prevented From Impairment of Health

Not applicable

# Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

# Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

#### Substances Subject to be Notified Names

Article 57-2	(Enforcement	Ordor	Table 0)
AILICIE 57-Z		Uluel	I able 91

Chemical name	Concentration (%)	Remarks
O,O,O',O'-Tetraethyl S,S'-methylene	>=80 - <90	-
bis(phosphorodithioate)		
Poly(oxyethylene) alkyl ether (alkyl C=12-	>=1 - <10	From April 1st, 2025
15)		

### Substances Subject to be Indicated Names

Article 57 (Enforcement Order Article 18)

Chemical name	Remarks
O,O,O',O'-Tetraethyl S,S'-methylene bis(phosphorodithioate)	-
Poly(oxyethylene) alkyl ether (alkyl C=12-15)	From April 1st, 2025

## Skin and Eye Damage Substances for PPE Requirements (ISHL MO Art. 594-2)



## **Ethion Formulation**

Version	Revision Date: 2024/09/28	SDS Number:	Date of last issue: 2024/04/06
7.0		10597655-00009	Date of first issue: 2022/01/28

Chemical name
ethion

# Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

Ordinance on Prevention of Hazards Due to Specified Chemical Substances Not applicable

**Ordinance on Prevention of Lead Poisoning** 

Not applicable

#### Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning Not applicable

# Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

#### **Poisonous and Deleterious Substances Control Law**

Deleterious substance	
Chemical name	Cabinet Order Number
Preparations containing tetraethylmethylenebisdithiophosphate	71

# Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

#### **Class I Designated Chemical Substances**

Chemical name	Administration number	Concentration (%)
Poly(oxyethylene) alkyl ether (limited to those the alkyl group is C=12-15 and mixture thereof)	407	3.8

#### **High Pressure Gas Safety Act**

Not applicable

#### **Explosive Control Law**

Not applicable

#### Vessel Safety Law

Toxic and infectious substances (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

#### **Aviation Law**

Toxic and infectious substances (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

#### Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation :	Noxious liquid substance(Category Y)
-----------------------	--------------------------------------

Pack transportation : Classified as marine pollutant



## **Ethion Formulation**

Version 7.0	Revision Date: 2024/09/28		8 Number: 97655-00009	Date of last issue: 2024/04/06 Date of first issue: 2022/01/28		
Narco	otics and Psychotrop	ics Co	ntrol Act			
Not a Speci	Narcotic or Psychotropic Raw Material (Export / Import Permission) Not applicable Specific Narcotic or Psychotropic Raw Material (Export / Import permission) Not applicable					
	e Disposal and Public trial waste	: Cleai	nsing Law			
The c	components of this pr	oduct	are reported in t	he following inventories:		
AICS		:	not determined			
DSL		:	not determined			
IECS	С	:	not determined			

#### **16. OTHER INFORMATION**

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

#### Further information

Sources of key data used to : compile the Safety Data	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-
Sheet	cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format	:	yyyy/mm/dd	
Full text of other abbreviations			
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)	
ACGIH / TWA	:	8-hour, time-weighted average	

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median



## **Ethion Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/09/28	10597655-00009	Date of first issue: 2022/01/28

Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN