

Version	Revision Date:	S
7.0	2024/09/28	ç

SDS Number: 934970-00018

Date of last issue: 2024/06/07 Date of first issue: 2016/10/12

### **1. PRODUCT AND COMPANY IDENTIFICATION**

Product name	:	Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation
Manufacturer or supplier's de Company	etai :	ils MSD
Address	:	No. 485 Jing Tai Road Pu Tuo District - Shanghai - China 200331
Telephone	:	+1-908-740-4000
Emergency telephone number	:	86-571-87268110
E-mail address	:	EHSDATASTEWARD@msd.com
Recommended use of the che	əm	ical and restrictions on use
Recommended use Restrictions on use	:	Veterinary product Not applicable

### 2. HAZARDS IDENTIFICATION

### Emergency Overview

Appearance Colour Odour	: : :	liquid yellow strong				
Flammable liquid and vapour. Toxic if swallowed or in contact with skin. May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye damage. Harmful if inhaled. May cause drowsiness or dizziness. May cause genetic defects. May cause cancer. May damage the unborn child. Causes damage to organs. Causes damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.						
GHS Classification						
Flammable liquids	:	Category 3				
Acute toxicity (Oral)	:	Category 3				
Acute toxicity (Inhalation)	:	Category 4				
Acute toxicity (Dermal)	:	Category 3				
Skin corrosion/irritation	:	Category 2				
Serious eye damage/eye irri-	:	Category 1				

according to GB/T 16483 and GB/T 17519



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

7.0         2024/09/28         934970-00018         Date of first issue: 2016/10/12
---

#### tation

Germ cell mutagenicity	:	Category 1B
Carcinogenicity	:	Category 1B
Reproductive toxicity	:	Category 1B
Specific target organ toxicity - single exposure	:	Category 1
Specific target organ toxicity - single exposure	:	Category 3
Specific target organ toxicity - repeated exposure	:	Category 1
Aspiration hazard	:	Category 1
Short-term (acute) aquatic hazard	:	Category 1
Long-term (chronic) aquatic hazard	:	Category 1

### **GHS** label elements

GHS label elements Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	<ul> <li>H226 Flammable liquid and vapour.</li> <li>H301 + H311 Toxic if swallowed or in contact with skin.</li> <li>H304 May be fatal if swallowed and enters airways.</li> <li>H315 Causes skin irritation.</li> <li>H318 Causes serious eye damage.</li> <li>H332 Harmful if inhaled.</li> <li>H336 May cause drowsiness or dizziness.</li> <li>H340 May cause genetic defects.</li> <li>H350 May cause cancer.</li> <li>H360D May damage the unborn child.</li> <li>H370 Causes damage to organs.</li> <li>H372 Causes damage to organs through prolonged or repeated exposure.</li> <li>H410 Very toxic to aquatic life with long lasting effects.</li> </ul>
Precautionary statements	:	

Precautionary statements : Prevention:

2/34

according to GB/T 16483 and GB/T 17519



## Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version 7.0	Revision Date: 2024/09/28	SDS Number: 934970-00018	Date of last issue: 2024/06/07 Date of first issue: 2016/10/12
		P202 Do not h and understoo P210 Keep aw No smoking. P233 Keep co P241 Use exp ment. P242 Use only P243 Take pre P260 Do not b P264 Wash sk P270 Do not e P271 Use only P273 Avoid re	pecial instructions before use. andle until all safety precautions have been read d. vay from heat/ sparks/ open flames/ hot surfaces ntainer tightly closed. losion-proof electrical/ ventilating/ lighting equip- y non-sparking tools. exautionary measures against static discharge. reathe mist or vapours. tin thoroughly after handling. at, drink or smoke when using this product. y outdoors or in a well-ventilated area. lease to the environment. potective gloves/ protective clothing/ eye protec-
		tion/ face prote <b>Response:</b>	
		POISON CEN P302 + P352 - Call a POISON P303 + P361 - ly all contamin P304 + P340 - and keep com doctor if you fe P305 + P351 - water for seve and easy to do CENTER/ doc P308 + P311 I CENTER/ doc P331 Do NOT P332 + P313 I tion.	<ul> <li>P338 + P310 IF IN EYES: Rinse cautiously wit ral minutes. Remove contact lenses, if present b. Continue rinsing. Immediately call a POISON tor.</li> <li>F exposed or concerned: Call a POISON tor.</li> <li>induce vomiting.</li> <li>f skin irritation occurs: Get medical advice/ atten</li> <li>Take off immediately all contaminated clothing ifore reuse.</li> </ul>

### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.



Version	Revision Date:	SDS Number:	Date of last issue: 2024/06/07
7.0	2024/09/28	934970-00018	Date of first issue: 2016/10/12

### Physical and chemical hazards

Flammable liquid and vapour.

### **Health hazards**

Toxic if swallowed. Harmful if inhaled. Toxic in contact with skin. Causes skin irritation. Causes serious eye damage. May cause genetic defects. May cause cancer. May damage the unborn child. Causes damage to organs. May cause drowsiness or dizziness. Causes damage to organs through prolonged or repeated exposure. May be fatal if swallowed and enters airways.

#### **Environmental hazards**

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

#### Other hazards which do not result in classification

Vapours may form explosive mixture with air.

### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Solvent naphtha (petroleum), light aromatic	64742-95-6	>= 50 -< 70
Ethion	563-12-2	>= 10 -< 20
Chlorpyrifos	2921-88-2	>= 2.5 -< 10
2-Methyl-1-propanol	78-83-1	>= 3 -< 10
(S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2- dichlorovinyl)-2,2- dimethylcyclopropanecarboxylate	67375-30-8	>= 2.5 -< 10
Hydrocarbons, C10, aromatics, <1% naphtha- lene	64742-94-5	>= 1 -< 2.5
2,6-Di-tert-butyl-p-cresol	128-37-0	>= 1 -< 2.5

### **4. FIRST AID MEASURES**

General advice	<ul> <li>In the case of accident or if you feel unwell, seek medical advice immediately.</li> <li>When symptoms persist or in all cases of doubt seek medical advice.</li> </ul>	
If inhaled	: If inhaled, remove to fresh air.	
	If not breathing, give artificial respiration. If breathing is difficult, give oxygen.	
	Get medical attention.	
In case of skin contact	<ul> <li>In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.</li> <li>Get medical attention.</li> </ul>	
In case of eye contact	<ul><li>Wash clothing before reuse.</li><li>Thoroughly clean shoes before reuse.</li><li>In case of contact, immediately flush eyes with plenty of water</li></ul>	





## Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version 7.0	Revision Date: 2024/09/28		DS Number: 4970-00018	Date of last issue: 2024/06/07 Date of first issue: 2016/10/12
Mo and	If swallowed Most important symptoms and effects, both acute and delayed		Get medical atten If swallowed, DO If vomiting occurs Call a physician of Rinse mouth thor Never give anythi Toxic if swallowed May be fatal if sw Causes skin irrita Causes serious e Harmful if inhaled May cause drows May cause geneti May cause cance May damage the Causes damage the	ove contact lens, if worn. tion immediately. NOT induce vomiting. have person lean forward. r poison control centre immediately. oughly with water. ng by mouth to an unconscious person. d or in contact with skin. allowed and enters airways. tion. ye damage. iness or dizziness. c defects. r. unborn child.
Pro	otection of first-aiders	:	and use the recor	ers should pay attention to self-protection, nmended personal protective equipment I for exposure exists (see section 8).
No	tes to physician	:		cally and supportively.
5. FIRE	FIGHTING MEASURES			
Sui	table extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (C Dry chemical	
Un me	suitable extinguishing dia	:	High volume wate	er jet
	ecific hazards during fire- nting	:	fire. Flash back possik Vapours may forn	d water stream as it may scatter and spread ole over considerable distance. In explosive mixtures with air. Dustion products may be a hazard to health.
Ha uct	zardous combustion prod- s	:	Carbon oxides Sulphur oxides Oxides of phosph Chlorine compour Nitrogen oxides (I	nds
Spo	ecific extinguishing meth-	:	cumstances and t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers.

### SAFETY DATA SHEET according to GB/T 16483 and GB/T 17519



## Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version 7.0	Revision Date: 2024/09/28		9S Number: 4970-00018	Date of last issue: 2024/06/07 Date of first issue: 2016/10/12
			Remove undama so. Evacuate area.	ged containers from fire area if it is safe to do
	cial protective equipment irefighters	:		e, wear self-contained breathing apparatus. ective equipment.
6. ACCI	DENTAL RELEASE MEAS	SUF	RES	
tive	sonal precautions, protec- equipment and emer- cy procedures	:	Follow safe handl	es of ignition. rective equipment. ing advice (see section 7) and personal pro- recommendations (see section 8).
Env	ironmental precautions	:	Prevent spreading barriers). Retain and dispos	akage or spillage if safe to do so. g over a wide area (e.g. by containment or oil se of contaminated wash water. should be advised if significant spillages
	Methods and materials for containment and cleaning up		Soak up with iner Suppress (knock spray jet. For large spills, pi ment to keep mat be pumped, store Clean up remainin bent. Local or national posal of this mate employed in the c mine which regula Sections 13 and	s should be used. t absorbent material. down) gases/vapours/mists with a water rovide dyking or other appropriate contain- erial from spreading. If dyked material can recovered material in appropriate container. ng materials from spill with suitable absor- regulations may apply to releases and dis- rial, as well as those materials and items leanup of releases. You will need to deter- ations are applicable. 5 of this SDS provide information regarding tional requirements.

### 7. HANDLING AND STORAGE

Handling		
Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.	
Local/Total ventilation	<ul> <li>If sufficient ventilation is unavailable, use with local exhaust ventilation.</li> <li>Use explosion-proof electrical, ventilating and lighting equip</li> </ul>	

according to GB/T 16483 and GB/T 17519



## Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version 7.0	Revision Date: 2024/09/28	SDS Number: 934970-00018	Date of last issue: 2024/06/07 Date of first issue: 2016/10/12
	rice on safe handling	Do not brea Do not swal Do not get in Wash skin t Handle in ac practice, bas sessment Non-sparkin Keep contai Keep away other ignitio Take precau Do not eat,	n eyes. horoughly after handling. ccordance with good industrial hygiene and safety sed on the results of the workplace exposure as- g tools should be used. ner tightly closed. from heat, hot surfaces, sparks, open flames and n sources. No smoking. utionary measures against static discharges. drink or smoke when using this product. o prevent spills, waste and minimize release to the t.
_	rage		,
Cor	nditions for safe storage	Store locked Keep tightly Keep in a co Store in acc Keep away : Do not store	
		Organic per Oxidizing ag Flammable Pyrophoric I Pyrophoric s Self-heating Poisonous g Explosives	oxides jents gases iquids solids substances and mixtures jases
Pac	kaging material	: Unsuitable r	naterial: None known.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
Solvent naphtha (petroleum), light aromatic	64742-95-6	TWA	200 mg/m3 (total hydrocarbon vapor)	ACGIH
Ethion	563-12-2	TWA	4 µg/m3 (OEB 4)	Internal

according to GB/T 16483 and GB/T 17519



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/06/07
7.0	2024/09/28	934970-00018	Date of first issue: 2016/10/12

	Further information: Skin					
		Wipe limit	40 µg/100 cm2	Internal		
		TWA (Inhal- able fraction and vapor)	0.05 mg/m3	ACGIH		
Chlorpyrifos	2921-88-2	PC-TWA	0.2 mg/m3	CN OEL		
	Further inform	ation: Skin				
		TWA (Inhal- able fraction and vapor)	0.1 mg/m3	ACGIH		
2-Methyl-1-propanol	78-83-1	TWA	50 ppm	ACGIH		
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH		
2,6-Di-tert-butyl-p-cresol	128-37-0	TWA (Inhal- able fraction and vapor)	2 mg/m3	ACGIH		

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
Chlorpyrifos	2921-88-2	Acetylcho- linesterase activity	In red blood cells	End of shift	70 % of an individual's baseline	ACGIH BEI
		Butyrylcho- linesterase activity	In serum or plasma	End of shift	60 % of an individual's baseline	ACGIH BEI
Engineering measures	lf si ven Use mei	tilation. e explosion-pro	ation is unava	ailable, use	ions. with local exh and lighting e	
Personal protective equ	ipment					
Respiratory protection Filter type	sur om : Cor	e assessment mended guide mbined particu	demonstrate lines, use real lates and org	es exposure spiratory pr ganic vapor	ur type	
Eye/face protection	Che If sj	ar the followin emical resistar plashes are lik e-shield	nt goggles m	ust be worr		
Skin and body protection	resi pote We	stance data a ential. ar the followin	nd an assess g personal p	sment of the	sed on chemic e local exposu quipment: a risk of explo	ire

### **SAFETY DATA SHEET** according to GB/T 16483 and GB/T 17519



## Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version 7.0	Revision Date: 2024/09/28		DS Number: 4970-00018	Date of last issue: 2024/06/07 Date of first issue: 2016/10/12
Hand	protection		protective clothing Skin contact mus	ash fires, use flame retardant antistatic g. t be avoided by using impervious protective aprons, boots, etc).
	terial		Chemical-resistar	nt gloves
	marks	:	Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous sub- stance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Take note that the product is flammable, which may impact the selection of hand protection. Wash hands before breaks and at the end of workday.	
Hygier	ne measures	:	If exposure to che eye flushing syste ing place. When using do no	emical is likely during typical use, provide ems and safety showers close to the work- ot eat, drink or smoke. red clothing before re-use.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	yellow
Odour	:	strong
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	43 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper	:	No data available

according to GB/T 16483 and GB/T 17519



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

VersionRevision Date:SDS Number:Date of last issue: 2024/06/077.02024/09/28934970-00018Date of first issue: 2016/10/12	Version 7.0	Revision Date: 2024/09/28	SDS Number: 934970-00018	Date of last issue: 2024/06/07 Date of first issue: 2016/10/12
--	----------------	---------------------------	-----------------------------	---

flammability limit:No data availableLower explosion limit / Lower:No data availableflammability limit:No data availableVapour pressure:No data availableRelative vapour density:No data availableRelative density:0.96 - 1.02Density:No data availableSolubility(ies):No data availableWater solubility:No data availablePartition coefficient: n- octanol/water:No data availableDecomposition temperature:No data availableViscosity Viscosity, kinematic:No data availableViscosity Viscosity, kinematic:No data availableExplosive properties:No data availableOxidizing properties:The substance or mixture is not classified as oxidizing.Molecular weight:No data availableParticle characteristics:No data available			
flammability limit       Vapour pressure       :       No data available         Relative vapour density       :       No data available         Relative density       :       0.96 - 1.02         Density       :       No data available         Solubility(ies)       :       No data available         Vater solubility       :       No data available         Partition coefficient: n- octanol/water       :       No data available         Auto-ignition temperature       :       No data available         Decomposition temperature       :       No data available         Viscosity       viscosity, kinematic       :       No data available         Explosive properties       :       Not explosive         Oxidizing properties       :       The substance or mixture is not classified as oxidizing.         Molecular weight       :       No data available	flammability limit		
Relative vapour density:No data availableRelative density:0.96 - 1.02Density:No data availableSolubility(ies):No data availableVater solubility:No data availablePartition coefficient: n- octanol/water Auto-ignition temperature:No data availableDecomposition temperature:No data availableViscosity Viscosity, kinematic:No data availableExplosive properties:No data availableOxidizing properties:Not explosiveOxidizing properties:The substance or mixture is not classified as oxidizing.Molecular weight:No data availableParticle characteristics:No data available		:	No data available
Relative density:0.96 - 1.02Density:No data availableSolubility(ies) Water solubility:No data availablePartition coefficient: n- octanol/water Auto-ignition temperature:No data availableDecomposition temperature:No data availableDecomposition temperature:No data availableViscosity Viscosity, kinematic:No data availableExplosive properties:No data availableOxidizing properties:Not explosiveOxidizing properties:No texplosiveParticle characteristics:No data available	Vapour pressure	:	No data available
Density:No data availableSolubility(ies) Water solubility:No data availablePartition coefficient: n- octanol/water Auto-ignition temperature:No data availableDecomposition temperature:No data availableDecomposition temperature:No data availableViscosity Viscosity, kinematic:No data availableExplosive properties:No data availableOxidizing properties:Not explosiveMolecular weight:The substance or mixture is not classified as oxidizing.Particle characteristics:No data available	Relative vapour density	:	No data available
Solubility(ies) Water solubility:No data availablePartition coefficient: n- octanol/water Auto-ignition temperature:No data availableDecomposition temperature:No data availableDecomposition temperature:No data availableViscosity Viscosity, kinematic:No data availableExplosive properties:No data availableOxidizing properties:Not explosiveMolecular weight:No data availableParticle characteristics:	Relative density	:	0.96 - 1.02
Water solubility:No data availablePartition coefficient: n- octanol/water Auto-ignition temperature:No data availableDecomposition temperature:No data availableUiscosity Viscosity, kinematic:No data availableExplosive properties:No data availableOxidizing properties:Not explosiveOxidizing properties:The substance or mixture is not classified as oxidizing.Molecular weight:No data availableParticle characteristics:	Density	:	No data available
octanol/water Auto-ignition temperature:No data availableDecomposition temperature:No data availableViscosity Viscosity, kinematic:No data availableExplosive properties:Not explosiveOxidizing properties:The substance or mixture is not classified as oxidizing.Molecular weight:No data availableParticle characteristics:		:	No data available
Auto-ignition temperature       :       No data available         Decomposition temperature       :       No data available         Viscosity       viscosity, kinematic       :       No data available         Explosive properties       :       Not explosive         Oxidizing properties       :       Not explosive         Molecular weight       :       No data available         Particle characteristics       :       No data available		:	No data available
Viscosity Viscosity, kinematic       : No data available         Explosive properties       : Not explosive         Oxidizing properties       : The substance or mixture is not classified as oxidizing.         Molecular weight       : No data available         Particle characteristics       : No data available		:	No data available
Viscosity, kinematic: No data availableExplosive properties: Not explosiveOxidizing properties: The substance or mixture is not classified as oxidizing.Molecular weight: No data availableParticle characteristics	Decomposition temperature	:	No data available
Oxidizing properties: The substance or mixture is not classified as oxidizing.Molecular weight: No data availableParticle characteristics		:	No data available
Molecular weight : No data available Particle characteristics	Explosive properties	:	Not explosive
Molecular weight : No data available Particle characteristics			
Particle characteristics	Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
	Molecular weight	:	No data available
		:	No data available

### 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. Flammable liquid and vapour. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid Incompatible materials Hazardous decomposition products	:	Heat, flames and sparks. Oxidizing agents No hazardous decomposition products are known.



	Date of last issue: 2024/06/07 Date of first issue: 2016/10/12
--	---

### **11. TOXICOLOGICAL INFORMATION**

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
Acute toxicity		
Toxic if swallowed or in cont Harmful if inhaled.	act w	ith skin.
Product:		
Acute oral toxicity	:	Acute toxicity estimate: 69.16 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: 2.57 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: 372.97 mg/kg Method: Calculation method
Components:		
Solvent naphtha (petroleur	m), lig	ght aromatic:
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5.61 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg
Ethion:		
Acute oral toxicity	:	LD50 (Rat): 13 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0.450 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat): 62 mg/kg
Chlorpyrifos:		
Acute oral toxicity	:	LD50 (Rat, female): 68 mg/kg
Acute dermal toxicity	:	LD50 (Rat, females): 1,250 mg/kg

according to GB/T 16483 and GB/T 17519



## Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version	Revision Date: 2024/09/28	SDS Number:	Date of last issue: 2024/06/07
7.0		934970-00018	Date of first issue: 2016/10/12

### 2-Methyl-1-propanol:

Acute oral toxicity	:	LD50 (Rat, female): 3,350 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): > 18.18 mg/l Exposure time: 6 h Test atmosphere: vapour
Acute dermal toxicity	:	LD50 (Rabbit, female): 2,460 mg/kg Method: OECD Test Guideline 402

### (S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2dimethylcyclopropanecarboxylate:

Acute ora	I toxicity	:	LD50 (Rat): 57 mg/kg Method: EC Directive 92/69/EEC B.1 Acute Toxicity (Oral)
Acute inh	alation toxicity	:	LC50 (Rat): > 1.16 - 1.21 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute der	mal toxicity	:	LD50 (Rat): > 2,000 mg/kg

### Hydrocarbons, C10, aromatics, <1% naphthalene:

		•
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 420 Remarks: Based on data from similar materials
Acute inhalation toxicity	:	LC50 (Rat): > 4.778 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials
2,6-Di-tert-butyl-p-cresol:		
Acute oral toxicity	:	LD50 (Rat): > 6,000 mg/kg Method: OECD Test Guideline 401





Version 7.0	Revision Date: 2024/09/28	SDS Number: 934970-00018	Date of last issue: 2024/06/07 Date of first issue: 2016/10/12
II			
	corrosion/irritation es skin irritation.		
<u>Com</u>	oonents:		
Solve	ent naphtha (petroleu	m), light aromatic:	
Speci Metho Resul	bd	: Rabbit : OECD Test Go : Skin irritation	uideline 404
Ethio	n:		
Speci Resul		: Rabbit : Mild skin irritat	ion
Chlor	pyrifos:		
Speci		: Rabbit	
Metho Resul		: OECD Test Gu : No skin irritatio	
2-Met	hyl-1-propanol:		
Speci		: Rabbit	
Metho Resul		: OECD Test Gu	uideline 404
	Cyano-3-phenoxybe hylcyclopropanecar		dichlorovinyl)-2,2-
Speci Resul	es	: Rabbit : Skin irritation	
-	ocarbons, C10, arom	=	
Asses	ssment	: Repeated expo	osure may cause skin dryness or cracking.
2,6-D	i-tert-butyl-p-cresol:		
Speci		: Rabbit	
Metho Resul		: OECD Test Gu : No skin irritatio	
Rema			from similar materials
Serio	us eye damage/eye i	rritation	
	es serious eye damag		

according to GB/T 16483 and GB/T 17519



## Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/06/07
7.0	2024/09/28	934970-00018	Date of first issue: 2016/10/12

### **Components:**

<u></u>		
Solvent naphtha (petroleum	ı), lig	ght aromatic:
Species		Rabbit
Result	÷	No eye irritation
Method	÷	OECD Test Guideline 405
Ethion		
Ethion:		<b>N N N N</b>
Result	:	No eye irritation
Chlorpyrifos:		
Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405
2-Methyl-1-propanol:		
		Dabbit
Species Result	:	Rabbit
Method	:	Irreversible effects on the eye OECD Test Guideline 405
Method	•	OLOD Test Guideline 405
dimethylcyclopropanecarbo		1R, 3R)-3-(2,2-dichlorovinyl)-2,2-
	Луі	
Species	÷	Rabbit
Result	-	No eye irritation
Hydrocarbons, C10, aromat	ics,	<1% naphthalene:
Species	:	Rabbit
Result	:	No eye irritation
Remarks	:	Based on data from similar materials
2,6-Di-tert-butyl-p-cresol:		
Species		Rabbit
Result	÷	No eye irritation
Method	÷	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

### Respiratory or skin sensitisation

### Skin sensitisation

Not classified based on available information.

### Respiratory sensitisation

Not classified based on available information.

according to GB/T 16483 and GB/T 17519



## Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/06/07
7.0	2024/09/28	934970-00018	Date of first issue: 2016/10/12

### **Components:**

### Solvent naphtha (petroleum), light aromatic:

Test Type Exposure routes Species Result	:	Buehler Test Skin contact Guinea pig negative
Ethion:		

# Exposure routes:Skin contactSpecies:Guinea pigResult:negative

### **Chlorpyrifos:**

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Test Type Exposure routes Species Method Result	: negative

#### 2-Methyl-1-propanol:

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative
Test Type Exposure routes Species Method Result Remarks	:	Based on data from similar materials

### (S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2dimethylcyclopropanecarboxylate:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Test Type Exposure routes Species Method Result	: negative

### Hydrocarbons, C10, aromatics, <1% naphthalene:

: Maximisation Test
: Skin contact
: Guinea pig
: negative
: Based on data from similar materials

### 2,6-Di-tert-butyl-p-cresol:

Test Type

: Human repeat insult patch test (HRIPT)

according to GB/T 16483 and GB/T 17519



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

ersion 0	Revision Date: 2024/09/28	SDS Number: 934970-00018	Date of last issue: 2024/06/07 Date of first issue: 2016/10/12
Expos Speci Resul		: Skin contac : Humans : negative	t
May c	cell mutagenicity cause genetic defects. conents:		
Solve	ent naphtha (petroleu	m), light aromatic	
Geno	toxicity in vitro	: Test Type: I Result: nega	Bacterial reverse mutation assay (AMES) ative
		Test Type: I Result: posi	In vitro mammalian cell gene mutation test tive
Geno	toxicity in vivo	gonia Species: Mo	Route: Intraperitoneal injection
	cell mutagenicity -	: Positive res tests in mar	ult(s) from in vivo heritable germ cell mutagenici nmals
Ethio	n:		
Geno	toxicity in vitro	: Test Type: I Result: nega	Bacterial reverse mutation assay (AMES) ative
		••	DNA damage and repair, unscheduled DNA syn- ammalian cells (in vitro) ative
		Test Type: I malian cells Result: nega	
		Test Type: i Result: posi	n vitro micronucleus test tive
Geno	toxicity in vivo	: Test Type: ( Species: Ra Result: nega	
		Test Type: I Species: Mo Result: posi	
Germ	cell mutagenicity -	: Weight of ev	vidence does not support classification as a gerr

according to GB/T 16483 and GB/T 17519



## Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

/ersion 7.0	Revision Date: 2024/09/28	SDS Number: 934970-00018	Date of last issue: 2024/06/07 Date of first issue: 2016/10/12
Asses	ssment	cell mutagen.	
Chlo	rpyrifos:		
	toxicity in vitro		terial reverse mutation assay (AMES) Test Guideline 471 e
			tro mammalian cell gene mutation test Test Guideline 476 e
			A damage and repair, unscheduled DNA syn- nalian cells (in vitro) e
		Test Type: Chr Result: positive	omosome aberration test in vitro
Geno	toxicity in vivo	cytogenetic ass Species: Mouse Application Rou	e ute: Ingestion Test Guideline 474

2-Methyl-1-propanol:

Genotoxicity in vitro		Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: negative
		Test Type: in vitro micronucleus test Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative

## (S)- $\alpha$ -Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
11	

according to GB/T 16483 and GB/T 17519



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

ersion 0	Revision Date: 2024/09/28	SDS Number: 934970-00018	Date of last issue: 2024/06/07 Date of first issue: 2016/10/12
		Method: OEC	hromosome aberration test in vitro CD Test Guideline 473
			vitro mammalian cell gene mutation test D Test Guideline 476
Geno	Genotoxicity in vivo	cytogenetic t Species: Mor Application R	Coute: Ingestion CD Test Guideline 475
		cytogenetic a Species: Mor Application R	use coute: Ingestion CD Test Guideline 474
		mammalian I Species: Rat	coute: Ingestion
Hydro	ocarbons, C10, aror	natics, <1% naphtha	ilene:
	toxicity in vitro	: Test Type: In malian cells Result: nega	vitro sister chromatid exchange assay in mam-
Geno	toxicity in vivo	cytogenetic t Species: Rat Application R Result: nega	coute: inhalation (vapour)
2,6-D	i-tert-butyl-p-cresol	:	
Geno	toxicity in vitro	: Test Type: B Result: nega	acterial reverse mutation assay (AMES) tive
		Test Type: In Result: nega	vitro mammalian cell gene mutation test tive

according to GB/T 16483 and GB/T 17519



## Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version 7.0	Revision Date: 2024/09/28	SDS Number: 934970-00018	Date of last issue: 2024/06/07 Date of first issue: 2016/10/12		
		Result: negat			
Gend	otoxicity in vivo	cytogenetic te Species: Rat Application R	<ul> <li>Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)</li> <li>Species: Rat</li> <li>Application Route: Ingestion</li> <li>Result: negative</li> </ul>		
	inogenicity				
-	cause cancer.				
<u>Com</u>	ponents:				
	ent naphtha (petroleu	m), light aromatic:			
Spec		: Mouse			
Appil	cation Route sure time	: Skin contact : 2 Years			
Resu		: positive			
Carci ment	nogenicity - Assess-	: Sufficient evic	lence of carcinogenicity in animal experiments		
Ethic	on:				
Spec		: Rat			
	cation Route	: Ingestion : 18 Months			
⊏xpo Resu	sure time It	: negative			
Spec	ies	: Mouse			
	cation Route	: Ingestion			
Expo	sure time	: 24 Months			
Resu	lt	: negative			
Chlo	rpyrifos:				
Spec		: Rat			
Appli	cation Route	: Ingestion			
Expo	sure time	: 2 Years			
Resu	lt	: negative			
	-Cyano-3-phenoxybe thylcyclopropanecarl		-dichlorovinyl)-2,2-		
Spec	ies	: Rat			
Appli	cation Route sure time	: Ingestion			
Expo	sure time	: 2 Years			
Resu	It	: negative			

19/34

according to GB/T 16483 and GB/T 17519



## Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/06/07
7.0	2024/09/28	934970-00018	Date of first issue: 2016/10/12

### 2,6-Di-tert-butyl-p-cresol:

Species	:	Rat
Application Route	:	Ingestion
Species Application Route Exposure time Result	:	22 Months
Result	:	negative

### Reproductive toxicity

May damage the unborn child.

### **Components:**

### Solvent naphtha (petroleum), light aromatic:

	··,, ··;	-
Effects on fertility	:	Test Type: Reproduction/Developmental toxicity screening test Species: Rat Application Route: inhalation (vapour) Result: negative
Effects on foetal develop- ment	:	Test Type: Embryo-foetal development Species: Rat Application Route: inhalation (vapour) Result: negative
Ethion:		
Effects on fertility	:	Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on foetal develop- ment	:	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative
Chlorpyrifos:		
Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on foetal develop- ment	:	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: positive
Reproductive toxicity - As- sessment	:	Clear evidence of adverse effects on development, based on animal experiments.

according to GB/T 16483 and GB/T 17519



## Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/06/07
7.0	2024/09/28	934970-00018	Date of first issue: 2016/10/12

### 2-Methyl-1-propanol:

Effects on fertility	<ul> <li>Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: inhalation (vapour) Method: OPPTS 870.3800 Result: negative</li> </ul>
Effects on foetal develop- ment	: Test Type: Embryo-foetal development Species: Rat Application Route: inhalation (vapour) Method: OECD Test Guideline 414 Result: negative

### (S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2dimethylcyclopropanecarboxylate:

Effects on fertility	:	Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on foetal develop- ment	:	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative

### Hydrocarbons, C10, aromatics, <1% naphthalene:

•		
Effects on fertility	:	Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: inhalation (vapour) Result: negative Remarks: Based on data from similar materials
Effects on foetal develop- ment	:	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
<b>2,6-Di-tert-butyl-p-cresol:</b>		Test Type: Two-generation reproduction toxicity study

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on foetal develop- ment	:	Test Type: Embryo-foetal development Species: Rat

according to GB/T 16483 and GB/T 17519



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version 7.0	Revision Date: 2024/09/28		DS Number: 34970-00018	Date of last issue: 2024/06/07 Date of first issue: 2016/10/12	
			Application Route Result: negative	e: Ingestion	
STOT	- single exposure				
	cause drowsiness or di es damage to organs.	zzine	SS.		
	oonents:				
Solve	ent naphtha (petroleu	m), li	ght aromatic:		
Asses	ssment	:	May cause drows	siness or dizziness.	
Ethio	n:				
Asses		:	Causes damage	to organs.	
Chlor	myrife o				
	r <b>pyrifos:</b> et Organs	:	Nervous system		
Asses	ssment	:	Causes damage	to organs.	
2-Met	thyl-1-propanol:				
	ssment	:	May cause respiratory irritation. May cause drowsiness or dizziness.		
	-Cyano-3-phenoxyber thylcyclopropanecart			hlorovinyl)-2,2-	
Asses	ssment	:	May cause respir		
Rema	arks	:	Based on nationa	I or regional regulation.	
Hydro	ocarbons, C10, aroma	atics	, <1% naphthalene	9:	
Asses Rema	ssment			siness or dizziness. om similar materials	
	- repeated exposure				
	es damage to organs the	nroug	gn proionged or rep	eated exposure.	
	oonents:				
Ethio Targe	n: et Organs		Central nervous s	system	
	ssment		Causes damage	to organs through prolonged or repeated	
11			exposure.		
	-Cyano-3-phenoxyber thylcyclopropanecart			hlorovinyl)-2,2-	
	sure routes	:	Ingestion		

according to GB/T 16483 and GB/T 17519



## Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version 7.0	Revision Date: 2024/09/28	SDS Number: 934970-00018	Date of last issue: 2024/06/07 Date of first issue: 2016/10/12
	et Organs ssment		/ous system oduce significant health effects in animals at con- of >10 to 100 mg/kg bw.
2,6-D	i-tert-butyl-p-cresol:		
	ssment		nt health effects observed in animals at concentra- mg/kg bw or less.
Repe	ated dose toxicity		
Com	ponents:		
Solve	ent naphtha (petroleu	ım), light aromatic	::
Speci LOAE Applie Expos		: Rat : 500 mg/kg : Ingestion : 28 Days	
Ethio	n:		
		: Dog : 0.05 mg/kg : Ingestion : 90 Days	
Chlo	rpyrifos:		
Speci NOAI LOAE Applie	ies EL	: Rat : 0.1 mg/kg : 1 mg/kg : Ingestion : 13 Weeks	
		: Rat : > 0.000296 : inhalation (v : 13 Weeks	
	ies EL cation Route sure time	: Rat : > 5 mg/kg : Skin contac : 21 Days	t
2-Me	thyl-1-propanol:		
		: Rat : > 1,450 mg/ : Ingestion : 90 Days	′kg

according to GB/T 16483 and GB/T 17519



## Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/06/07
7.0	2024/09/28	934970-00018	Date of first issue: 2016/10/12

### Method

: OECD Test Guideline 408

Species NOAEL Application Route Exposure time	:	Rat
NOAEL	:	>= 7.5 mg/l
Application Route	:	inhalation (vapour)
Exposure time	:	17 Weeks

### (S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2dimethylcyclopropanecarboxylate:

Species NOAEL LOAEL	: Dog
NOAEL	: 3.5 mg/kg
LOAEL	: 13.3 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days

### Hydrocarbons, C10, aromatics, <1% naphthalene:

Species	: Rat
NOAEL	: 300 mg/kg
Application Route	: Ingestion
Exposure time	: 13 Weeks
Species NOAEL Application Route Exposure time Remarks	: Based on data from similar materials

### 2,6-Di-tert-butyl-p-cresol:

Species	: Rat	
Species NOAEL Application Route	: 25 mg	j/kg
Application Route	: Ingest	tion
Exposure time	: 22 Mo	onths

### Aspiration toxicity

May be fatal if swallowed and enters airways.

### Product:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

#### **Components:**

#### Solvent naphtha (petroleum), light aromatic:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

### 2-Methyl-1-propanol:

The substance or mixture causes concern owing to the assumption that it causes a human aspiration toxicity hazard.



Version	Revision Date:	SDS Number:	Date of last issue: 2024/06/07
7.0	2024/09/28	934970-00018	Date of first issue: 2016/10/12

### Hydrocarbons, C10, aromatics, <1% naphthalene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

### Experience with human exposure

#### Components:

Ethion:

Ingestion

: Symptoms: Blurred vision, Dizziness, Headache

### **12. ECOLOGICAL INFORMATION**

### Ecotoxicity

### Components:

### Solvent naphtha (petroleum), light aromatic:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 8.2 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): 4.5 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EL50 (Pseudokirchneriella subcapitata (microalgae)): 3.1 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201
		NOELR (Pseudokirchneriella subcapitata (microalgae)): 0.5 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	NOELR (Daphnia magna (Water flea)): 2.6 mg/l Exposure time: 21 d Test substance: Water Accommodated Fraction Method: OECD Test Guideline 211
Ethion:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.18 mg/l Exposure time: 96 h
Toxicity to daphnia and other	:	EC50: 0.056 - 7.7 μg/l

according to GB/T 16483 and GB/T 17519



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

7.0	2024/09/28	-	OS Number: 4970-00018	Date of last issue: 2024/06/07 Date of first issue: 2016/10/12
aquatic	c invertebrates		Exposure time: 48	3 h
M-Fact icity)	tor (Acute aquatic tox-	:	10,000	
	tor (Chronic aquatic ′)	:	10,000	
Chlorg	oyrifos:			
Toxicity	y to fish	:	LC50 : > 0.1 - 1 μ Exposure time: 96	
	y to daphnia and other c invertebrates	:	EC50: > 0.01 - 0.7 Exposure time: 48	
Toxicity plants	y to algae/aquatic	:	EC50 (Scenedesr Exposure time: 96	mus subspicatus): 0.48 mg/l ວ h
M-Fact icity)	tor (Acute aquatic tox-	:	10,000	
	y to fish (Chronic tox-	:	NOEC: 0.3 µg/l Exposure time: 35	5 d
aquatio	y to daphnia and other c invertebrates (Chron-	:	NOEC (Mysidopsi Exposure time: 21	is bahia (opossum shrimp)): 0.0046 μg/l I d
ic toxic M-Fact toxicity	tor (Chronic aquatic	:	10,000	
2-Meth	yl-1-propanol:			
Toxicity	y to fish	:	LC50 (Pimephales Exposure time: 96	s promelas (fathead minnow)): 1,430 mg/l 5 h
	y to daphnia and other c invertebrates	:	EC50 (Daphnia p Exposure time: 48	ulex (Water flea)): 1,100 mg/l 3 h
Toxicit <u>y</u> plants	y to algae/aquatic	:	ErC50 (Pseudokir mg/l Exposure time: 72 Method: OECD Te	
			NOEC (Pseudokir mg/l Exposure time: 72 Method: OECD Te	rchneriella subcapitata (green algae)): 117 2 h est Guideline 201
aquatio	y to daphnia and other c invertebrates (Chron-	:	NOEC (Daphnia r Exposure time: 21	nagna (Water flea)): 20 mg/l I d
ic toxic Toxicity	sity) y to microorganisms	:	EC50: > 1,000 mg Exposure time: 16	



Version	Revision Date:	SDS Number:	Date of last issue: 2024/06/07
7.0	2024/09/28	934970-00018	Date of first issue: 2016/10/12

## II

(S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2- dimethylcyclopropanecarboxylate:					
Toxicity to fish	:	LC50 (Cyprinus carpio (Carp)): 0.00084 mg/l Exposure time: 96 h Method: OECD Test Guideline 203			
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.0003 mg/l Exposure time: 48 h Method: OECD Test Guideline 202			
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201			
		EC10 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201			
M-Factor (Acute aquatic tox- icity)	:	1,000			
Toxicity to fish (Chronic tox- icity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.03 µg/l Exposure time: 34 d			
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.03 µg/l Exposure time: 21 d			
M-Factor (Chronic aquatic toxicity)	:	1,000			
Hydrocarbons, C10, aromati	ics,	<1% naphthalene:			
Toxicity to fish	:	LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 Remarks: Based on data from similar materials			
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): 3 - 10 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202 Remarks: Based on data from similar materials			
Toxicity to algae/aquatic plants	:	EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 - 3 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction			

according to GB/T 16483 and GB/T 17519



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

ersion 0	Revision Date: 2024/09/28		S Number: 4970-00018	Date of last issue: 2024/06/07 Date of first issue: 2016/10/12
				Test Guideline 201 d on data from similar materials
2,6-D	i-tert-butyl-p-cresol:			
Toxic	ity to fish	:	Exposure time:	rio (zebra fish)): > 0.57 mg/l 96 h ve 67/548/EEC, Annex V, C.1.
	ity to daphnia and other tic invertebrates	:	Exposure time:	magna (Water flea)): 0.48 mg/l 48 h Test Guideline 202
Toxic plants	ity to algae/aquatic	:	mg/l Exposure time:	kirchneriella subcapitata (green algae)): > 0.24 72 h Test Guideline 201
			mg/l Exposure time:	kirchneriella subcapitata (green algae)): 0.24 72 h Test Guideline 201
M-Fa	ctor (Acute aquatic tox-	:	1	
	ity to fish (Chronic tox-	:	Exposure time:	latipes (Japanese medaka)): 0.053 mg/l 30 d Test Guideline 210
	tic invertebrates (Chron-		NOEC (Daphni Exposure time:	a magna (Water flea)): 0.316 mg/l 21 d
	ctor (Chronic aquatic	:	1	
	ity to microorganisms	:	EC50: > 10,000 Exposure time: Method: OECD	
Persi	stence and degradabili	ity		
<u>Com</u>	ponents:			
Solve	ent naphtha (petroleum	), li	ght aromatic:	
Biode	egradability	:	Result: Inheren Biodegradation Exposure time:	
Ethio	n:			
Biode	egradability	:	Result: not rapi	dly degradable

according to GB/T 16483 and GB/T 17519



## Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

/ersion ′.0	Revision Date: 2024/09/28	SDS Number: 934970-00018	Date of last issue: 2024/06/07 Date of first issue: 2016/10/12
II			
Chlor	pyrifos:		
Biode	gradability	Biodegradatior Exposure time:	
Stabil	ity in water	: Degradation ha	alf life (DT50): > 2 Months
2-Met	hyl-1-propanol:		
Biode	gradability	Biodegradation Exposure time:	
• •	Cyano-3-phenoxybe hylcyclopropaneca	enzyl (1R, 3R)-3-(2,2-c rboxylate:	dichlorovinyl)-2,2-
	gradability	: Result: Not rea Biodegradation Exposure time:	
Hvdro	ocarbons. C10. aron	natics, <1% naphthale	ene:

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 49.56 % Exposure time: 28 d
		Method: OECD Test Guideline 301F

### 2,6-Di-tert-butyl-p-cresol:

Biodegradability	: Result: Not readily biodegradable.
	Biodegradation: 4.5 %
	Exposure time: 28 d
	Method: OECD Test Guideline 301C

### **Bioaccumulative potential**

### **Components:**

Ethion: Partition coefficient: n- octanol/water	:	log Pow: 5.07
Chlorpyrifos: Bioaccumulation	:	Species: Danio rerio (zebra fish) Bioconcentration factor (BCF): 6,918 Method: OECD Test Guideline 305

according to GB/T 16483 and GB/T 17519



## Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version 7.0	Revision Date: 2024/09/28		OS Number: 4970-00018	Date of last issue: 2024/06/07 Date of first issue: 2016/10/12
	tion coefficient: n- nol/water	:		est Guideline 107
2-Me	thyl-1-propanol:			
	ion coefficient: n- nol/water	:	0	est Guideline 117
	-Cyano-3-phenoxybe thylcyclopropanecar			:hlorovinyl)-2,2-
Bioad	ccumulation	:	Species: Fish Bioconcentration	factor (BCF): 910
	tion coefficient: n- nol/water	:	log Pow: 6.94	
2,6-D	)i-tert-butyl-p-cresol:			
Bioad	ccumulation	:	Species: Cyprinu Bioconcentration	s carpio (Carp) factor (BCF): 330 - 1,800
	tion coefficient: n- nol/water	:	log Pow: 5.1	
	i <b>lity in soil</b> ata available			
	<b>r adverse effects</b> ata available			

### **13. DISPOSAL CONSIDERATIONS**

### **Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or ex- pose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

### 14. TRANSPORT INFORMATION

### International Regulations

## UNRTDG

UN number : UN 1992

according to GB/T 16483 and GB/T 17519



## Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/06/07
7.0	2024/09/28	934970-00018	Date of first issue: 2016/10/12

Proper shipping name II Class Subsidiary risk Packing group Labels Environmentally hazardous	:	FLAMMABLE LIQUID, TOXIC, N.O.S. (Solvent naphtha (petroleum), light aromatic, Ethion) 3 6.1 III 3 (6.1) yes
IATA-DGR UN/ID No. Proper shipping name II Class Subsidiary risk Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)	: : : : : : : : : : : : : : : : : : : :	UN 1992 Flammable liquid, toxic, n.o.s. (Solvent naphtha (petroleum), light aromatic, Ethion) 3 6.1 III Flammable Liquids, Toxic 366 355
IMDG-Code UN number Proper shipping name Class Subsidiary risk Packing group Labels EmS Code Marine pollutant		UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (Solvent naphtha (petroleum), light aromatic, Ethion, Chlorpyr- ifos) 3 6.1 III 3 (6.1) F-E, S-D yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **National Regulations**

GB 6944/12268 UN number Proper shipping name II Class Subsidiary risk Packing group Labels	<ul> <li>UN 1992</li> <li>FLAMMABLE LIQUID, TOXIC, N.O.S. (Solvent naphtha (petroleum), light aromatic, Ethion)</li> <li>3</li> <li>6.1</li> <li>III</li> <li>3 (6.1)</li> </ul>
Marine pollutant	: yes

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data



Version	Revision Date:	SDS Number:	Date of last issue: 2024/06/07
7.0	2024/09/28	934970-00018	Date of first issue: 2016/10/12

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### **15. REGULATORY INFORMATION**

	Control of Occupational Diseases
Regulations on Safety Man	agement of Hazardous Chemicals
Catalogue of Hazardous Che	emicals : Listed
Regulations on Labour Pro	tection in Workplaces where Toxic Substances are Used
Catalogue of Highly Toxic Ch	nemicals : Not listed
and Export of Toxic Chemi	al Management on the First Import of Chemicals and the Imp cals oxic Chemicals for Import : Not listed
11	
-	tration of Precursor Chemicals
Catalogue and Classification	of Precursor Chemicals : Not listed
Yangtze River Protection L	aw
This product is prohibited for	inland river transport.
The components of this pro	oduct are reported in the following inventories:
AICS	: not determined
DSL	: not determined
IECSC	: not determined
OTHER INFORMATION	
OTHER INFORMATION Revision Date	: 2024/09/28
OTHER INFORMATION Revision Date Further information	: 2024/09/28



Version	Revision Date:	SDS Number:	Date of last issue: 2024/06/07
7.0	2024/09/28	934970-00018	Date of first issue: 2016/10/12

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format	:	yyyy/mm/dd	
Full text of other abbreviations			
ACGIH ACGIH BEI CN OEL	:	USA. ACGIH Threshold Limit Values (TLV) ACGIH - Biological Exposure Indices (BEI) Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.	
ACGIH / TWA CN OEL / PC-TWA	:	8-hour, time-weighted average Permissible concentration - time weighted average	

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for



Version	Revision Date:	SDS Number:	Date of last issue: 2024/06/07
7.0	2024/09/28	934970-00018	Date of first issue: 2016/10/12

safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN/EN